can-am®



SIDE-BY-SIDE PRODUCT SPEC BOOK

VEHICLE SPECIFICATIONS, ACCESSORIES, PARTS & MAINTENANCE AND APPAREL

2027

BRP

TABLE OF CONTENTS

CAN-AM TRAXTER 5

CAN-AM MAVERICK R 78

CAN-AM MAVERICK 113

CAN-AM COMMANDER, MAVERICK TRAIL & MAVERICK SPORT 158

PARTS AND MAINTENANCE 206

CAN-AM APPAREL 230

Always use the digital version of the Product Spec Book for the most up-to-date information.

IF WE SELL IT, WE STAND BY IT.

BRP LIMITED WARRANTY*

for new Parts, Accessories and Riding Gear

1-year limited warranty**

- Genuine BRP Parts and Accessories installed by you on your New or used BRP vehicle
- Genuine BRP Parts and Accessories installed by your authorized BRP dealer/ distributor on your used BRP vehicle
- Riding gear

2-year limited warranty**

- Genuine BRP Parts and Accessories installed by your authorized BRP dealer/ distributor on your new BRP vehicle

4-year limited warranty**

- Helmets

Lifetime limited warranty**

- SympaTex® membrane performance on Riding Gear only

GET ALL THE DETAILS FROM YOUR CAN-AM OFF-ROAD DEALER

* Purchased at an authorized BRP dealership/distributor or on a BRP-authorized online store. Other exclusions may apply; see complete limited warranty or contact your Can-Am Off-Road authorized dealer. This limited warranty does not apply to factory-installed accessories and Evinrude parts and accessories.
** Manufacturer's limited warranty. Does not affect consumer guarantees.

Pricing is subject to change due to various taxes, tariffs or duties which may be applicable on certain products. BRP reserves the right to change the prices without incurring any obligations.

CANAMOFFROAD.COM

© 2026 Bombardier Recreational Products Inc. (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its affiliates. †All other trademarks are the property of their respective owners. BRP reserves the right to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. Some models shown may include optional equipment. Product performance may vary depending on external factors. BRP recommends that all SxS drivers take a training course. See your dealer. SxS can be hazardous to operate. Never exceed the SxS's passenger capacity. All SxS models are meant to be used by drivers aged 16 and older. Read the operator's guide. Follow all instructional and safety material and observe applicable laws and regulations. SxS are for off-road use only; never ride on paved surfaces or public roads. For your safety, the operator and passenger(s) must wear a helmet, eye protection and applicable protective clothing. Always remember that riding and alcohol/ drugs don't mix. Never engage in stunt driving. Avoid excessive speed and be particularly careful on difficult terrain. Always ride responsibly and safely. See your authorised BRP dealer for details and visit https://can-am.brp.com/.


can-am

CAN-AM TRAXTER

CAN-AM TRAXTER

Comparative Chart	7
Traxter Accessory Packages	11
Accessories	12
Roofs	12
Cabs	13
Windshields & Mirrors	14
Rear Wind Protection	17
Doors	18
Cab Accessories	21
Aluminum Skid Plates	22
Bumpers & Guards	23
LinQ Accessories	26
Cargo & Storage	37
Racks & Holders	41
ACM & SMART Accessories	43
Lights	46
Audio	51
Electronic Accessories	57
Winches & Hitches	61
Winch Accessories	62
Hitches	64
Recovery	64
Performance	65
Apache Track Systems	68
Can-Am Fisher Plows	71
ProMount Plows	72
Covers & Tie-Downs	76

		HD9 only available in EMEA outside the European Union. 			
		TRAXTER HD7 T/ HD9*		**TRAXTER DPS HD9**	**TRAXTER MAX DPS HD9**
COLOR OPTIONS		Compass Green		Compass Green	Compass Green
ENGINES		HD7	HD9	HD9	HD9
	Type	52 hp (38.2 kW)/ 57 Nm, Rotax® ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid cooled, catalytic converter	65 hp (47.8 kW)/ 80 Nm, Rotax® 976 cc, V-twin, liquid cooled, catalytic converter	65 hp (47.8 kW)/ 80 Nm, Rotax® 976 cc, V-twin, liquid cooled	65 hp (47.8 kW)/ 80 Nm, Rotax® 976 cc, V-twin, liquid cooled
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)		Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Transmission	pDrive primary CVT with engine braking and Electronic Drive Belt Protection L / H / N / R / P	PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P	PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P	PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P
	Drive Train	Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential		Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential	Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential
	Driving Assistance	Electronic Hill Descent Control ECO™ / ECO™ Off / Work modes Speed limiter		CVT Engine Braking ECO™ / ECO™ Off / Work modes Speed Limiter	CVT Engine Braking ECO™ / ECO™ Off / Work modes Speed Limiter
	Power Steering	N/A		Dynamic Power Steering (DPS)	Dynamic Power Steering (DPS)
SUSPENSIONS	**Front Suspension**	Double A-arm / 10 in. (25.4 cm) suspension travel		Double A-arm / 10 in. (25.4 cm) suspension travel	Double A-arm / 10 in. (25.4 cm) suspension travel
	Front Shocks	Twin tube gas charged shocks		Twin tube gas charged shocks	Twin tube gas charged shocks
	Rear Suspension	TTA with external sway bar / 10 in. (25.4 cm) suspension travel		TTA with external sway bar / 10 in. (25.4 cm) suspension travel	TTA with external sway bar / 10 in. (25.4 cm) suspension travel
	Rear Shocks	Twin tube gas charged shocks		Twin tube gas charged shocks	Twin tube gas charged shocks
TIRES / WHEELS	**Front/Rear Tires**	Maxxis Coronado 2.0† 27 x 9/11 x 14 in.		XPS Trail Force 27 x 9/11 x 14 in.	XPS Trail Force 27 x 9/11 x 14 in.
	Wheels	14 in. steel		14 in. cast-aluminum	14 in. cast-aluminum
BRAKES	**Front**	Dual 220 mm disc brakes with hydraulic twin-piston calipers		Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers
	Rear	Dual 220 mm disc brakes with hydraulic single-piston calipers		Dual 220 mm disc brakes with hydraulic single-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers
	Brake Holding Mechanism	Brake holding mechanism			
DIMENSIONS / CAPACITIES	**Cage**	Profiled cage. ROPS approved		Profiled cage. ROPS approved	Profiled cage. ROPS approved
	Estimated Dry Weight*	670 kg	690 kg	701 kg	855 kg
	L x W x H	121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)		121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)	153.4 x 63.5 x 76 in. (389.6 x 161.2 x x 193 cm)
	Wheelbase	83 in. (211.5 cm)		83 in. (211.5 cm)	115.5 in. (294 cm)
	Ground Clearance	11 in. (28 cm)		11 in. (28 cm)	11 in. (28 cm)
	Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)		38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
	Cargo Box Capacity	454 kg		454 kg	454 kg
	Tailgate Load Capacity	113.4 kg		113.4 kg	113.4 kg
	Storage Capacity	Total: 11.7 L		Total: 39.5 L	Total: 42.1 L
	Towing Capacity	1,134 kg		1,134 kg	1,134 kg
	Payload Capacity	680 kg		680 kg	771 kg
	Fuel Capacity	40 L		40 L	40 L
	Person Capacity	3		3	6
FEATURES	**Gauge**	7.6 in. wide digital display with keypad		4.5 in. wide digital display	4.5 in. wide digital display
	Battery	12-V (18 amp/h)		12-V (18 amp/h)	12-V (18 amp/h)
	Magneto	650-W		650-W	650-W
	Instrumentation	DC outlet (10-A)		DC outlet (10-A)	DC outlet (10-A)
	Anti-theft System				
	Lighting	Front lighting output 110-W LED headlights and premium tail lights		Front lighting output 140-W LED headlights and tail lights	Front lighting output 140-W LED headlights and tail lights
	Winch				
	Seat	60/40 VERSA-PRO bench seat with passenger seats flipping up, Underside hooks, adjustable driver seat		VERSA-PRO bench seat with passenger seats flipping up Underside hooks	VERSA-PRO bench seat with passenger seats flipping up Underside hooks
	Steering Wheel	Tilt steering adjustment		Adjustable tilt steering	Tilt steering adjustment
	Protection	Integrated front steel bumper HMWPE central skid plate		Integrated front steel bumper HMWPE central skid plate	Integrated front steel bumper HMWPE central skid plate
	Hitch Type	2 in. hitch receiver with rear hitch, tow ball and trailer connection		2 in hitch receiver	2 in hitch receiver

† Visco-Lok is a trademark of GKN Viscodrive GmbH.
* These models are available only in EMEA countries outside the European Union. All other models are available throughout the EMEA region. Availability and warranty conditions may vary by country. Please contact your local dealer for details.

Vehicles sold within the European Union include a 2-year BRP limited warranty; vehicles sold elsewhere in the EMEA region include a 1-year BRP limited warranty. BRP's limited warranty does not affect consumer guarantees.







		TRAXTER XU HD7 T	TRAXTER XU HD 10/HD11 T ABS		TRAXTER MAX XU HD 11 T ABS
COLOR OPTIONS		Compass Green	Compass Green Stealth Black	Stealth Black	Stealth Black
ENGINES		HD7	HD10	HD11	HD11
	Type	52 hp (38.2 kW)/ 57 Nm, Rotax® ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid cooled, catalytic converter	80 hp (58.8 kW)/ 88.1 Nm, Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled, catalytic converter	95 hp (69.9 kW)/ 94.9 Nm, Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled, catalytic converter	95 hp (69.9 kW)/ 94.9 Nm, Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled, catalytic converter
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)		Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Transmission	pDrive primary CVT with engine braking and Electronic Drive Belt Protection L / H / N / R / P	pDrive primary and Quick Response System (QRS) CVT with high airflow and Electronic Drive Belt Protection L / H / N / R / P		pDrive primary and Quick Response System (QRS) CVT with high airflow and Electronic Drive Belt Protection L / H / N / R / P
	Drive Train	Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential	Selectable Turf Mode / 2WD / 4WD with Open-4Lok front differential with ABS system		Selectable Turf Mode / 2WD / 4WD with Open-4Lok front differential with ABS system
	Driving Assistance	Electronic Hill Descent Control ECO™ / ECO™ Off / Work modes Speed limiter	CVT Engine Braking Sport / Normal / Work modes Speed Limiter		CVT Engine Braking Sport / Normal / Work modes Speed Limiter
	Power Steering	Dynamic Power Steering (DPS)	High torque Tri-Mode Dynamic Power Steering (DPS™)		High torque Tri-Mode Dynamic Power Steering (DPS™)
SUSPENSIONS	**Front Suspension**	Double A-arm / 10 in. (25.4 cm) suspension travel	Arched Double A-Arm with sway bar / 12 in. (30.5 cm) suspension travel		Arched Double A-Arm with sway bar / 12 in. (30.5 cm) suspension travel
	Front Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks		Twin tube gas charged shocks
	Rear Suspension	TTA with external sway bar / 10 in. (25.4 cm) suspension travel	Arched Double A-Arm / 12 in. (30.5 cm) suspension travel		Arched Double A-Arm / 12 in. (30.5 cm) suspension travel
	Rear Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks		Twin tube gas charged shocks
TIRES / WHEELS	**Front/Rear Tires**	Maxxis Coronado 2.0† 27 x 9/11 x 14 in.	XPS Trail King 2 29 x 9/11 x 14 in.		XPS Trail King 2 29 x 9/11 x 14 in.
	Wheels	14 in. cast-aluminum	14 in. cast-aluminum		14 in. cast-aluminum
BRAKES	**Front**	Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 262 mm disc brakes with hydraulic twin-piston calipers (32 mm)		Dual 262 mm disc brakes with hydraulic twin-piston calipers (32 mm)
	Rear	Dual 220 mm disc brakes with hydraulic single-piston calipers	Dual 236 mm disc brakes with hydraulic single piston caliper (32 mm)		Dual 236 mm disc brakes with hydraulic twin-piston calipers (32 mm)
	Brake Holding Mechanism	Brake holding mechanism	Brake holding mechanism		Brake holding mechanism
DIMENSIONS / CAPACITIES	**Cage**	Profiled cage. ROPS approved	Profiled cage. ROPS approved		Profiled cage. ROPS approved
	Estimated Dry Weight*	723 kg	858 kg		995 kg
	L x W x H	125.7 x 62 x 78 in. (319.4 x 157.5 x 198.1 cm)	122.7 x 65 x 81 in. (312 x 165 x 206 cm)		155.5 x 65 x 81.4 (395 x 165 x 207 cm)
	Wheelbase	83 in. (211.5 cm)	85 in. (216 cm)		117.5 in (298 cm)
	Ground Clearance	11 in. (28 cm)	14 in. (35.6 cm)		14 in. (35.6 cm)
	Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)		38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
	Cargo Box Capacity	454 kg	454 kg		454 kg
	Tailgate Load Capacity	113.4 kg	113.4 kg		113.4 kg
	Storage Capacity	Total: 24.5 L	Weather resistant above gage glove box Weather resistant passenger glove box with USB-C, USB-A & DC outlet Cubby storage and lower dash storage 14 L under seat removable bin		Weather resistant above gage glove box Weather resistant passenger glove box with USB-C, USB-A & DC outlet Cubby storage and lower dash storage 14 L under seat removable bin
	Towing Capacity	1,134 kg	1,134 kg		1,134 kg
	Payload Capacity	680 kg	680 kg		659 kg
	Fuel Capacity	40 L	45 L		45 L
	Person Capacity	3	3		6
FEATURES	**Gauge**	7.6 in. wide digital display with keypad	5 in. color display	5 in. color display with keypad & 10.25 in. Wireless Touch display	5 in. color display with keypad & 10.25 in. Wireless Touch display
	Battery	12-V (30 amp/h)	400 CCA (30 amp/h)		400 CCA (30 amp/h)
	Magneto	650-W	650-W		650-W
	Instrumentation	DC outlet (10-A)	DC outlet (10-A)	USB outlet Lighter DC Outlet	USB outlet Lighter DC Outlet
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button		RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
	Lighting	Front lighting output 110-W LED headlights and premium tail lights	LED headlights LED tail lights with flashers LED signature		LED headlights LED tail lights with flashers LED signature
	Winch	2,041 kg winch with synthetic cable	2,041 kg winch with synthetic cable and autostop		2,041 kg winch with synthetic cable and autostop
	Seat	60/40 VERSA-PRO bench seat with passenger seats flipping up, underside hooks, reinforced seat skin, adjustable driver seat	Adjustable driver seat 60/40 Reinforced		Adjustable driver seat 60/40 Reinforced
	Steering Wheel	Tilt steering adjustment	Premium steering wheel with keypad space Adjustable steering wheel with full-tilt up feature		Premium steering wheel with keypad space Adjustable steering wheel with full-tilt up feature
	Protection	Integrated front steel bumper Full heavy-duty HMW plastic skid plate	Full heavy-duty HMW plastic skid plate Door safety net Lower front mudflap		Full heavy-duty HMW plastic skid plate Door safety net Lower front mudflap
	Hitch Type	2 in. hitch receiver with rear hitch, tow ball and trailer connection	2 in. hitch receiver with rear hitch, tow ball and trailer connection		2 in. hitch receiver with rear hitch, tow ball and trailer connection

† Visco-Lok is a trademark of GKN Viscodrive GmbH.
Some models are available only in EMEA countries outside the European Union. All other models are available throughout the EMEA region. Availability and warranty conditions may vary by country. Please contact your local dealer for details.
Vehicles sold within the European Union include a 2-year BRP limited warranty; vehicles sold elsewhere in the EMEA region include a 1-year BRP limited warranty. BRP's limited warranty does not affect consumer guarantees.

		 TRAXTER PRO XU HD10 T ABS	 TRAXTER 6X6 XU HD10 T	 TRAXTER 6X6 DPS HD10
COLOR OPTIONS		Compass Green	Compass Green	Compass Green
ENGINES	Type	HD10	HD10	HD10
		82 hp (60.3 kW) / 93.6 Nm, Rotax® 976 cc, V-twin, liquid cooled, catalytic converter	82 hp (60.3 kW) / 93.6 Nm, Rotax® 976 cc, V-twin, liquid cooled, catalytic converter	82 hp (60.3 kW) / 93,6 Nm, Rotax® 976 cc, V-twin, liquid cooled
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Transmission	PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P	PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P	PRO-TORQ CVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P
	Drive Train	Selectable Turf Mode / 2WD / 4WD with open front differential with ABS system	Selectable 4WD / 6WD auto-Locking front differential	Selectable 4WD / 6WD auto-Locking front differential
	Driving Assistance	Electronic Hill Descent Control ECO™ / ECO™ Off / Work modes Speed limiter	CVT Engine Braking ECO™ / ECO™ Off / Work modes Speed Limiter	CVT Engine Braking ECO™ / ECO™ Off / Work modes Speed Limiter
	Power Steering	Dynamic Power Steering (DPS)	Dynamic Power Steering (DPS)	Dynamic Power Steering (DPS)
SUSPENSIONS	Front Suspension	Arched double A-arm / 11 in. (27.9 cm) suspension travel	Arched double A-arm / 11 in. (27.9 cm) suspension travel	Arched double A-arm / 11 in. (27.9 cm) suspension travel
	Front Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
	Rear Suspension	Arched TTA with external sway bar / 11 in. (27.9 cm) suspension travel	Arched TTA with external sway bar / 11 in. (27.9 cm) suspension travel	Arched TTA with external sway bar / 11 in. (27.9 cm) suspensio travel
	Rear Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
TIRES / WHEELS	Front/Rear Tires	Maxxis Coronado 2.0† 27 x 9/11 x 14 in.	XPS Trail King 27 x 9/11 x 14 in.	XPS Trail King 27 x 9/11 x 14 in.
	Wheels	14 in. cast-aluminum	14 in. cast-aluminum	14 in. cast-aluminum
BRAKES	Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers
	Rear	Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers
	Brake Holding Mechanism	Brake holding mechanism	Brake holding mechanism	
DIMENSIONS / CAPACITIES	Cage	Profiled cage. ROPS approved	Profiled cage. ROPS approved	Profiled cage. ROPS approved
	Estimated Dry Weight*	943 kg	987 kg	915 kg
	L x W x H	154.1 x 64 x 78 in. (391.5 x 162.5 x 198.1 cm)	154.1 x 64 x 78 in. (391.5 x 162.5 x 198.1 cm)	154.1 x 64 x 78 in. (391.5 x 162.5 x 198.1 cm)
	Wheelbase	115.5 in. (294 cm)	115.5 in. (294 cm)	115.5 in. (294 cm)
	Ground Clearance	12.5 in. (32 cm)	13 in. (33 cm)	13 in. (33 cm)
	Cargo Box Dimensions	72 x 54.5 x 10 in. (180.3 x 138.4 x 25.4 cm)	72 x 54.5 x 10 in. (180.3 x 138.4 x 25.4 cm)	72 x 54.5 x 10 in. (180,3 x 138.4 x 25.4 cm)
	Cargo Box Capacity	544 kg	544 kg	544 kg
	Tailgate Load Capacity	113.4 kg	113.4 kg	113.4 kg
	Storage Capacity	Total: 356 L	Total: 39.5 L	Total: 39.5 L
	Towing Capacity	1,134 kg	1480.8 kg	1480.8 kg
	Payload Capacity	716 kg	672 kg	744 kg
	Fuel Capacity	40 L	40 L	40 L
	Person Capacity	3	3	3
FEATURES	Gauge	7.6 in. wide digital display with keypad	7.6 in. display with keypad	4.5 in. wide digital display
	Battery	12-V (30 amp/h)	12-V (30 amp/h)	12-V (30 amp/h)
	Magneto	650-W	650-W	650-W
	Instrumentation	DC outlet (10-A)	DC outlet (10-A)	DC outlet (10-A)
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button		
	Lighting	Front lighting output 110-W LED headlights and premium tail lights	Front lighting output 110-W LED headlights and premium tail lights	Front lighting output 140-W LED headlights and tail lights
	Winch	2,041 kg winch with synthetic cable	2,041 kg winch with synthetic cable	
	Seat	60/40 VERSA-PRO bench seat with passenger seats flipping up, underside hooks, reinforced seat skin adjustable driver seat	60/40 VERSA-PRO bench seat with passenger seats flipping up, underside hooks, reinforced seat skin, adjustable driver seat	VERSA-PRO bench seat with passenger seats flipping up Underside hooks
	Steering Wheel	Tilt steering adjustment	Tilt steering adjustment	Tilt steering adjustment
	Protection	Integrated front steel bumper Full heavy-duty HMW plastic skid plate Front fender extension	Integrated front steel bumper HMWPE central skid plate Wide mudguard	Integrated front steel bumper HMWPE central skid plate
	Hitch Type	2 in. hitch receiver with rear hitch, tow ball and trailer connection	2 in. hitch receiver with rear hitch, tow ball and trailer connection	2 in hitch receiver

† Visco-Lok is a trademark of GKN Viscodrive GmbH.
Some models are available only in EMEA countries outside the European Union. All other models are available throughout the EMEA region. Availability and warranty conditions may vary by country. Please contact your local dealer for details.

Vehicles sold within the European Union include a 2-year BRP limited warranty; vehicles sold elsewhere in the EMEA region include a 1-year BRP limited warranty. BRP's limited warranty does not affect consumer guarantees.

		 TRAXTER X MR HD11	Only available in EMEA outside the European Union.  DEFENDER LIMITED*	Only available in EMEA outside the European Union.  DEFENDER MAX LIMITED*
COLOR OPTIONS		Loft Green Satin	Hybrid White Pearl	Sandstone
ENGINES	Type	HD11	HD11	HD11
		95 hp (69.9 kW)/ 94.9 Nm, Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled	95 hp (69.9 kW)/ 95 Nm, Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled	95 hp (69.9 kW)/ 95 Nm, Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Transmission	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow, Strategically positioned CVT air intakes and exhaust. Lower gearing ratio and Electronic Drive Belt Protection Extra-L / H / N / R / P	pDrive primary and Quick Response System (QRS) CVT with high airflow and Electronic Drive Belt Protection L / H / N / R / P	pDrive primary and Quick Response System (QRS) CVT with high airflow and Electronic Drive Belt Protection L / H / N / R / P
	Drive Train	Turf Mode and lockable front differential with exclusive Smart-Lok technology. True 4 modes traction system: 2WD / 4WD with front diff. lock / 4WD MUD / 4WD TRAIL	Selectable Turf Mode / 2WD / 4WD with Quick-4Lok auto-Locking front differential	Selectable Turf Mode / 2WD / 4WD with Quick-4Lok auto-Locking front differential
	Driving Assistance	CVT Engine Braking ECO™ / ECO™ Off / Work modes Speed Limiter	CVT Engine Braking Sport / Normal / Work modes Speed Limiter	CVT Engine Braking Sport / Normal / Work modes Speed Limiter
	Power Steering	Dynamic Power Steering (DPS)	High torque Tri-Mode Dynamic Power Steering (DPS™)	High torque Tri-Mode Dynamic Power Steering (DPS™)
SUSPENSIONS	Front Suspension	Arched Double A-Arm with sway bar / 12 in. (30.5 cm) suspension travel	Arched Double A-Arm with sway bar / 12 in. (30.5 cm) suspension travel	Arched Double A-Arm with sway bar / 12 in. (30.5 cm) suspension travel
	Front Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
	Rear Suspension	Arched Double A-Arm / 12 in. (30.5 cm) suspension travel	Arched Double A-Arm / 12 in. (30.5 cm) suspension travel	Arched Double A-Arm / 12 in. (30.5 cm) suspension travel
	Rear Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
TIRES / WHEELS	Front/Rear Tires	XPS Swamp Force 30 x 9/11 x 14 in.	XPS Trac Force 30 x 9/10 x 15 in.	XPS Trac Force 30 x 9/10 x 15 in.
	Wheels	14 in. cast-aluminum	15 in. cast-aluminum	15 in. cast-aluminum
BRAKES	Front	Dual 262 mm disc brakes with hydraulic twin-piston calipers (32 mm)	Dual 262 mm disc brakes with hydraulic twin-piston calipers (32 mm)	Dual 262 mm disc brakes with hydraulic twin-piston calipers (32 mm)
	Rear	Dual 236 mm disc brakes with hydraulic single piston caliper (32 mm)	Dual 236 mm disc brakes with hydraulic single piston caliper (28 mm)	Dual 236 mm disc brakes with hydraulic twin piston calipers (28 mm)
	Brake Holding Mechanism	Brake holding mechanism	Brake holding mechanism	Brake holding mechanism
DIMENSIONS / CAPACITIES	Cage	Profiled cage ROPS approved	Profiled cage ROPS approved	Profiled cage ROPS approved
	Estimated Dry Weight*	885 kg	1,870 lb (848 kg) (412 lb / 187 kg of accessories)	2,090 lb (948 kg) (651 lb / 295 kg of accessories)
	L x W x H	131.7 x 65 x 79.8 in. (335 x 165 x 203 cm)	129.8 x 65 x 81 in. (330 x 165 x 206 cm)	162.4 x 65 x 81.4 in. (412 x 165 x 207 cm)
	Wheelbase	85 in. (216 cm)	85 in. (216 cm)	117.5 in (298 cm)
	Ground Clearance	15 in. (38.1 cm)	14 in. (35.6 cm)	14 in. (35.6 cm)
	Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
	Cargo Box Capacity	226 kg	1,000 lb (454 kg)	700 lb (318 kg)
	Power Tilt Bed			
	Tailgate Load Capacity	113.4 kg	250 lb (113.4 kg)	250 lb (113.4 kg)
	Storage Capacity	Weather resistant above gage glove box including protected cell phone area and USB A plug Weather resistant passenger glove box with USB-C, USB-A & DC outlet Cubby storage and lower dash storage	Weather resistant above gage glove box including protected cell phone area and USB A plug Weather resistant passenger glove box with USB-C, USB-A & DC outlet Cubby storage and lower dash storage	Weather resistant above gage glove box including protected cell phone area and USB A plug Weather resistant passenger glove box with USB-C, USB-A & DC outlet Cubby storage and lower dash storage 3.7 gal (14 L) removable bin
	Towing Capacity	1,134 kg	2,500 lb (1,134 kg)	2,500 lb (1,134 kg)
	Payload Capacity	680 kg	1,200 lb (545 kg)	850 lb (385 kg)
	Fuel Capacity	45 L	11.9 gal (45 L)	11.9 gal (45 L)
	Person Capacity	3	3	6
FEATURES	Gauge	5 in. color display with keypad & 10.25 in. Wireless Touch display	5 in. color display with keypad & 10.25 in. Wireless Touch display	5 in. color display with keypad & 10.25 in. Wireless touchscreen display
	Battery	400 CCA (32 amp/h)	400 CCA (32 amp/h)	400 CCA (32 amp/h)
	Magneto	650-W	1700-W	1700-W
	Instrumentation	USB outlets Lighter DC Outlet Cargo 12V Outlet	USB outlets Lighter DC Outlet Cargo 12V Outlet	USB outlets Lighter DC Outlet Cargo 12V Outlet
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
	Lighting	LED headlights LED tail lights with back up light LED signature	LED headlights LED tail lights with back up light LED signature	LED headlights LED tail lights with back up light LED signature
	Winch	Relocated 2,041 kg winch with synthetic cable and autostop	4,500 lb (2,041 kg) winch with synthetic cable and autostop	4,500 lb (2,041 kg) winch with synthetic cable and autostop
	Seat	Adjustable driver seat 40/20/40 Bolster	Adjustable driver seat 40/20/40 Bolster	Adjustable driver seat 40/20/40 Bolster
	Steering Wheel	Premium steering wheel with keypad space Tilt steering adjustment	Premium steering wheel with keypad Adjustable steering wheel with full-tilt up feature	Premium steering wheel with keypad Adjustable steering wheel with full-tilt up feature
	Protection	Full heavy-duty HMW plastic skid plate MUD front bumper Steel rock sliders Wide mudguards Door safety net Front anchor	Full glass tilt up windshield with wiper kit Full color match doors with locks and electric opening tinted windows Rear tinted glass window Panoramic mirror Full heavy-duty HMW plastic skid plate Full hard roof with liner and dome light Large heavy-duty front bumper Mudguards Floor mats	Full glass tilt up windshield with wiper kit Full color match front doors with locks and electric opening tinted windows Rear color match doors with roll down window Rear tinted glass window Panoramic mirror Full heavy-duty HMW plastic skid plate Full hard roof with liner and dome light Large heavy-duty front bumper Mudguards Floor mats Side Mirrors
	Hitch Type	2 in. hitch receiver	2 in. hitch receiver	2 in. hitch receiver

† Visco-Lok is a trademark of GKN Viscodrive GmbH.
* These models are available only in EMEA countries outside the European Union. All other models are available throughout the EMEA region. Availability and warranty conditions may vary by country. Please contact your local dealer for details.
Vehicles sold within the European Union include a 2-year BRP limited warranty; vehicles sold elsewhere in the EMEA region include a 1-year BRP limited warranty. BRP's limited warranty does not affect consumer guarantees.

TRAXTER ACCESSORY PACKAGES

UPGRADE YOUR RIDE. CHOOSE YOUR EXPERIENCE.

For details on the exact SKUs required for installation, please contact your authorised dealer,
as additional components such as wiring harnesses, mounting brackets or vehicle specific hardware may be required.



ADVENTURE

Cabin Components	Deluxe Sport Roof
	Flip Glass Windshield with SMART Intermittent Wiper & Washer Kit
	Rear Polycarbonate Window
	Side mirrors*
Protections	Front Bumper*
	Rear Bumper
	Rock Sliders
Cargo & Storage	Cargo Rack Multi-position
	LinQ 3.7 US Gal (14.5 L) Fuel Caddy
	LinQ Rigid Cooler 4.7 US Gal (18 L)
	LinQ Lite Device Holder
Winches & Recovery	Can-Am HD 4500-S Winch*
	Can-Am Winch Accessory Kit
	Can-Am Retractable Rope System
Lights	SMART 40" (102 cm) LED Light Bar

*May already be included in certain vehicle models
**Some accessories require additional installation hardware
***To complete the package we recommend the installation of Aluminum Skid Plate Protection Kit



UTILITY

Cabin Components	Deluxe Sport Roof
	Flip Glass Windshield with SMART Intermittent Wiper & Washer Kit
	Rear Polycarbonate Window
	Side mirrors*
Protections	Front Bumper*
	Rear Bumper
	Heavy Duty Seat Covers
Cargo & Storage	Headache Rack
	LinQ Cargo Bed Box
	LinQ Chainsaw Holder
	LinQ Tailgate Extension
	LinQ Tool Holder
Winches & Recovery	Can-Am HD 4500-S Winch*
	Can-Am HD Winch Auto-Stop - SXS
Lights	SMART LED Hood Light
	SMART Rear LED Light

*May already be included in certain vehicle models
**Some accessories require additional installation hardware



FARMING

Cabin Components	Clear Rigid Cab
	SMART Intermittent Wiper & Washer Kit
	Front Roof Liner
	Rear Roof Liner
	Side mirrors* or Mirrors Adaptors
Protections	Front Bumper*
	Rear Bumper
	Heavy Duty Seat Covers
Cargo & Storage	Headache Rack
	Bed Wall Extender - High (for Headache Rack)
	LinQ Tool Holder
	Power Tilt Bed
Winches & Recovery	Can-Am HD 4500-S Winch*
	Wireless Winch Remote
Lights	SMART 10" (25 cm) LED Light Bar
	SMART Rear LED Light

*May already be included in certain vehicle models
**Some accessories require additional installation hardware



HUNTING

Cabin Components	Deluxe Cab Enclosure
	Front and Rear Door Trims
	Side mirrors*
Protections	Front Bumper*
	Rear Bumper
	Rock Sliders
Cargo & Storage	Headache Rack
	Cargo Rack Multi-position
	LinQ Gun Case
	LinQ Gun Case Mounting Kit
Winches & Recovery	Can-Am HD 4500-S Winch*
	Wireless Winch Remote
	Cargo Bed Winch
Lights	SMART 15'' (38 cm) LED Light Bar

*May already be included in certain vehicle models
**Some accessories require additional installation hardware
***To complete the package we recommend the installation of Aluminum Skid Plate Protection Kit



WINTER

Cabin Components	Deluxe Cab Enclosure
	Front and Rear Door Trims
	Side mirrors*
Protections	Front Bumper*
	Rear Bumper
	Rock Sliders
Cargo & Storage	Deluxe Headache Rack
	LinQ Tool Holder
	LinQ Lite Device Holder
Winches & Recovery	Can-Am HD 4500-S Winch*
	Can-Am HD Winch Auto-Stop - SXS
	Can-Am Winch Accessory Kit
Lights	SMART 10" (25 cm) LED Light Bar
	SMART Rear LED Light
Winter Accessories	Apache XC LT Track Kit
	Apache XC LT Track Kit Mounting Kit
	Can-Am ProMount Steel 72" (183 cm) Blade Plow Kit
	Can-Am ProMount Push Frame Extension

*May already be included in certain vehicle models
**Some accessories require additional installation hardware
***To complete the package we recommend the installation of Aluminum Skid Plate Protection Kit and Heated Accessories

ROOFS

Sport Roof

Traxter G1, Traxter G2	**715002430**
Traxter G1 MAX, Traxter G2 MAX	**715003038**



- Robust injection-molded polypropylene construction.
- Provides added protection for rider and passenger from the elements.

Deluxe Sport Roof

Traxter G1	**715002511**
Traxter G1 MAX	**715003039**
Traxter G2	**715010883**
Traxter G2 MAX	**715010884**



- Complete roof kit provides extra driver and passenger protection and also diminishes noise within the cab.
- Perfect fit and finish thanks to the seal kit and the liners included.

Not compatible with:
- Soft Rear Panel.

Includes
- Sport Roof
- Sport Roof Seal Kit
- Front Roof Liner
- Rear Roof Liner

Sport Roof Seal Kit
(Not illustrated)

Traxter G1, Traxter G2	**715003126**
Traxter G1 MAX, Traxter G2 MAX	**715003583**

- Necessary when installing individual cab components with Sport Roof or when installing the Front and Rear Roof Liners.

Front Roof Liner

Traxter G2, Traxter G2 MAX	**715009196**



- Vehicle enhancement.
- Integrates seamlessly with roof-mounted light switch.
- Required for installation of roof-mounted lights.
- Allows a better integration of Windshield Wiper and Washer Kit.

Required for installation:
- Seal Kit necessary when installing with Sport Roof.

Front Roof Liner

Traxter G1, Traxter G1 MAX	**715008226**



- Vehicle enhancement.
- Integrates seamlessly with roof-mounted light switch.
- Required for installation of roof-mounted lights and audio systems.
- Allows a better integration of Windshield Wiper and Washer Kit.

Required for installation:
- Seal Kit necessary when installing with Sport Roof.

Rear Roof Liner

Traxter G1, Traxter G2†	**715006334**
Traxter G1 MAX, Traxter G2 MAX‡ (Not illustrated)	**715006391**



- Quick and easy vehicle enhancement.
- Allows better integration of other accessories installed on the roof.

Required for installation:
- Seal Kit necessary when installing with Sport Roof.

Not compatible with:
- 715002920, 715006680, 715003249, 715002852, 715002851.

†Needs to be installed with Sport Roof (715002430).

‡Needs to be installed with Sport Roof (715003038).

CABS

HARD CABS

Clear Rigid Cab *

Traxter G1, Traxter G2	**715010068**
Traxter G1 MAX, Traxter G2 MAX	**715010069**



Includes:
- Front Clear Rigid Doors.
- Rear Clear Rigid Doors (MAX models only).
- Sport Roof.
- Sport Roof Max (MAX models only).
- Flip Glass Windshield.
- Rear Polycarbonate Window.

Deluxe Cab Enclosure *

Traxter G2	**715010063**
Traxter G2 MAX	**715010064**



- Provides driver and passenger with the best protection from the elements and the cold, and features the most complete top-of-the-line accessories our product lineup has to offer.
- Key locking door latches.

Includes:
- Deluxe Sport Roof Kit.
- Flip Glass Windshield with SMART Intermittent Wiper & Washer Kit.
- Front and Rear Deluxe Full Doors with Key Locking Door Latches.
- Rear Glass Window.
- Wiper and Powered Windows Cable.
- Wire Cover Kit and Roof Power Cable.

Required for installation:
- Color Panels are required (sold separately).

Deluxe Cab Enclosure *

Traxter G1	**715010938**
Traxter G1 MAX	**715010939**



- Provides driver and passenger with the best protection from the elements and the cold, and features the most complete top-of-the-line accessories our product lineup has to offer.

Includes:
- Deluxe Sport Roof Kit.
- Flip Glass Windshield with Wiper and Washer Kit.
- Front Deluxe Full Doors with Key Locking Door Latches.
- Rear Glass Window.
- Wiper and Powered Windows Cable.
- Roof Power Cable.

Required for installation:
- Color Panels are required (sold separately).

HYBRID CABS

Hybrid Cab Enclosure *

Traxter G1, Traxter G2	**715011103**
Traxter G1 MAX, Traxter G2 MAX	**715011104**



- Offers good protection from the elements for driver and passenger.

Includes:
- Sport Roof.
- Full Windshield – Hardcoated.
- Soft Doors.
- Rear Polycarbonate Window.

* *Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

WINDSHIELDS & MIRRORS

WINDSHIELDS

Flip Glass Windshield *

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715009225



- Its enhanced handle allows for quick, low-effort opening (715009225 only).
- Curved and laminated glass full windshield in metal frame.
- Provides excellent optical clarity.
- Seals firmly against the cage and protects rider and passenger from the elements while allowing for controlled air flow.
- 3-position flip can be set at fully closed, ¼ open or fully open.
- Gas-shock-assisted operation and pivots on 2 hinges located at the top of the windshield.
- Ideal for muddy conditions.
- Can be used with Windshield Wiper & Washer Kit (715001638 Traxter G1 or 715009441 Traxter G2).

Flip Glass Windshield with SMART Intermittent Wiper & Washer Kit *

Traxter G2, Traxter G2 MAX

715009890



- Its enhanced handle allows for quick, low-effort opening.
- Curved and laminated glass full windshield in metal frame.
- Provides excellent optical clarity.
- Seals firmly against the cage and protects rider and passenger from the elements while allowing for controlled airflow.
- 3-position flip can be set at fully closed, ¼ open or fully open.
- Ideal for muddy conditions.
- Gas-shock-assisted operation and pivots on 2 hinges located at the top of the windshield.
- Includes single-speed wiper, washer fluid dispenser and windshields frame mount.
- Intermittent wiper speed feature available when the kit is installed in combination with ACM and automatic speed variation mode that varies with vehicle speed.

Required for installation:
Requires Wiper and Power Cables when ACM is not installed.
- If equipped with the Sport Roof, Power Cables (715010489 & 715009756) are required.
- If equipped with the Audio Roof, Power Cable (715010324) is required.

Flip Glass Windshield with Wiper & Washer Kit *

Traxter G1, Traxter G1 MAX

715002441



- Curved and laminated glass full windshield in metal frame.
- Provides excellent optical clarity.
- Seals firmly against the cage and protects rider and passenger from the elements while allowing for controlled airflow.
- 3-position flip can be set at fully closed, ¼ open or fully open.
- Ideal for muddy conditions.
- Gas-shock-assisted operation and pivots on 2 hinges located at the top of the windshield.
- Single-speed wiper with washer fluid dispenser.

Required for installation:
Requires Wiper and Power Cables.
- If equipped with the Sport Roof, Power Cables 710004462 & 715003094 are required.
- If equipped with the Audio Roof, Power Cables 715008781 & 715003094 are required.

Flip Windshield – Hardcoated *

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715010010



- Its enhanced handle allows for quick, low-effort opening (715010010 only).
- High-impact-resistant Makrolon† hardcoated polycarbonate full windshield in metal frame.
- Provides excellent optical clarity and better abrasion resistance.
- Seals firmly against the cage and protects rider and passenger from the elements while allowing for controlled airflow.
- 3-position flip can be set at fully closed, ¼ open or fully open.
- Gas-shock-assisted operation.
- Ideal for muddy conditions.

Glass Windshield *

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715010876



- Curved and laminated glass full windshield in metal frame.
- Seals firmly against the cage and protects rider and passenger from the elements while providing excellent optical clarity.
- Must be used with Windshield Wiper & Washer Kit (715001638 Traxter G1 or 715009441 Traxter G2) to maintain clear visibility during severe riding conditions.

NEW Glass Windshield Flip Conversion Kit *

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715010362



- Transform your fixed glass windshield into a convenient flip glass windshield and enjoy enhanced airflow.
- 3-position flip can be set at fully closed, ¼ open or fully open.
- Gas-shock-assisted operation and pivots on two hinges located at the top of the windshield.
- Does not include windshield.

Required for installation:
- Glass Windshield (715010876).

* *Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

Full Windshield – Hardcoated *

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715002432



- High-impact-resistant Makrolon† hardcoated polycarbonate full windshield.
- Provides excellent optical clarity and better abrasion resistance.
- Protects driver and passenger from the elements.
- Quick and easy tool-less installation or removal.

Full Windshield *

Traxter G1, Traxter G1 MAX (2025 & prior)

715002431



- High-impact-resistant durable polycarbonate full windshield.
- Formulated to be non-yellowing, non-crazing, non-cracking with excellent UV resistance and optical clarity.
- Protects driver and passenger from the elements.
- Quick and easy tool-less installation or removal.

Half Windshield – Hardcoated *

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715010075



- High-impact-resistant Makrolon† hardcoated polycarbonate half windshield.
- Formulated to be non-yellowing, non-crazing, non-cracking with excellent UV resistance and optical clarity.
- Protects driver and passenger from the elements.
- Features reverse angle lip to deflect air flow.
- Quick and easy tool-less installation or removal.

Not compatible with:
- Soft Doors.

ProVent Windshield *

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715005276



- High-impact-resistant Quantum hardcoated polycarbonate full windshield.
- Optimal performance with Full Cab Enclosure.
- Controllable vents to manage air flow.
- Channels air into the cabin, defogs windshield, fully closes to eliminate air flow.
- 2 lower vents and one upper vent (pre-filter installed).
- Provides excellent optical clarity and better abrasion resistance.
- Protects driver and passenger from the elements.
- Quick and easy tool-less installation or removal.

Not compatible with:
- Wiper kits.

SMART Intermittent Wiper & Washer Kit *

Traxter G2, Traxter G2 MAX

715009441



- An ideal way to keep your windshield clear in rain, or while riding through mud and water.
- Includes single-speed wiper, washer fluid dispenser and windshield frame mount.
- Automatic speed variation mode and intermittent wiper speed features available when the kit is installed in combination with ACM and that varies with vehicle speed.
- Must be used with the Glass Windshield (715010876) or Flip Glass Windshield (715009225).

Required for installation:
Requires Wiper and Power Cables when ACM is not installed.
- If equipped with the Sport Roof, Power Cables (715010489 & 715009756) are required.
- If equipped with the Audio Roof, Power Cable (715010324) is required.
- Included with Flip Glass Windshield with SMART Intermittent Wiper & Washer Kit (715009890).

Windshield Wiper & Washer Kit *

Traxter G1, Traxter G1 MAX

715001638



- An ideal way to keep your windshield clear in rain, or while riding through mud and water.
- Includes single-speed wiper, washer fluid dispenser and windshield frame mount.
- Must be used with the Flip Glass Windshield (715009225).

Required for installation:
Requires Wiper and Power Cables.
- If equipped with the Sport Roof, Power Cables (710004462 & 715003094) are required.
- If equipped with the Audio Roof, Power Cables (715008781 & 715003094) are required.

Wiper & Power Windows Cable

Traxter G2, Traxter G2 MAX

715009756




- Required to install Front Deluxe Full Doors (715010568 or 715010570) and/or Intermittent Wiper & Washer Kit (715009441).
- Necessary if you want to build your own cab enclosure from modular components.

Not compatible with:
- Audio Roof.

Wiper & Power Windows Cable

Traxter G2, Traxter G2 MAX

715010324



- Required to install Front Deluxe Full Doors (715010568 or 715010570) and/or Intermittent Wiper & Washer Kit (715009441) with the Audio Roof.
- Necessary if you want to build your own cab enclosure from modular components.

* *Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

Wiper & Power Windows Cable
(Not illustrated)

Traxter G1, Traxter G1 MAX — **715008781**

- Required to install the Audio Roof (715005206 or 715006879) with the following accessories: Flip Glass Windshield with Wiper & Washer Kit (715002441), Windshield Wiper & Washer Kit (715001638) and Front Deluxe Full Doors (715009906 or 715009913).

Wiper & Power Windows Cable
(Not illustrated)

Traxter G1, Traxter G1 MAX — **710004462**

- Required to install Front Deluxe Full Doors (715009906 or 715009913) and/or Windshield Wiper & Washer Kit (715001638).
- Necessary if you want to build your own cab enclosure from modular components.

Manual Wiper Kit*

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX — **715008755**



- Single manual wiper that can be used to clear windshield of debris.
- Easy to install system that requires no electrical hookup.
- Large ergonomic handle provides a good grip over the entire sweeping surface.
- Compatible with glass and hardcoated windshields that use top mounted wipers.

Side Wind Deflectors

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX — **715005081**



- Clear polycarbonate air deflectors mount on each side of the cage.
- Not compatible with Full Doors.
- Sold in pairs.
- Compatible with all windshields.
- Can be adjusted at three different positions for cabin air flow control when a full windshield is installed:
  1. Outside deflection to reduce cabin air flow and turbulence.
  2. Inside deflection to increase air flow in the cabin.
  3. Windshield ventilation to reduce fog.

MIRRORS

Side Mirrors

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX — ■ **715008100** · Black



- Rugged black nylon 6/6 construction with coated cast-aluminum mount.
- Dual adjustment (horizontal and vertical) will suit any rider.
- Convex optics deliver optimal field of view (FOV).
- Spring-loaded pivots let mirrors fold back completely.
- Fit with and without doors and half doors.
- Sold in pairs.

Not compatible with:
- Soft Doors and Soft Cab Enclosures.

Side Mirror *

Traxter G1, Traxter G1 MAX (2022 & up), Traxter G2, Traxter G2 MAX — **715008101***

Traxter G1, Traxter G1 MAX (2021 & prior) — **715002459**



- Molded heavy-duty aluminum mirror.
- Stays in place on rough trails.
- Ball-joint design for steady multi-angle adjustment and outstanding vision.
- Use with or without any roof, windshield or doors.
- Not for road use.
- Fits either side.
- Sold individually.

**Not compatible with the Half Doors (715006314 & 715006316).*

Panoramic Center Mirror

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX — **715003638**



- Wide-angle convex mirror.
- Offers enhanced visibility.
- Can be used with or without roof or windshield and with cab enclosures.

Mirrors Adaptor
(Not illustrated)

All Clear Rigid Cabs — **715009750**

- Needed to re-use mirrors coming with the unit when installing a Clear Rigid Cab.

* *Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

REAR WIND PROTECTION

Rear Glass Window with Sliding Panel

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715007080



- Made of high-strength tempered glass.
- Ideal for preventing backdraft of dust or rain in harsh environments.
- Sliding panel for enhanced ventilation.
- Quick and easy installation.

Required for installation:
- Sport Roof, Deluxe Sport Roof or Audio Roof is required for installation.

Not compatible with:
- Snorkel Kit.

Rear Glass Window

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

■ **715009915** · Tinted

□ **715007079** · Clear



- Made of high-strength tempered glass.
- Ideal for preventing backdraft of dust or rain in harsh environments.
- Quick and easy installation.
- Tinted glass 14% VLT (visual light transmission).

Required for installation:
- Sport Roof, Deluxe Sport Roof or Audio Roof is required for installation.
- Rear Wind Protection Installation Seal Kit (715006705) required for installation on 2020 Traxter models.

Not compatible with:
- Snorkel Kit.

Rear Polycarbonate Window

Traxter G1, Traxter G1 MAX

715007081

Traxter G2, Traxter G2 MAX

715009325



- High-impact-resistant polycarbonate window.
- Ideal for preventing backdraft of dust or rain in harsh environments.
- Quick and easy installation.

Required for installation:
- Sport Roof, Deluxe Sport Roof or Audio Roof is required for installation.

Rear Wind Screen

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715002851



- Full rear mesh screen reduces windshield backdraft for added cabin comfort.
- Installs quickly and easily on roll cage.
- White Can-Am logo at top, to help maintain clear view.

Soft Rear Window

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715003249



- Clear, flexible window made of see-through vinyl.
- Resists cold cracking to -4°F (-20°C).
- Blocks windshield backdraft or dust and rain from entering, for added cabin comfort.
- Installs quickly and easily on roll cage.
- White Can-Am logo at top, to help maintain clear view.

DOORS

Front Deluxe Full Doors *

Traxter G2,
Traxter G2 MAX

☐ **715010568** • Clear
■ **715010570** • Tinted




- Premium doors made from robust polyethylene.
- Offer excellent protection from the elements.
- Key locking door latches.
- Tinted glass 14% VLT (visual light transmission).
- Easy to remove on hot and sunny days.
- Convenient integrated storage areas.
- Doors' curved design provides even more room.
- Rear-hinge wide opening for ease of ingress/egress in the cockpit.
- Power window delivers added ventilation.
- Compatible with all BRP windshields.

Required for installation:
- Wiper and Doors Wiring Harness (715009756) for Sport Roof or the Wiper and Doors Harness (715010324) for Audio Roof.
- Cable Cover and Roof Power Cable Kit (715010489).
- Front Roof Liner (715009196) and Sport Roof Seal Kit (715003126).
- Color Door Trims are required (sold separately).
- Hardware to install the Door Trims is included.

Front Deluxe Full Doors *

Traxter G1,
Traxter G1 MAX

☐ **715009906** • Clear
■ **715009913** • Tinted




- New key locking door latches.
- Premium doors made from robust polyethylene.
- Offer excellent protection from the elements.
- Tinted glass 55% VLT (visual light transmission).
- Easy to remove on hot and sunny days.
- Convenient integrated storage areas.
- Doors' curved design provides even more room.
- Rear-hinge wide opening for ease of ingress/egress in the cockpit.
- Power window delivers added ventilation.
- Compatible with all BRP windshields.

Required for installation:
- Require Wiper & Power Windows Cable (710004462), Roof Power Cable (715003094), Sport Roof Seal Kit (715003126).
- If equipped with the Audio Roof, the Wiper & Power Windows Cable (715008781) is required.
- Color Door Trims are required (sold separately).
- Hardware to install the Door Trim is included.

Rear Deluxe Full Doors

Traxter G2 MAX

☐ **715010569** • Clear
■ **715010571** • Tinted




- New key locking door latches.
- Premium doors made from robust polyethylene.
- Offer excellent protection from the elements.
- Tinted glass 14% VLT (visual light transmission)
- Easy to remove on hot and sunny days.
- Convenient integrated storage areas.
- Doors' curved design provides even more room.
- Rear-hinge wide opening for ease of ingress/egress in the cockpit.
- Roll-Down Window delivers added ventilation.

Required for installation:
- Require Front Doors (715010568) or Front Deluxe Full Doors – Tinted Glass (715010570), Wiper and Doors Wiring Harness (715009756) for Sport Roof or the Wiper and Doors Harness (715010324) for Audio Roof.
- Cable Cover and Roof Power Cable Kit (715010489).
- Front Roof Liner (715009196) and Sport Roof Seal Kit (715003126).
- Color Door Trims are required (sold separately).
- Hardware to install the Door Trim is included.

Rear Deluxe Full Doors

Traxter G1 MAX 2022 & up (models produced after January 18, 2021)

☐ **715009907** • Clear
■ **715009914** • Tinted




- New key locking door latches.
- Premium doors made from robust polyethylene.
- Offer excellent protection from the elements.
- Tinted glass 14% VLT (visual light transmission).
- Easy to remove on hot and sunny days.
- Convenient integrated storage areas.
- Doors' curved design provides even more room.
- Rear-hinge wide opening for ease of ingress/egress in the cockpit.
- Roll-Down Window delivers added ventilation.

Required for installation:
- Require Front Deluxe Full Doors (715009906 or 715009913), Wiper & Power Windows Cable (710004462), Roof Power Cable (715003094), Sport Roof Seal Kit (715003583 for MAX vehicle).
- Color Door Trims are required (sold separately).
- Hardware to install the Door Trim is included.

Front Deluxe Half Doors *

Traxter G2, Traxter G2 MAX — **715010572**
Traxter G1, Traxter G1 MAX (2022 & up) — **715007201**



- Premium color matching doors made from robust polyethylene.
- Premium fit and finish.
- Slim with interior pockets.
- Rear hinge wide opening for ease of ingress/egress in the cockpit.
- Interior and exterior handles.

Required for installation:
- Color accent panels are required (sold separately).
- Hardware to install the Door Trim is included.

** Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

Rear Deluxe Half Doors

Traxter G2 MAX	**715010573**
Traxter G1, Traxter G1 MAX (2022 & up)	**715007202**



- Premium color matching doors made from robust polyethylene.
- Premium fit and finish.
- Slim with interior pockets.
- Rear hinge wide opening for ease of ingress/egress in the cockpit.
- Interior and exterior handles.

Required for installation:
- Color accent panels are required (sold separately).
- Hardware to install the Door Trims is included.

Front Trims

Traxter G2, Traxter G2 MAX



Customize your Traxter by adding color-matched door panels.

- Front color-matched panel for full and half doors.

Required for installation:
- Front Deluxe Full Doors (715010568), Front Deluxe Full Doors – Tinted Glass (715010570) or Front Deluxe Half Doors (715010572) are required.

Front Left Door Trim	Front Right Door Trim
705801224 • Stealth Black	**705801225** • Stealth Black
705801269 • Dark Wildland Camo	**705801270** • Dark Wildland Camo
705801551 • Dusty Navy	**705801552** • Dusty Navy

Rear Trims

Traxter G2 MAX



Customize your Traxter by adding color-matched door panels.

- Rear color-matched panel for full and half doors.

Required for installation:
- Rear Deluxe Full Doors (715010569), Rear Deluxe Full Doors – Tinted Glass (715010571) or Rear Deluxe Half Doors (715010573) are required.

Rear Left Door Trim	Rear Right Door Trim
705801234 • Stealth Black	**705801235** • Stealth Black
705801271 • Dark Wildland Camo	**705801272** • Dark Wildland Camo
705801275 • Dusty Navy	**705801276** • Dusty Navy

Front Trims

Traxter G1, Traxter G1 MAX



Customize your Traxter by adding color-matched door panels.

Required for installation:
- Front Deluxe Full Doors (715009906), Front Deluxe Full Doors– Tinted Glass (715009913) or Front Deluxe Half Doors (715007201) are required.

Front Left Door Trim	Front Right Door Trim
705801617 • Dark Wildland Camo	**705801618** • Dark Wildland Camo
705801565 • Dusty Navy	**705801566** • Dusty Navy
705801303 • Stealth Black	**705801305** • Stealth Black
705801330 • Compass Green	**705801331** • Compass Green
705801504 • Timeless Black	**705801505** • Timeless Black
705801340 • Fiery Red	**705801341** • Fiery Red
705801408 • Hyper Silver	**705801409** • Hyper Silver

Rear Trims

Traxter G1 MAX



Customize your Traxter by adding color-matched door panels.

Required for installation:
- Rear Deluxe Full Doors (715009907), Rear Deluxe Full Doors – Tinted Glass (715009914) or Rear Deluxe Half Doors (715007202) are required.

Rear Left Door Trim	Rear Right Door Trim
705801619 • Dark Wildland Camo	**705801620** • Dark Wildland Camo
705801567 • Dusty Navy	**705801568** • Dusty Navy
705801307 • Stealth Black	**705801309** • Stealth Black
705801332 • Compass Green	**705801333** • Compass Green
705801506 • Timeless Black	**705801507** • Timeless Black
705801342 • Fiery Red	**705801343** • Fiery Red
705801410 • Hyper Silver	**705801411** • Hyper Silver

Front Clear Rigid Doors *

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715010067



- Sturdy and compact steel frame doors for a robust yet open field of view.
- Lower hardcoated polycarbonate transparent panel maximizes visibility around your unit.
- Upper portion composed of two tempered-glass sliding windows for unmatched air circulation and versatility.
- CE- and ROHVA-compliant for optimal safety, allowing you to remove the stock side protection bar for increased cabin space.
- Sealed contour allows for improved rider comfort in all weather.
- Lockable doors for peace of mind.

Front Clear Rigid Doors *

Traxter G1 (all model years), Traxter G1 MAX 2022 & up

715006261



- Sturdy and compact steel-frame doors for a robust yet open field of view.
- Lower hardcoated polycarbonate transparent panel maximizes visibility around your unit.
- Upper portion composed of two tempered-glass sliding windows for unmatched air circulation and versatility.
- CE- and ROHVA-compliant for optimal safety, allowing you to remove the stock side protection bar for increased cabin space.
- Sealed contour allows for improved rider comfort in all weather.
- Lockable doors for peace of mind.

Rear Clear Rigid Doors

Traxter G1 MAX 2022 & up, Traxter G2 MAX

715006262



- Sturdy and compact steel-frame doors for a robust yet open field of view.
- Lower hardcoated polycarbonate transparent panel maximizes visibility around your unit.
- Upper portion composed of two tempered-glass sliding windows for unmatched air circulation and versatility.
- EC- and ROHVA-compliant for optimal safety, allowing you to remove the stock side protection bar for increased cabin space.
- Sealed contour allows for improved rider comfort in all weather.
- Lockable doors for peace of mind.

Half Doors *

Traxter G1, Traxter G2

715010076 • 2 doors

Traxter G1 MAX, Traxter G2 MAX

715010077 • 4 doors



- Half doors made of plastic.
- Metal frame for a higher level of fit and finish and rigidity.
- Rear hinge wide opening for ease of ingress/egress in the cockpit.
- Interior pockets and liners for more comfort.

Soft Doors Can-Am *

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715009895 • 2 front doors

Traxter G1 MAX 2018 & prior, 2022 & up (models produced after January 18, 2021), Traxter G2 MAX

715009896 • 2 rear doors



- The design has been improved to enhance functionality.
- Weather-resistant soft doors reinforced with steel frame offer good protection from the elements.
- Made of heavy-duty UV-resistant canvas for excellent resistance to tear and abrasion.
- Rear hinge wide opening for ease of ingress/egress.
- Zip-down windows made of laminated polished vinyl material for added ventilation.
- Quick and easy installation, and easily removable on hot sunny days.
- Compatible with BRP roofs and mirrors.

Soft Door Installation Kit (715006238 / 2X for MAX) is required for installation of 2019 and prior doors on 2020 Traxter models.

Front Deluxe Door Locks

Traxter G1, Traxter G1 MAX

715009951



- Allow you to upgrade your deluxe doors with integrated door locks.
- Include a pair of locks for front doors.
- Included on Deluxe Doors and Deluxe Cab Kits 2025 and up.
- 2 keys included.

* *Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

Front & Rear Deluxe Door Locks

Traxter G1 MAX	**715009952**



- Allow you to upgrade your deluxe doors with integrated door locks.
- Include 4 locks for front and rear doors.
- Included on Deluxe Doors and Deluxe Cab Kits 2025 and up.
- 2 keys included.

CAB ACCESSORIES

NEW Heavy Duty Seat Covers

G2, G2 MAX	**715009869**



- Made from scratch-resistant 600D polyester fabric with a vinyl center panel for enhanced, non-slip grip.
- Shields seats from mud, rain and snow to maintain long-term seat quality.
- Straps and elastic hem ensure a tight, stable fit that stays in place during your rides.
- Features a stamped Can-Am logo.
- Compatible with the Traxter MAX rear row; two kits required—one for the front row and one for the rear row.

Complete coverage kit includes:
- 1 × driver-side backrest cover
- 1 × passenger-side backrest cover
- 1 × driver-side bottom cover
- 1 × passenger-side bottom cover
- 1 × center backrest cover
- 1 × center bottom cover

Central Headrest

Traxter G1, Traxter G1 MAX, G2, G2 MAX	**715005163**




- Headrest for front-center-seating position on 3-seated models and for rear-center-seating position on MAX models.
- Front Headrests are available separately for front passengers on MAX models.
- Not EC compliant.

Headrests are required for all passengers on some regulated trails.

Front Headrests

Traxter G1 MAX, G2 MAX	**715005164**



- Additional headrest for all three front-seating positions on MAX models.
- Central Headrest is available separately for rear-center-seating positions on MAX models.
- Not EC compliant.

Headrests are required for all passengers on some regulated trails.


Floor Mats

G2	**715008754**
G2 MAX	**715010588**



- These durable floor mats are custom-made using 6.4 mm-thick, pre-molded rubber.
- The kit includes all the pieces to cover the entire vehicle floor.
- They're constructed with a non-slip texture that provides an excellent grip to keep your feet firmly in place.
- They help cut down on noise.
- Easily washable.

ALUMINUM SKID PLATES



For ultimate durability and strength, all our Aluminum Skid Plates are made with High Strength 5052 H32 Aluminum 3⁄16" (4.5 mm) thick.

- Ultimate durability
- High strength

TRAXTER, TRAXTER MAX

Offer your Traxter the full protection kit or get parts individually	Traxter G1 2019 & prior		Traxter G1 2020 & up			Traxter G2 2026 & up	Traxter G2 2027
	Front suspension type						
	Double A-arm	Arched double A-arm with swaybar	Double A-arm	Arched double A-arm	Arched double A-arm with swaybar	Arched double A-arm with swaybar (65")	Double A-arm (63")
FULL PROTECTION KIT							
Aluminum Skid Plate Protection Kit	**715003711** (except MAX)	**715006977** (3-up)	**715006694** (except MAX)	**715006696** (3-up & 6x6)	**715006979** (3-up 2020 to 2021 only)	**715009141**	NEW **715009138**
	715003712 (MAX only)	**715006978** (MAX)	**715006695** (MAX only)	**715006697** (MAX & PRO)	**715006980** (MAX 2020 to 2021 only)		
INDIVIDUAL ALUMINUM SKID PLATES							
① **Front A-Arm Protectors** • Extra underside protection for your vehicle's steering mechanism and suspension (A-arm). • Sold in pairs. • Not compatible with Apache Track Systems.	**715008274**	**715006975**	**715008274**	**715004387**	**715004387** (2022 & up) **715006975** (2020 to 2021 only)	**715009404** (compatible with Apache XC LT Track System)	NEW **715009136**
② **Front Skid Plate** • Protects the front underside of your vehicle when riding in rough terrain conditions. • Adds style to the front of your vehicle.	**715002447**	**715002447**	**715002447**	**715002447**	**715002447**	**715009137** (not compatible with plow)	**715009137** (not compatible with plow)
③ **Central Skid Plate** Central Skid Plate Kit includes central and lateral skid plates. • Ultra-durable protection for the underside of your vehicle. • Makes work easy in more demanding terrain. • Must be used with Underbelly Skid Plate Kit.	**715003467** (MAX only)	**715003467** (MAX only)	**715003467** (MAX & PRO only)	**715003467** (MAX & PRO only)	**715003467** (MAX & PRO only)	N/A	N/A
④ **Underbelly Skid Plate Kit** • Ultra-durable protection for the underside of your vehicle. • Makes work easy in more demanding terrain. • Kit includes central, lateral and rear skid plates.	**715002446**	**715002446**	**715007982**	**715007982**	**715007982**	N/A	N/A
⑤ **Rear A-Arm Protectors** • Extra underside protection for your vehicle's suspension (A-arm). • Sold in pairs. • Not compatible with Apache Track Systems.	**715002445**	**715006976**	**715002445**	**715004388**	**715004388** (2022 & up) **715006976** (2020 to 2021 only)	**715009405** (compatible with Apache XC LT Track System)	NEW **715009139**

BUMPERS & GUARDS

BUMPERS

NEW Front Bumper XT

Traxter G2, Traxter G2 MAX — **715009435**



- 1.5" (3.8 cm) high-strength steel tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Integrated mounting point for light.
- Compatible with all Can-Am winches.
- Standard on all XT models.
- T Category Approved.

Large Heavy-Duty Front Bumper

Traxter G2, Traxter G2 MAX — **715009164**



- 1.5" (3.8 cm) diameter steel-tube construction.
- Provides heavy-duty protection.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Integrated mounting point for light.
- Standard on all Lone Star and Limited Cab models.
- T Category Approved.

Front Bumper

Traxter G1, Traxter G1 MAX (2019 & prior) — **715002418**

Traxter G1, Traxter G1 MAX (2020 & up) — **715005754**



- Heavy-duty 1.5" (3.8 cm) diameter steel-tube construction.
- Provides enhanced protection.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Integrated mounting points for lights.
- Required to install the Xtreme Front Bumper Plates, Front Rack and the Front Corner Protectors.

Xtreme Front Bumper Plates

Traxter G1, Traxter G1 MAX (2020 & up)† — **715005777**



- Made of high-strength heavy-gauge steel with rubber pads for increased protection.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Provide additional front-end protection.

†Require Front Bumper (715005754) for installation.

Front Corner Protectors

Traxter G1, Traxter G1 MAX (2019 & prior)† — **715002833**

Traxter G1, Traxter G1 MAX (2020 & up)‡ — **715005774**



- Heavy-duty 1.25" (3.2 cm) diameter steel-tube construction.
- Provide enhanced protection for front corners.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Sold in pairs.

†Require Front Bumper (715002418) for installation
‡Require Front Bumper (715005754) for installation.

Rancher Front Bumper *

Traxter G1, Traxter G1 MAX (2020 & up) — **715005410**



- The low front-end protection and plates allow you to use your vehicle within cattle herds and guard the safety of both the vehicle and the animals.
- The flat front portion facilitates gently prodding cattle or pushing light objects, e.g., closing a fence.
- The full frontage coverage extends to provide an extra layer of defense to your headlights and radiator.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Improved approach angle.
- Compatible with front rack, snow plows, tire and track kits, winches.

XT Front Bumper

Traxter G1, Traxter G1 MAX (2019 & prior) — **715004407**



- 1.5" (3.8 cm) diameter steel-tube construction.
- Provides light-duty protection.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Light-kit compatible.
- Standard on XT and XT Cab models 2018 and 2019.

Not compatible with:
- Xtreme Front Bumper Plates, Front Corner Protectors or LinQ® Front Rack.

* *Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

X mr Front Bumper

Traxter G1, Traxter G1 MAX

■ **715006143** · Black




- Heavy-duty 1.5" (3.8 cm) diameter steel-tube construction.
- Inside and outside anti-corrosion coating with durable finish.
- Provides additional front body protection.
- Integrated winch support plate for winch relocation at a higher position for easier access in muddy conditions or for auxiliary lights.
- Includes a front tow hook.
- Standard on X mr models.
- Winch sold separately.

Cargo Bed Protectors & Tie Rails

Traxter G1 (6x6 & PRO models only)

715005415



- Heavy-duty 1.5" (3.8 cm) diameter steel-tube construction.
- Reliable cargo box protection and tie-down attachment point to secure large loads.
- Anti-corrosion coating with durable powder coat finish.
- Designed to stay in place when cargo bed side walls are removed.

Rear Bumper

Traxter G2, Traxter G2 MAX

715009158



- Heavy-duty 1.5" (3.8 cm) diameter steel construction and integrated tubular design.
- Integrated lower and upper grip step for easy access to the cargo bed.
- Increased protection of rear cargo box and lower box corner while allowing normal tailgate function.
- Inside and outside anti-corrosion coating with durable powder-coat finish.

Rear Bumper

Traxter G1, Traxter G1 MAX

715008109



- Heavy-duty 1.5" (3.8 cm) diameter steel construction and integrated tubular design.
- Increased protection of rear box and lower box corner while allowing normal tailgate function.
- Inside and outside anti-corrosion coating with durable powder-coat finish.
- Required to install Rear Body Side Protector (715003055).

Rear Bumper Adapter

(Not illustrated)

Traxter G1 (6x6 & PRO models only)

715006060

- Required to install the Rear Bumper on Traxter models with the long box.

Rear Body Side Protectors

Traxter G1, Traxter G1 MAX

715003055



- Heavy-duty 1.5" (3.8 cm) diameter steel-tube construction.
- Reliable cargo box protection.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Compatible with fender flares.
- Integrated brush and low-lying branch deflector.
- Sold in pairs.

Required for installation:
- Require Rear Bumper for installation.

BODY SIDE PROTECTORS

Front Body Side Protectors

Traxter G1, Traxter G1 MAX

715003450



- Heavy-duty 1.25" (3.2 cm) diameter steel-tube construction.
- Front side protection for farm, ranch and forestry applications.
- Offer complete front body protection.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Sold in pairs.

Required for installation:
- Require Front Bumper (715002418 or 715005754) with Front Corner Protectors (715002833 or 715005774) and Rock Slider (715002569 or 715003040 for MAX models) for installation.

Front Rancher Body Side Protectors

Traxter G1, Traxter G1 MAX

715003617



- Heavy-duty 1.25" (3.2 cm) diameter steel-tube construction.
- Front side protection for farm, ranch and forestry applications.
- Offer complete front body protection.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Sold in pairs.

Required for installation:
- Require Rancher Bumper and Rock Sliders for installation.

FENDER FLARES

Fender Flares

Traxter G1 (except 6x6 & PRO), Traxter G1 MAX	**715006821**
Traxter G1 6x6	**715005409**
Traxter G1 PRO	**715006001**
Traxter G2, Traxter G2 MAX	**715009177**



- Robust injection-molded polypropylene construction.
- Perfect for keeping mud and debris outside the vehicle.
- Include front and rear extension and all mounting hardware.
- Ideal for track equipped vehicles.

Sport Fender Flares

Traxter G1 (except 6x6 & PRO), Traxter G1 MAX	**715003898**



- Sleek fender flares just the right size to reduce mud and debris kick-up from your tires.
- Robust injection-molded polypropylene construction.
- Include front and rear extension and all mounting hardware.

ROCK SLIDERS

X mr / Lone Star Rock Sliders

Traxter G2	**715009421**
Traxter G2 MAX	**715010031**



- Rock sliders made of painted 2 mm steel with an integrated step for elevated cargo box access.
- Protect vehicle's sides and undercarriage against large obstacles.
- Lodge tight up against vehicle body for better clearance from obstacles.
- Sold in pairs.

Rock Sliders

Traxter G1, Traxter G1 6x6	■ **715006671** · Black
Traxter G1 MAX, Traxter G1 PRO	■ **715006721** · Black



- Heavy-duty rock sliders made of painted 3⁄16" (5 mm) aluminum with an integrated step for elevated cargo box access.
- Protect vehicle's sides and undercarriage against large obstacles.
- Lodge tight up against vehicle body for better clearance from obstacles.
- Sold in pairs.
- Standard on Traxter G1 XT-P models.

Not compatible with:
- Other rock sliders.

Rock Sliders

Traxter G1, Traxter G1 6x6	**715002569**
Traxter G1 MAX, Traxter G1 PRO	**715003040**



- Protect vehicle's sides and undercarriage against large obstacles.
- Made of heavy-duty 1.5" (3.8 cm) diameter steel tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Integrated step for easy cargo box access.
- Sold in pairs.

MUD FLAPS

NEW Front Mudguards

Traxter G2, Traxter G2 MAX	**715010306**



- Keep mud and debris out of the side of the vehicle.
- Made of EPDM rubber.
- Sold in pairs.
- Standard on all T Category models.

Required for installation:
- Fender Flares (715009177) for X mr model

Not compatible with:
- All Track Systems

Mud Flaps

Traxter G1, Traxter G1 MAX	**715003041**



- Keep mud and debris out of cargo area and protect trailer or vehicles behind you.
- Add aesthetic appeal to your vehicle.
- Made of EPDM rubber.
- Sold in pairs.

Required for installation:
- Require Rear Bumper for installation.

TRAXTER G1 LINQ ACCESSORIES

ACCESSORY MOUNTING LOCATIONS AND REQUIREMENTS

No tools needed: Quickly install and remove accessories by hand. Sturdy mounting system that holds up to the roughest terrain.	Cargo Bed (long box bed LinQ) Traxter G1 6x6 & PRO	LinQ Cargo Rack **715006140**	Adventure Roof Rack **715003870 / 715004391**	Loadout Rack **715005447**
LinQ ACCESSORIES WITH 16" BASE	• LinQ anchors mounted 16 inches apart, center-to-center. • Lower loading capacity than the LinQ with 36" base accessories. • Can be used on Can-Am ATV and SxS vehicles, Can-Am Spyder and Ryker vehicles, Sea-Doo watercraft and Ski-Doo snowmobiles.			
LinQ Fuel Caddy 5 Gal (20 L) 715007822	LinQ Base Installation Kit **715008125**	LinQ Base Installation Kit **715008125**	No compatibility	No compatibility
LinQ Fuel Caddy 3.7 Gal (14.5 L) 860202246				
NEW LinQ Oil Caddy – 1 Gal (3.78 L) 860202445				
LinQ Rigid Cooler 4.7 US Gal (18 L) 715010491 • Black			LinQ Base Installation Kit **715008125**	LinQ Base Installation Kit **715008125**
LinQ Cooler 5.3 Gal (20 L) 295101257 • Gray				
LinQ Cooler 11.4 Gal (43 L) 715007825 • Black 715009276 • Gray		No compatibility	No compatibility	No compatibility
LinQ Tool Kit 715006829		LinQ Base Installation Kit **715008125**	LinQ Base Installation Kit **715008125**	LinQ Base Installation Kit **715008125**
LinQ Tool Box 715008111				
LinQ SR Bag 5.5 Gal (21 L) 860202449				
LinQ Sport Bag 4.5 Gal (17 L) 860202447				
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)				
LinQ Roll-Top Bag 10.5 Gal (40 L) 715008110				
LinQ Explorer Bag 26 Gal (100 L) 295101016		No compatibility	No further requirements	
LinQ Semi-Rigid Cooler 5.3 Gal (20 L) 295101252		LinQ Base Installation Kit **715008125**	LinQ Base Installation Kit **715008125**	LinQ Base Installation Kit **715008125**
LinQ ACCESSORIES WITH 36" BASE	• Mount on LinQ racks often used by Can-Am ORV vehicles. • Higher loading capacity than the LinQ with 16" base accessories. • Usage is limited to Can-Am ORV vehicles.			
LinQ Cargo Box 12 Gal (45 L) 715003879	No compatibility	No further requirements	No further requirements	No further requirements
LinQ Trunk Box 23 Gal (86 L) 715004923				
LinQ Audio Cargo Box 11.5 Gal (43 L) 715003018				
LinQ Cooler Box 8 Gal (30 L) 715004778 • Black		No further requirements	No compatibility	No compatibility
LinQ Premium Storage Bag by OGIO 715002923 • Black		No further requirements	No further requirements	No further requirements
LinQ Heavy Duty Basket 715001215				
LinQ Low Profile Basket 715004282				

TRAXTER G2 LINQ ACCESSORIES

ACCESSORY MOUNTING LOCATIONS AND REQUIREMENTS

No tools needed: Quickly install and remove accessories by hand. Sturdy mounting system that holds up to the roughest terrain.	Cargo Bed (short box bed LinQ)	Cargo Rack **715009148** / **715009170**	Cargo Bed Plate **715010206** (4 stock mounted sliding LinQ anchors)	LinQ Vertical Support (In-Bed Mount) **715010207**	LinQ Vertical Support (Plate Only) **715010556**
LinQ ACCESSORIES WITH 16" BASE	• LinQ anchors mounted 16 inches apart, center-to-center. • Lower loading capacity than the LinQ with 36" base accessories. • Can be used on Can-Am ATV and SxS vehicles, Can-Am Spyder and Ryker vehicles, Sea-Doo watercraft and Ski-Doo snowmobiles.				
LinQ Fuel Caddy 5 Gal (20 L) 715007822	LinQ Base Installation Kit **715008125**	No compatibility	No further requirements	No further requirements	No compatibility
LinQ Fuel Caddy 3.7 Gal (14.5 L) 860202246					No further requirements
NEW LinQ Oil Caddy – 1 Gal (3.78 L) 860202445					
LinQ Rigid Cooler 4.7 US Gal (18 L) 715010491 • Black		LinQ Base Installation Kit **715008125**		No compatibility	No compatibility
LinQ Cooler 5.3 Gal (20 L) 295101257 • Gray					
LinQ Cooler 11.4 Gal (43 L) 715007825 • Black 715009276 • Gray		No compatibility			
LinQ Tool Kit 715006829		LinQ Base Installation Kit **715008125**		No further requirements	No further requirements
LinQ Tool Box 715008111					
LinQ SR Bag 5.5 Gal (21 L) 860202449				No compatibility	No compatibility
LinQ Sport Bag 4.5 Gal (17 L) 860202447					
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L)				No further requirements	No further requirements
LinQ Modular Box 715006830 • (30 L)				No compatibility	No compatibility
LinQ Roll-Top Bag 10.5 Gal (40 L) 715008110					
LinQ Explorer Bag 26 Gal (100 L) 295101016					
LinQ Semi-Rigid Cooler 5.3 Gal (20 L) 295101252					
LinQ 15.9 US Gal (60 L) Sport Utility Cargo Box 860203020	No compatibility	**2x** LinQ Base Installation Kit **715008125**			
LinQ Bow and Gun Case 715008232	LinQ Base Installation Kit **715008125**	LinQ Base Installation Kit **715008125**			
LinQ 25.4 US Gal (96 L) Trunk Box 715007182					


TRAXTER G2 LINQ ACCESSORIES

ACCESSORY MOUNTING LOCATIONS AND REQUIREMENTS

No tools needed: Quickly install and remove accessories by hand. Sturdy mounting system that holds up to the roughest terrain.	Cargo Bed (short box bed LinQ)	Cargo Rack **715009148 / 715009170**	Cargo Bed Plate **715010206**
LinQ ACCESSORIES WITH 36" BASE	• Mount on LinQ racks often used by Can-Am ORV vehicles. • Higher loading capacity than the LinQ with 16" base accessories. • Usage is limited to Can-Am ORV vehicles.		
LinQ Bow and Gun Case 715008232	**2x** LinQ Base Installation Kit (**715008125**)	**2x** LinQ Base Installation Kit (**715008125**)	No further requirements
LinQ Semi-Rigid Bag 715005345	**2x** LinQ Base Installation Kit (**715008125**) + Stopper Kit (**715008895**)	**2x** LinQ Base Installation Kit (**715008125**) + Stopper Kit (**715008895**)	LinQ Base Installation Kit (**715011784**) + Stopper Kit (**715008895**)
LinQ Cargo Box 14 Gal (53 L) 715006997	**2x** LinQ Base Installation Kit (**715008125**)	**2x** LinQ Base Installation Kit (**715008125**)	LinQ Base Installation Kit (**715011784**)
LinQ 16.6 US Gal (63 L) Low Profile Box 715007827			No further requirements
LinQ Cooler Box 9.2 Gal (35 L) 715006998 · Black	**2x** LinQ Base Installation Kit (**715008125**)	No compatibility	LinQ Base Installation Kit (**715011784**)
LinQ Cargo Basket 23 Gal (90 L) 715005274	**2x** LinQ Base Installation Kit (**715008125**)	**2x** LinQ Base Installation Kit (**715008125**)	LinQ Base Installation Kit (**715011784**)

MOUNTING LOCATIONS

LinQ 16" & 36" CARGO BED POSITIONS



- **LinQ 16"** (4x mounting options)
- **LinQ 16" large** (2x mounting options)
- **LinQ 36"** (1x mounting option)
- **LinQ Lite** (4x mounting options)

LinQ 16" & 36" CARGO BED PLATE POSITIONS



LinQ 16"



LinQ 36"

LinQ ACCESSORIES WITH 16" BASE

NEW LinQ Oil Caddy – 1 Gallon

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

860202445



- 3.78-liter (1 US gallon) capacity.
- Can be used on top of LinQ Stackable Fuel Caddy (860202246).

LinQ 5 US Gal (20 L) Fuel Caddy

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715007822



- Quick, easy and secure LinQ system installation.
- Spill-free spout for easy use.
- 5 US gal (20 L) capacity.
- Meets new Flame Mitigation Device (FMD) standard.
- Dimensions: 12" L x 19" W x 12" H.
- Check local regulations regarding fuel transportation.
- **See table for installation location and requirements.**

LinQ 3.7 US Gal (14.5 L) Fuel Caddy

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

860202246



- Quick, easy and secure installation with the LinQ accessory system.
- No-spill spout designed for easy pouring.
- 3.7 US gal (14.5 L) capacity.
- Dimensions: 13" L x 19" W x 9" H.
- Note: Fuel caddies cannot be stacked.
- Check local regulations regarding fuel transportation.

See table for installation location and requirements.

LinQ Rigid Cooler 4.7 US Gal (18 L)

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715010491



- Versatile LinQ 16" configuration fits many vehicles.
- Durable rotomolded rigid construction.
- Molded-in handles for quick installation and removal.
- High quality insulation for optimal ice retention.
- Sealed lid for airtight, weather-tight closure.
- Ergonomic and secure latch system offers excellent sealing.
- 4.7 US gal (18 L) capacity.

See table for installation location and requirements.

LinQ Cooler 5.3 US Gal (20 L)

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

295101257



- LinQ-mounted for fast, easy and secure storage.
- Locks in place with just a quarter turn.
- High-quality insulation for optimal ice retention.
- Keeps ice cold for 5 days.
- Rotomolded construction for exceptional rigidity and durability.
- Sealed lid for airtight, weather-tight closure.
- Rigid handles make transportation easy.
- Horizontal locking handles allow for installation of LinQ Lite accessories.
- Holds thirty-four 355 ml cans.
- 5.3 US gal (20 L) capacity.
- Exterior dimensions: 21" L x 15" W x 14" H (52 cm L x 38 cm W x 35 cm H).
- Interior dimensions: 15" L x 10" W x 9" H (39 cm L x 26 cm W x 23 cm H).

See table for installation location and requirements.

Note: Cannot be mounted on the LinQ Stackable Fuel Caddy.

LinQ Semi-Rigid Cooler 5.3 US Gal (20 L)

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

295101252



- 5.3 US gal (20 L) of insulated, water-resistant capacity.
- Quick, easy and secure LinQ system installation.
- Attaches with one set of LinQ fasteners.
- Single day use soft cooler.
- Mesh pocket on top of the lid.
- Zippered pocket under the lid for quick and easy access.
- Removable interior for easy cleaning.
- Carry handles for easy transport.
- Can contain twelve 355 ml cans.
- Dimensions: 19" L x 13" W x 10" H.

See table for installation location and requirements.

LinQ 11.4 US Gal (43 L) Cooler

Traxter G1 6x6, Traxter G1 PRO, Traxter G2, Traxter G2 MAX

■ **715007825** · Black
□ **715009276** · Gray



- Versatile LinQ 16" configuration fits many vehicles.
- High quality injection-molded impact resistant polypropylene outer shell for exceptional durability.
- High quality insulation for optimal ice retention.
- Thicker insulation on bottom to isolate vehicle heat.
- 11.4 US gal (43 L) capacity.
- LinQ-mounted for fast, easy, secure storage.
- Locks in place with only a quarter turn.
- Rigid handles make transportation easy.
- Horizontal locking handles allow installation of LinQ Lite accessories.
- Dry-basket included to protect items.
- Drain plug at the bottom to evacuate water.
- New ergonomic and secure latch system offers excellent sealing.
- Possibility to lock the cooler with a padlock.

See table for installation location and requirements.

NEW Ice Pack For LinQ Coolers

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX	295101513



- Acts as a cooling element to keep your cooler contents fresh.
- Slim profile design fits seamlessly inside the LinQ 5.3 US Gal (20 L) Cooler lid without sacrificing storage space.
- Comes with two swivel latches for easy on and off installation.
- Dual-purpose functionality doubles as a compartment divider for better organization with LinQ 11.4 US Gal (43 L) Cooler.

Required for installation:
- LinQ 5.3 US Gal (20 L) Cooler (295101257) or LinQ 11.4 US Gal (43 L) Cooler (715007825 or 715009276).

NEW LinQ 15.9 US Gal (60 L) Sport Utility Cargo Box

Traxter G2, Traxter G2 MAX	860203020



- Premium injection-molded box.
- Top lid can be removed to provide an open box.
- 4 LinQ anchors (8602011806) can be added on top of the lid to install 16" LinQ accessories or additional storage.
- 4 hook attachment points located at the bottom of the box to help secure cargo.
- Snow and water resistant.
- Dimensions 9.4" L x 8.3" W x 5" H.
- Maximum cargo load capacity: 55 lb (25 kg), including any load placed on the lid. For the maximum cargo load specification of your vehicle, please refer to the Operator's Guide.

Required for installation:
- Cargo Rack Multi-position (715009148 or 715009170) and two LinQ Bases Installation Kit (715008125) or Cargo Bed Plate for Sliding LinQ (715010206) and LinQ Base Installation Kit (715008125).

LinQ Modular Box

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX	**715005494** • (10 L) **715007112** • (20 L) **715006830** • (30 L)



- Allows stacking of other modular boxes to always have the right gear accessible.
- Always have the right box size to fit everything.
- Can be installed on any LinQ base with a 16" width.

See table for installation location and requirements.

Thermal Insert for LinQ Modular Box (10 L)

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX	219401110



- Insulated liner.
- Fits very well in the LinQ Modular Box (10 L).
- Can contain seven 355 ml cans.
- Keeps ice cold for one day.
- Interior dimensions: 9" L x 17" W x 2½" H.

LinQ Tool Box

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX	715008111



- High precision injected HDPE construction provides rigidity and durability.
- 5 gal (19 L) maximum capacity.
- Weather-resistant, sealed and lockable cover.
- Easy one-second on/off tool-less system.
- All the benefits of LinQ—simple, fast and secure.

See table for installation location and requirements.

LinQ Tool Kit

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX	715006829



Includes:
- Cutter pliers
- Long-nose pliers
- Locking pliers
- Ratchet wrench ⅜" drive
- 6" ratchet extension
- Integrated CVT belt storage location (belt not included)
- Long-socket 19 mm ⅜" drive – 6 pts
- Socket 18 mm ⅜" drive
- Long-socket 17 mm ⅜" drive – 6 pts
- Socket 15 mm ⅜" drive
- Socket 13 mm ⅜" drive
- Socket 10 mm ⅜" drive
- Socket 8 mm ⅜" drive
- Socket Torx T40 ⅜" drive
- Socket Torx T30 ⅜" drive
- Socket Torx T20 ⅜" drive
- Breaker bar ⅜" drive
- Combination wrench set:
  - Wrench 19 mm
  - Wrench 18 mm
  - Wrench 15 mm
  - Wrench 13 mm
  - Wrench 10 mm
  - Wrench 8 mm

See table for installation location and requirements.

LinQ SR 5.5 Gal (21 L) Bag

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

860202449



- Semi-rigid expandable bag.
- All the benefits of LinQ—simple, fast and secure.
- Easy one-second on/off tool-less system.
- 5.5 gal (21 L) capacity.

See table for installation location and requirements.

LinQ Roll-Top Bag

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715008110



- Fully waterproof roll-top dry bag will securely store and confine your equipment.
- LinQ mounted using heavy-duty rigid plastic base.
- High capacity storage solution (40 L).
- Bottom foam liner for additional equipment protection.
- Integrated handle for easy transportation on/off the vehicle.
- Dimensions: 14" L x 19" W x adjustable H.

See table for installation location and requirements.

LinQ Explorer Bag

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

295101016



- 26 gal (100 L) of watertight storage.
- Installs in seconds with tool-less LinQ accessory system.
- Dedicated essentials compartment for registration, license, insurance and more.
- Exclusive D.E.S.S. key storage.
- External quick-access pocket for small items like keys and wallets.
- Turns into a backpack when you get off your machine.
- Collapsible if not fully packed with straps on both sides.
- Dimensions: 26" L x 18" W x 14" H.

LinQ ACCESSORIES WITH 36" BASE

NEW LinQ Semi-Rigid Bag

Traxter G2, Traxter G2 MAX

715005345 · Black



- Offers 70 L (18.5 gal) of cargo space for fully loaded adventures.
- Semi-rigid construction.
- Removable lid that converts the bag into a practical storage basket.
- Dedicated seal ensures excellent dust and weather resistance.
- Three-section lid design for quick and convenient access.
- Integrated removable center compartment to keep your items neatly organized.

Required for installation:
- Stopper Kit (715008895).

NEW LinQ Bow & Gun Case

Traxter G2, Traxter G2 MAX

715008232



- Made of impact-resistant injected polypropylene and weatherproof.
- LinQ-mounted for efficient and secure storage.
- Practical design allows you to store a bow and arrows or firearms up to 40" (1 m).
- Arrow rubber racking system securely fixes shafts in place under lid.
- Fits up to 9 arrows from 6 mm to 9 mm.
- Two convoluted foam pieces and one foam sheet are included, so you can make the necessary adjustments according to your use.
- Mounting tabs attach to the base, and a 6' velcro strap is included to let you firmly position your gear exactly the way you want.
- Easily carried with the rigid handle.
- Anti-vibration system prevents the handle from moving while riding.
- Support feet at hinge level so the box can stand on its own.
- Compact design allows for maximum rear field of vision.
- Features a lock on the front of the box (two keys included).
- Can be installed in several 16" configurations (SXS), or in a 36" configuration (ATV & SXS).
- LinQ 16" accessories can be installed on the cover to increase cargo capacity.
- Check local regulations regarding firearms transportation.

LinQ Cargo Basket (90 L)

Traxter G2, Traxter G2 MAX

715005274



- Made of polyethylene.
- Storage capacity of 23 gal (90 L).
- Easy to install and remove with the LinQ system.
- 6 handles on the contour to easily install bungee cords.
- Ability to install Tool Holders (715008896) to the basket.

See table for installation location and requirements.

LinQ 12 Gal (45 L) Cargo Box

Traxter G1, Traxter G1 MAX | **715003879**



- Holds cargo safely and securely while riding.
- LinQ mounted for easy-on, easy-off installation.

See table for installation location and requirements.

LinQ 23 Gal (86 L) Trunk Box

Traxter G1, Traxter G1 MAX | **715004923**



- Lockable and weather-resistant.
- Holds cargo safely and securely while riding.

See table for installation location and requirements.

LinQ 11.5 Gal (43 L) Audio Cargo Box

Traxter G1, Traxter G1 MAX | **715003018**



- An affordable and quick solution for adding music and storage to your next ride.
- The rear installation does not use up any cab space and allows easy listening at an average speed.
- Mounts on/off easily to hold/carry cargo safely and securely.
- The Bluetooth enabled receiver and 6.5" (16.5 cm) speakers are smartly concealed and integrated in the cover.
- Automatic shut-off function protects your battery by turning the system off after 10 minutes of inactivity.
- Backlit control panel perfect for night riding.
- Water-resistant speakers.

See table for installation location and requirements.

LinQ Cargo Box (53 L)

Traxter G2, Traxter G2 MAX | **715006997**



- Made of polyethylene.
- Storage capacity of 14 gal (53 L).
- Easy to install and remove with the LinQ system.
- New ergonomic and resistant latch system offers excellent sealing.
- Possibility to install LinQ 16" accessories on the cover and increase the cargo capacity.
- Ability to install Tool Holders (715008896) on the box.
- Lockable with a lock on the front of the box (2 keys included).

LinQ Low Profile Box (63 L)

Traxter G2, Traxter G2 MAX | **715007827**



- Made of impact-resistant injected polypropylene and weatherproof, this box has a storage capacity of 63 L.
- LinQ-mounted for efficient and secure storage, it is locked in place with only a quarter turn. Easy to install, easy to remove using the LinQ system.
- Can be installed in several 16" configurations, or in a 36" configuration.
- LinQ 16" accessories can be installed on the cover to increase cargo capacity.
- Easily carried with the rigid handle. The anti-vibration system prevents the handle from moving while riding.
- Support feet at hinge level so the box can stand on its own.
- The compact design allows for maximum rear field of vision.
- Features a lock on the front of the box (two keys included).

See table for installation location and requirements.

LinQ 8 Gal (30 L) Cooler Box

Traxter G1, Traxter G1 MAX | ■ **715004778** · Black



- Installs without vehicle modification.
- Rotomolded construction provides exceptional rigidity and durability.
- Premium-quality foam insulation for optimal ice retention.
- Integrated, fully removable compartment protects food.
- Robust rubber latches keep the cover tightly closed.
- Weather-resistant.
- Convenient drain plug.

See table for installation location and requirements.

LinQ 9.2 Gal (35 L) Cooler

Traxter G2, Traxter G2 MAX | **715006998**



- LinQ-mounted for efficient and secure storage, locked in place with only a quarter turn.
- Easy to install, easy to remove using the LinQ system.
- Installation in LinQ 36" configuration.
- Made of polyethylene for exceptional rigidity and durability.
- Storage capacity of 9.2 gal (35 L).
- Lock the cooler on the vehicle using the LinQ Lock (860201968).
- Premium-quality foam insulation for optimal ice retention.
- Molded-in handles for quick installation and removal.
- Option to add a 5-slot LinQ Lite Rail on the side and at the rear of the cooler.
- A dry basket is included to protect your food from water.
- Drain plug at the bottom to get rid of excess water.
- The new ergonomic and resistant latch system ensures the top is tightly sealed.
- Innovative way to hold 12 cans (355 ml).

See table for installation location and requirements.

LinQ Premium Storage Bag by OGIO

Traxter G1, Traxter G1 MAX

■ **715002923** • Black



- Tool-less installation and removal thanks to the LinQ system.
- 17.2 gal (65 L) capacity semi-rigid cargo bag ideal for carrying anything you need on your vehicle.
- Buckle and elastic closure with a rubber seal that prevents dust from entering the bag.
- 3-section lid for partial or full access to your bag.
- Inside separators for optimal bag organization.

See table for installation location and requirements.

LinQ Heavy-Duty Basket

Traxter G1, Traxter G1 MAX

715001215



- Made of high-strength, low-alloy steel.

See table for installation location and requirements.

LinQ Low Profile Basket

Traxter G1, Traxter G1 MAX

715004282



- Low profile, open basket increases cargo space.
- Perfect for easy access to tools, rope, winch and plow accessories.
- Multiple bungee cord and tie-down anchor points.
- Made of impact-resistant injected polypropylene.

See table for installation location and requirements.

LinQ CARGO & RACK

NEW LinQ Chainsaw Holder

Traxter G2, Traxter G2 MAX

715009142



- This system mounts a chainsaw vertically to save space.
- Securely attaches with the LinQ system to the cargo bed side wall.
- Clamps the blade for a solid and quick hold.
- Can be removed quickly using the LinQ system and carried easily and safely.
- Compatible with most blades up to 18".

NEW Gun Case Mount

Traxter G2, Traxter G2 MAX

715009172



- Allows you to install LinQ Gun Case (715010936) on the Headache Rack (715009171).
- Sold as a pair with hardware included.

NEW Cargo Bed Plate for Sliding LinQ

Traxter G2, Traxter G2 MAX

715010206



- Enables Sliding LinQ installation on your Traxter, allowing accessories to clip in securely in under two seconds.
- Made from glass-reinforced injected plastic, featuring a flat design that won't interfere with cargo loading.
- Includes two sets of LinQ Sliding Bases (7150011726) and supports the installation of up to three 16" LinQ accessories.
- Features 12 integrated LinQ Sliding Mount Plates, with the option to add more LinQ Sliding Bases (7150011726), allowing the installation of additional LinQ accessories.
- Compatible with 36" LinQ accessories using the LinQ Sliding Base Installation Kit (715011784).
- Quick and easy installation for seamless setup.

See table for installation location and requirements.

Not compatible with:
- LinQ Cargo Bed Box (715009165).

NEW LinQ Vertical Support – In-Bed Mount

Traxter G2, Traxter G2 MAX

715010207



- Maximizes storage capacity by using the vertical space along the side of the cargo bed.
- Versatile modular design lets you quickly reposition mounting locations to suit your needs.
- Expands secure storage options, increasing cargo capacity and ease of use.
- Tool-less installation for fast and convenient setup.
- See table for installation location and requirements.

NEW LinQ Vertical Support – Plate Only

Traxter G2, Traxter G2 MAX | **715010556**



- Maximizes storage space without using up valuable cargo space.
- Pre-existing installation holes for easy mounting.
- Expands storage allowing for secure cargo capacity and added ease of use.

See table for installation location and requirements.

Required for installation:
- Headache Rack (715009171) or Bed Wall Extender (715010833 or 715009590).

LinQ Cargo Bed Box

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX | **715009165**



- Large 40 gal (150 L) multifunction weather-resistant tool box designed for cargo beds.
- Rotomolded construction provides exceptional rigidity and durability.
- LinQ mounted for easy-on, easy-off installation.
- Features built-in cup holders and integrated groove for pipe or 2x4 cutting.
- Sized to give you the option of installing 2 tool boxes in the cargo bed (the tailgate extension is not compatible with two LinQ Cargo Bed Boxes).
- Double side openings with lockable covers and rubber latches.

Required for installation:
- LinQ Base Installation Kit (715008125).
- For Traxter G1, the LinQ Cargo Bed Box can be installed using a bolted configuration.

LinQ Tailgate Extension

Traxter G1, Traxter G1 MAX (except 6x6 and PRO models) | **715002464**



- Adds rear cargo capacity when the tailgate is open.
- Steel-tubing-system-style barrier mounts on top of the bed walls using the easy, tool-less LinQ system.
- Can be mounted to serve as cargo divider at different locations along the bed wall while preventing larger items from falling off the back.
- Stores neatly out of the way and offers additional cab area protection since it can be mounted upside down on the front bed wall as a mini headache rack.
- Anti-corrosion coating with durable powder coat finish.

Not compatible with:
- Hard rear windows on Traxter MAX produced before January 2021.

LinQ Tire Holder

Traxter G1, Traxter G1 MAX | **715003448**



- Cargo box spare-tire holder.
- Heavy-duty steel construction.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Mounts on top of the bed walls using the easy, tool-less LinQ system.
- Compatible with Bed Wall Extender.
- Uses BRP standard wheel bolt pattern to mount tire (nuts included).
- Accommodates BRP tires up to 28" (wheel not included).
- Quickly allows installation in multiple positions thanks to the LinQ system.

Not compatible with:
- Cargo bed winch.

LinQ Cargo Rack

Traxter G1, Traxter G1 MAX | **715006140**



- Strong, durable steel rack.
- Easy and tool-less installation thanks to the LinQ system.
- Allows the installation of LinQ accessories.
- 2 racks can be installed at the same time.
- Allows multi-level storage on cargo bed, accommodates 5 gal (19 L) bucket.
- Helps keep cargo securely in place.
- Multiple bungee cord and tie-down anchor points.
- Kit includes LinQ Base.
- Provides more usable space in the cargo box.

LinQ Front Rack

Traxter G1, Traxter G1 MAX | **715006064**



- Rugged looking front rack mounts on top of vehicle hood and provides additional storage.
- Heavy-duty 1.25" (3.2 cm) diameter steel-tube construction.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Flip-up configuration provides easy access to service area.
- Allows the installation of LinQ accessories (especially for use with LinQ Low Profile Basket (715004282)).
- Kit includes LinQ Base.
- Multiple bungee cord and tie-down anchor points.
- A great place to store tools while working in the field.

Required for installation:
- Requires Rancher Bumper (715005410) or Front Bumper (715002418 or 715005754) for installation.

LinQ Tool & Gun Holder

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715005466



- 2-in-1 holding rack can be used both on the job or on the hunt.
- Includes 5 locations to securely hold tools and guns using rubber grips and retention straps at the top and a rubber mat with gunstock shaped molding at the bottom.
- Easy to remove, install or reposition using our simple and secure LinQ system.
- Can be attached at multiple positions along the cargo bed walls, facing inside or outside the bed.
- Recommended to use with the Exterior Cargo Reinforcement Panel (715006198) when installed outside the bed wall.

Not compatible with:
- Traxter G2. Not compatible outside the cargo bed.

NEW LinQ Gun Case

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715010936



- Weatherproof sealed gun case.
- The practical design lets riders store shotguns and rifles up to 50" (127 cm), even with most optic configurations.
- Adapts to different weapon shapes and features with foam cushions that can be repositioned.
- Includes a soft liner with a bright yellow inner lining for high visibility with a front end reinforced for increased durability and a top handle for easy carrying and transport.
- Liner stays securely in place with a rear loop that attaches inside the case, ideal for angled use.
- The Gun Case is LinQ-mounted for efficient and secure storage, and is locked in place with only a quarter turn.

Required for installation:
- LinQ Gun Case Mounting Kit (715006443) or Gun Case Mount (715009172).

NEW Bag for LinQ Gun Case

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715010189



- Durable, weather-resistant exterior.
- Fits rifles up to 50" (127 cm) in length.
- Top handle for easy carrying and transport.
- Bright yellow inner lining for high visibility.
- Front end reinforced for increased durability.
- Features a rear loop for attaching the bag inside the LinQ Gun Case (715009240).
- Compatible with old LinQ Gun Case (715009240) and required Hardware Kit (715011740).

LinQ Gun Case Mounting Kit

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715006443



- Required to install the LinQ Gun Case on a Traxter and Traxter MAX.
- Allows you to install up to two LinQ gun cases.
- Includes one pair.

LinQ LITE

LinQ Lite Device Holder

Traxter G2, Traxter G2 MAX

715009201



- Made with strong magnets that you can trust while riding through rough terrain
- Includes everything needed for installation on your favorite electronic devices: 2 pre-assembled Can-Am plates with 3M multi-surface adhesive.
- 360° adjustment for an improved driving experience and immersion.
- Secure LinQ Lite attachment allows you to install/remove the holder in seconds.
- Robust plastic and aluminum construction allows for the right fit and easy installation.
- Compatible with the Cellphone Holder (715008786).
- Holds most tablets and smartphones measuring between 5.1" (13 cm) and 10" (25.4 cm) (with protective case).

LinQ Lite Action Camera Holder

Traxter G2, Traxter G2 MAX

295101139



- LinQ Lite attachment system for cameras.
- Provides great vantage points to capture photos and videos.
- Offers 360-angle positioning for perfect filming and taking photos.
- Designed to hold devices securely.
- Fast, easy attachment and removal.

LinQ Lite Cup

Traxter G2, Traxter G2 MAX

715009406



- Keep your beverage within reach.
- Flexible fins adjust to various beverage container sizes to hold most securely.
- No permanent installation point means you're free to move it almost anywhere.
- Tool-less placement, easy to move from place to place.

LinQ HOLDERS

LinQ Tool Holder

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715007358



- Ultra-versatile tool holder.
- Convenient swivel-latch allows tools to be stored in any orientation.
- Suitable for installation onto the cargo walls, Deluxe Headache Rack, Bed Wall Extender, Adventure Roof Rack and LinQ Loadout Rack.
- Sold in pairs.

Required for installation:
- If mounted on the Deluxe Headache Rack or the Bed Wall Extender, LinQ Adapter is required for installation.

NEW Tool Holder Bolt-On

Traxter G2, Traxter G2 MAX

715008896



- Tool Holder is made to fit the LinQ Cargo Basket (90 L) (715005274), LinQ Cargo Box (53 L) (715006997).
- Convenient swivel-latch allows tools of all shapes to be stored in the proper orientation.
- Sold in pairs.
- Several degrees of adjustment.

LinQ Gear Grips

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715005340




- Durable and flexible grips provide a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Make transporting your tools a snap by combining the Gear Grips with the LinQ system.
- 360° orientation.
- Sold in pairs.

LinQ MOUNTING

LinQ Adapter

Traxter G1, Traxter G1 MAX

715003058



- Allows the installation of the LinQ Tool Holder to the Bed Wall Extender, Adventure Roof Rack or the Deluxe Headache Rack.
- Sold in pack of 4.

LinQ Lock

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

860201968



- Simple way to securely lock most LinQ accessories.
- Lock cover protects lock from the elements.
- Corrosion resistant.
- Pack of 1, includes 2 keys.

Not compatible with:
- LinQ Tool Holder, LinQ Working Light, LinQ 4.2 US gal (16 L) Cooler (219400964), LinQ Gun Case (715010936), LinQ Tool Box (715008111) and LinQ Gear Grips (715005340).

NEW LinQ Sliding Base Installation Kit

Traxter G2, Traxter G2 MAX

715011784



- This LinQ Sliding Base Installation Kit comes in 2 parts.
- The first part, the LinQ Sliding Mount Plate, can stay on your vehicle at all times without interfering with loading, thanks to its flat design.
- When you need the second part, the LinQ Sliding Base, you can simply clip it in in less than 2 seconds.
- The LinQ Sliding Base is therefore non-permanent, easy to remove and allows you to play with and swap anchors.
- Sold as a pair.
- Includes LinQ Sliding Mount Plate, LinQ Sliding Base & hardware.

Required for installation:
- Cargo Bed Plate for Sliding LinQ (715010206).

NEW LinQ Sliding Base

Traxter G2, Traxter G2 MAX | **715011726**



- LinQ Sliding Base only.
- The LinQ Sliding Base is non-permanent, easy to remove and allows you to play with and swap anchors.
- To be used with the LinQ Sliding Mount Plate.

Required for installation:
- Cargo Bed Plate for Sliding LinQ (715010206).

LinQ Base Installation Kit

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX | **715008125**



- Unique mounting fastener usable on any LinQ system accessory.
- Included: 2 LinQ Cargo Bases and hardware.

LinQ Replacement Part

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX | **715010798**



- Unique mounting fastener usable on any LinQ system accessory.
- Tool-less installation and removal.
- Sold in pairs.

CARGO & STORAGE

Foldable Tailgate Extension

Traxter G2, Traxter G2 MAX | **715009179**



- Foldable tailgate extension that stores on the vehicle and is always there when needed.
- Effortless installation using the tailgate striker bolts. Just unfold each side and hook them in.
- Can be quickly and completely removed from the vehicle without any tools.
- Rotomolded plastic construction for rugged durability.
- Adds rear cargo capacity when the tailgate is open.
- Not EC compliant.

Loadout Rack

Traxter G1, Traxter G1 MAX | **715005447**



- LinQ installed versatile rack that creates a second level of storage.
- Adjustable height that goes from mid cab height to roof line.
- Modular basket adapts to different cargo with folding front and rear panels.
- Multiple hooks and holes to hang items both inside and outside the rack.
- Basket accommodates multiple LinQ positions.
- Combine with cargo net to create a hanging storage net below the basket for additional space.
- 2 racks can be installed on Traxter Pro and Traxter 6x6.

Hanging Storage Box Kit

Traxter G1, Traxter G1 MAX | **715005449**



- Versatile rack designed to hold a standard storage box.
- Fully adjustable, the rack can be tailored to hold the crates in multiple positions: headache rack position, inside the box along the side wall and outside the box along the side wall.
- Includes Can-Am branded storage box.
- Exterior Cargo Reinforcement Panel is recommended when used outside of bed wall.

Can-Am Storage Box

(Not illustrated)

Traxter G1, Traxter G1 MAX | **708303237**

- Conventional 13" x 13" plastic storage box with Can-Am branding.
- Perforated bottom allows water and debris to escape.

Exterior Cargo Reinforcement Panel

(Not illustrated)

Traxter G1, Traxter G1 MAX | **715006198**

- Plate that attaches to the bed side to further support and protect bed wall when in outward position.
- Recommended use of the hanging storage box and/or gun and tool holder when installed outside of the bed wall (except Traxter 6x6 & PRO).

Headache Rack

Traxter G2, Traxter G2 MAX

715009171



- Protects cab components from cargo load.
- 4 LinQ anchors integrated into the frame.
- Forged steel corner where you can add tie-down to secure your material.
- Complete with wire screen design.
- Compatible with LinQ Gun Case (715010936).
- Increases box capacity when used in tandem with the Bed Wall Extender (715009590 or 715009166).
- Required to install the Bed Wall Extender - High (715009590).

Not compatible with:
- Snorkel Kit (715009151).
- Can-Am JL Audio Roof – Level 4 (715009223) or Traxter G2 MAX already equipped with audio roof.

Deluxe Headache Rack

Traxter G1, Traxter G1 MAX

715002423



- Protects cab components from cargo load.
- Increases box capacity when used in tandem with the Bed Wall Extender (715002421).
- Required to install the Bed Wall Extender (715002421).
- Compatible with gear rail.

Bed Wall Extender – Low

Traxter G2, Traxter G2 MAX

715009166



- Extend your cargo box by 16" (422 mm) with this Bed Wall Extender.
- Allows the installation of the Cargo Rack Multi-position over the bed to create a second level of storage.
- 1.25" (3.2 cm) diameter steel-tube construction.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Forged steel corner where you can add tie-downs to secure your material.
- Outer panels in robust glass-filled plastic with LinQ Nano anchors.
- 2 LinQ anchors at the ends of each panel for installing LinQ Tool Holders (715007358).
- Each upper end is equipped with a ruler to facilitate measurement.
- Quick and simple installation.

Not compatible with:
- Snorkel Kit (715009151).

Bed Wall Extender – High

Traxter G2, Traxter G2 MAX

715010833



- Extend your cargo box by 29" (755 mm) with this Bed Wall Extender.
- Allows the installation of the Cargo Rack Multi-position over the bed to create a second level of storage.
- 1.25" (3.2 cm) diameter steel-tube construction.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Forged steel corner where you can add tie-downs to secure your material.
- Outer panels in robust glass-filled plastic with LinQ Nano anchors.
- 2 LinQ anchors at the ends of each panel for installing LinQ Tool Holders (715007358).
- Each upper end is equipped with a ruler to facilitate measurement.
- Quick and simple installation.

Not compatible with:
- Snorkel Kit (715009151).

Bed Wall Extender – High (for Headache Rack)

Traxter G2, Traxter G2 MAX

715009590



- Extend your cargo box by 29" (755 mm) with this Bed Wall Extender.
- Allows the installation of the Cargo Rack Multi-position over the bed to create a second level of storage.
- 1.25" (3.2 cm) diameter steel-tube construction.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Forged steel corner where you can add tie-downs to secure your material.
- Outer panels in robust glass-filled plastic with LinQ Nano anchors.
- 2 LinQ anchors at the ends of each panel for installing LinQ Tool Holders (715007358).
- Each upper end is equipped with a ruler to facilitate measurement.
- Quick and simple installation.
- The Bed Wall Extender (715010833) can be installed without the Headache Rack.

Required for installation:
- Requires Headache Rack (715009171).

Not compatible with:
- Snorkel Kit (715009151).

Bed Wall Extender

Traxter G1, Traxter G1 MAX (except Traxter G1 6x6 & Traxter G1 PRO) — **715002421**

Traxter G1 6x6 & PRO models — **715005411**



- Increases box capacity.
- Quick and easy tool-less modularity.
- Easily removable rear door can be latched open.
- Variable full or half height settings.
- Foldable top panels come off in seconds.

Required for installation:
- Requires Deluxe Headache Rack (715002423).

Tonneau Cover

Traxter G1 2018 & up (except Mossy Oak Break-Up Country Camo models), Traxter G1 MAX (except 6x6 and PRO models)	**715008306**



- Fitted to cover all of the items in your cargo box thoroughly.
- Prevents splash from entering the cargo box.
- Rolls up to the front.
- Easily removable for quick access.

Not compatible with:
- Accessories that exceed the box height.

Removable Storage Bin

Traxter G1, Traxter G1 MAX	**715004344**



- Handy, removable on-dash tool box will make sure you have your critical equipment where you need it.
- Provides 1.7 gal (6.3 L) of storage and clips on and off in a snap.
- Water-resistant to ensure your contents remain safe and dry.

Removable Storage Bin – Passenger

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX	**715003314**



- Convenient passenger-side underseat storage.
- Polypropylene-injected 3.7 gal (14 L) storage capacity bin.
- Bin installs and removes in a snap and comes with an integrated handle.
- Water-resistant.

Driver Underseat Storage Bin

Traxter G1, Traxter G1 MAX	**715003399**



- Polypropylene-injected 4 gal (15 L) capacity bin fits securely under the driver's seat.
- Front opening for quick and easy access.
- Ideal for storing weather-resistant items, such as ropes, tow straps and winch accessories that are needed at a moment's notice.

Center Underseat Storage Bin (7 L)

Traxter G2, Traxter G2 MAX	**715009199**



- Polypropylene-injected 1.8 US Gal (7 L) capacity storage bin.
- Watertight design keeps ice and drinks cold.
- Easy to remove and wash thanks to its integrated handle.
- Designed to receive a second battery when used with the Auxiliary Battery Installation Kit (715009473).
- Integrated drain plug allows easy draining.
- Accessible by lifting center seat section.

Center Underseat Storage Bin

Traxter G1, Traxter G1 MAX	**715003446**



- Polypropylene-injected 2 gal (8 L) capacity storage bin.
- Watertight design keeps ice and drinks cold.
- Easy to drain and wash by removing it with integrated handle.
- Accessible by lifting center seat section.

Cargo Bed Rails

Traxter G1 (except 6x6 & PRO), Traxter G1 MAX	**715003444**



- Add integrated tie-down area to your cargo box while enhancing the look.
- Added cargo box protection.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Heavy-duty 1" (2.5 cm) diameter steel-tube construction.
- Add height to the bed side wall and serve as a tie-down anchor for ropes, straps or bungees.
- Sold in pairs.

Not compatible with:
- Bed Wall Extender.

Cargo Bed Net

Traxter G1, Traxter G1 MAX (except Traxter G1 6x6, Traxter G1 PRO)	**715003445**



- Solid net designed to hook to the bottom of the cargo box for secure and compact confinement of your cargo.
- Keeps items tight against the bed floor.

Lower Dashboard for Heating System

Traxter G1, G1 MAX (XU models only)	**715003441**



- Replaces the dashboard that comes stock with the vehicle and features a tablet that makes it possible for driver and passenger to conveniently store small items in the dash.
- To be installed when the Defrost, Heat & Ventilation System is installed.
- Use together with the Dash Storage Compartment Net for Heating System (715003544) to prevent the items placed in the dash storage compartment from falling.

Dash Storage Compartment Net for Heating System

Traxter G1, Traxter G1 MAX (XU models only)	**715003544**



- Perfect for securing items in the dash storage area.
- To be installed when Lower Dashboard for Heating System is installed.

Dash Storage Compartment Nets

Traxter G1, Traxter G1 MAX (except Limited models)	**715003129**



- Perfect for securing items in the dash storage area.
- Sold in pairs.

Not compatible with:
- Defrost, Heat & Ventilation System.

Backrest Rear Storage

Traxter G1 MAX, Traxter G2 MAX	**715003019**



- Netting installs easily.
- Made from polyester that won't discolor.
- Sold in pairs.

Storage 2.6 Gal (10 L) Bag

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX	**269502121**



- Roll-top dry bag for fully protecting your cargo from the elements.

Passenger Storage Seat Bag

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX	**715008080**



- This weather-resistant bag holds your gear safely and securely while you ride.
- Bag settling on the passenger's seat to increase the vehicle's cargo capacity.
- This bag features a 14.5 gal (55 L) storage capacity and is divided into two compartments.
- The top compartment is insulated to keep your beverages cold and includes two cup holders.
- Additional pocket inside for additional storage, such as a cell phone.
- The bottom compartment is accessible from both sides and serves as a large pocket for storing various items.
- The detachable pocket at the front of the bag can be used as a garbage bag.

RACKS & HOLDERS

NEW Cargo Crossbars

Traxter G2, Traxter G2 MAX | **715008758**



- Corrosion-resistant extruded aluminum square bars for long-lasting durability.
- Powder-coated black finish for a sleek look.
- Includes 4 mounting feet and 2 load bars for a complete, ready-to-install setup.
- Carries up to 70 lb (32 kg) of gear, maximizing your hauling capability. If you installed 2 sets of Cargo Crossbars (one on the roof and one on the bed wall extenders) you can carry up to 145 lb (65 kg).

Required for installation:
- Sport Roof (715002430 or 715003038) or Deluxe Sport Roof (715010883 or 715010884) or over the cargo bed wall with the Cargo Rack Mounting Kit (715010079) or on the bed wall extenders with the Cargo Rack Mounting Kit (715010078).

Not compatible with:
- Audio Roof if installed on the roof.

Cargo Rack Multi-position

Traxter G2, Traxter G2 MAX | **715009148**



- Built with heavy-duty stamped steel sheet metal with powder-coated finish.
- Loads of up to 70 lb (32 kg).
- 31" (79 cm) x 53" (135 cm) cargo basket area.
- 2 LinQ anchors on each outer side for LinQ Tool Holder (715007358).
- Many LinQ anchors can be installed at the bottom of the cargo tray to mount various LinQ accessories. 7 different positions available for LinQ 16" and 2 for LinQ 36".
- Integrated mounting points in the front for LED Light Bars (715008745, 715008746 or 715008747) and SMART Scene Lights (715010149).
- Multiple tie-down points on the sides so you can tie your gear.
- Features anchor points for a spare tire attachment.
- Traxter G2: Can be installed on Sport Roof (715002430) or on Deluxe Sport Roof (715010883).
  Traxter G2 & G2 MAX: Can be installed over the cargo bed wall with the Cargo Rack Mounting Kit (715010079) or on the bed wall extenders with the Cargo Rack Mounting Kit (715010078) or with the Cargo Rack Mounting Kit for Rear Cage (715009589).

Not compatible with:
- Audio Roof if installed on the roof.

Cargo Rack MAX

Traxter G2 MAX | **715009170**



- Built with heavy-duty stamped steel sheet metal with powder-coated finish.
- Loads of up to 70 lb (32 kg).
- 61"x 53" cargo basket area.
- 4 LinQ anchors on each outer side for LinQ Tool Holder (715007358).
- Many LinQ anchors can be installed at the bottom of the cargo tray to mount various LinQ accessories. 14 different positions available for LinQ 16" and 4 for LinQ 36".
- Integrated mounting points in the front for LED Light Bars (715008745, 715008746 or 715008747) and SMART Scene Lights (715010149).
- Multiple tie down points on the sides so you can secure your gear.
- Roof mounted only.

Required for installation:
- Installation of the Sport Roof is required.

Not compatible with:
- Audio Roof.

NEW Cargo Rack Mounting Kit for Rear Cage

Traxter G2, Traxter G2 MAX | **715009589**



- Allows installation of the Cargo Rack Multi-position (715009148) on the rear cage.

Not compatible with:
- Headache Rack (715009171), Bed Wall Extender (715009166 or 7150010833 or 715009590), Snorkel Kit (715009151), Audio Roof (715005206 or 715006879 or 715010138 or 715010139 or 715010562 or 715010563), LinQ Tool and Gun Holder (715005466).

Cargo Rack Mounting Kit for Bed Wall Extender

Traxter G2, Traxter G2 MAX | **715010078**



- Allows installation of the Cargo Rack Multi-position (715009148) on the Low or High Bed Wall (715009590, 715010833 or 715009166).

LinQ Cargo Rack Mounting Kit for Cargo Bed

Traxter G2, Traxter G2 MAX | **715010079**



- Allows installation of the Cargo Rack Multi-position (715009148) on the cargo bed.
- Allows a clearance of 15" (40 cm).
- LinQ system for a fast install and removal.

Rear Accessory Bar

Traxter G1, Traxter G1 MAX | **715005450**



- Strong accessory bar allowing installation or hanging items off the back.
- Holes for carabiners, duck decoy hangers or other items.
- LinQ anchors allow installation of many LinQ accessories.

Adventure Roof Rack

Traxter G1
Loads of up to 70 lb (32 kg). | **715003870**

Traxter G1 MAX
Loads of up to 70 lb (32 kg). | **715004391**



- Ideal cargo solution for packing everything you need to live your off-road experience fully and completely.
- Built with heavy-duty 1.25" (3.2 cm) diameter steel tubing.
- Modular LinQ support plates allow for installation of most LinQ cargo accessories.
- Integrated mounting points for lights can hold up to 8 pod-type LED lights (6 front and 2 back) or a 39" (99 cm) LED bar (front)—see table for compatibility.
- Features anchor points for spare tire attachment.
- Spare Tire Tie-Downs sold separately.
- Add the Cargo Box Net or the Cargo Box Elastic Net to secure and confine your cargo in the rack.

Required for installation:
- Sport Roof or Deluxe Sport Roof.

Not compatible with:
- Bimini Roof or Audio Roof.

Spare Tire Ratchet Tie-Downs

Traxter G1, Traxter G1 MAX | **280000955**



- 3-way ratcheting tie-down strap with loop ends.
- Designed to securely hold spare tires on accessories equipped with integrated spare tire attachment points.
- Adjustable to accommodate most common UTV tire sizes.
- Ratchet and junction ring made of durable zinc-plated steel.
- Required for spare tire attachment on Adventure Roof Rack.

Dual Gun Holder


Traxter G1, Traxter G1 MAX | **715005265**



- Accommodates shotguns, rifles or muzzleloaders.
- Mounts in the cab, on floorboard between driver and passenger.
- Rubber pads provide gun protection.
- Can be removed to allow a center passenger.
- Anti-corrosion coating with durable powder coat finish.
- Comes with all hardware for easy installation.
- Keeps your weapons within easy reach and protected within the cab area.
- Refer to your local regulations governing the transportation of firearms before purchase.

Gear Rail

Traxter G1, Traxter G1 MAX | **715003391**



- Stationary rail system specially designed for your side-by-side vehicle.
- Universal mounting options for many Kolpin accessories like Gear Grips and Universal Saw Press.
- Rail is made with heavy-duty 7-gauge extruded anodized black aluminum.
- Mounts on roll bar.
- Includes one versatile Gear Rail Mount by Kolpin.

Required for installation:
- Requires Deluxe Headache Rack (715002423).

Universal Saw Press by Kolpin

Traxter G1, Traxter G1 MAX | **715001423**



- Specially crafted for transporting your chainsaw securely and safely aboard your side-by-side vehicle.
- Heavy-duty, black powder-coated metal bracket designed to attach any chainsaw model with up to a 20" (51 cm) bar.
- Rubber pads provide cushion and tight fit.
- Hinged design for quick removal.
- Holds saw in vertical position or 45° angle in either direction.
- Protective sheath included.

Required for installation:
- Requires Gear Rail.

Can-Am Gear Grips

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX | **715001421**



- Durable, flexible grips cushion and protect while providing a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Easy installation on tubular racks, extension racks, brackets or bumpers.
- Sold in pairs.

ACM & SMART ACCESSORIES

Accessory Control Module

Traxter G2, Traxter G2 MAX

715009121



- Bringing the SMART innovation to accessories using live vehicle ECU information to maximize your accessory experience.
- Connect your accessories to the 10.25" Touch Display (if equipped).
- Easy accessory installation (plug and play).
- Creates an ecosystem that makes installing accessories quicker and easier.
- Includes ACM Front Harness and Roof Harness to connect front-mounted SMART accessories to the Accessory Control Module (five auxiliary connectors available).

Required for installation:
- Accessory Control Center (715010834) required for models without the 10.25" Touch Display.
- Requires Roof Power Cable and Cable Cover Kit (715010489) and any Front Roof Liner for vehicles not already equipped.

SMART Control Center for ACM

Traxter G2, Traxter G2 MAX

715010834



- Control the accessories with the selection of different modes, the illuminated halo around the button indicates the active mode.
- Icons illuminate when accessories are activated.
- Make accessory control changes without having to take your eyes off the trail by choosing the accessory button required (quick access).
- All Front LED Off button to turn off all front lights with one click. Remembers the last programmed setups when this button is pressed again.
- 6 pre-programmed buttons and 10 programmable buttons to customize according to the accessories installed.

NEW SMART 15" (38 cm) LED Light Bar

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715011661



- The perfect combination of powerful white and selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 24 white LEDs and 12 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 12,000 raw lumens and the selective yellow 5,280 raw lumens, delivering stunning lighting performance.
- Features a signature LED light that enhances the vehicle's appearance when not activated.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69Kt submersible and pressure washer safe.
- Switch options: Off, Low and High. Color change by quickly flicking the switch.
- SMART options: Off, Low, High, color change and SMART Automatic Mode.
- SMART MODE: Intensity increases or decreases, and the Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).
- ECE R10 Certified.
- T Category Approved as Work Lamp.

See table for installation location and requirements.

SMART 10" (25 cm) LED Light Bar

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715011660



- The perfect combination of powerful white and selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 16 white LEDs and 8 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 8,100 raw lumens and the selective yellow 2,640 raw lumens, delivering stunning lighting performance.
- Features a signature LED light that enhances the vehicle's appearance when not activated.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Color change by flicking the switch quickly.
- SMART options: Off, Low, High, color change and SMART Automatic Mode.
- SMART MODE: Intensity increases or decreases and Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).
- ECE R10 Certified.
- T Category Approved as Work Lamp.

See table for installation location and requirements.

SMART 40" (102 cm) LED Light Bar

Traxter G2, Traxter G2 MAX

715011662



- The perfect combination of powerful white or selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 64 white LEDs and 32 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 32,000 raw lumens and the selective yellow 10,560 raw lumens, delivering stunning lighting performance.
- Features a signature LED light that enhances the vehicle's appearance when not activated.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Color change by flicking the switch quickly.
- SMART options: Off, Low, High, color change and SMART Automatic Mode.
- SMART MODE: Intensity increases or decreases and Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).
- ECE R10 Certified.
- T Category Approved as Work Lamp.

See table for installation location and requirements.

NEW SMART Integrated Bumper Lights

Traxter G2, Traxter G2 MAX

715010148



- Illuminate the sides with a wide low-beam pattern that seamlessly complements your vehicle's existing lighting.
- Delivers a 180-degree ground-level beam to improve peripheral visibility, specifically illuminating the sides of trails.
- SMART dynamic left-and-right lighting that responds to your steering input when paired with the Accessory Control Module (ACM).
- Includes powerful white LEDs and selective yellow LEDs that you can easily switch between as needed.
- 2,400 lumens for each light in white.
- 2,200 lumens for each light in selective yellow.
- IP67 and IP69k submersible and pressure washer safe.
- ECE R10 Certified.

Required for installation:
- Large Heavy-Duty Front Bumper (715009164)
- SMART: Accessory Control Module (715009121)
- Not SMART: Wiring Harness (715009931).

NEW SMART Scene Lights

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715010149



- Designed to provide a wide, diffused beam for illuminating an area around your vehicle.
- White LED light, each 500 lumens.
- Illuminates a 2-meter area around the vehicle.
- SMART Mode: Light turns on during key and engine transitions or when shifting into Park, then fades out automatically after a short delay.
- Can be connected to the SMART Cargo Bed Lights (715010232) and the SMART Dome Light (715010252).
- Come as a pair.
- ECE R10 Certified.

Required for installation:
- Traxter G1: Sport Roof and Wiring Harness (715010781), Front Roof Liner (715008226) and Roof Power Cable (715003094).
- Traxter G2: Sport Roof or Can-Am Rockford Fosgate Audio Roof (715010138, 715010139,715010562, 715010563) or can be installed on the Cargo Rack Multi-position (715009148 or 715009170).
- SMART: Accessory Control Module (715009121) and the Rear ACM (715009416) if installed on the Cargo Rack Multi-position (715009148) on the Cargo Bed or Bed Wall Extender.
- Not SMART: Wiring Harness (715010781) and Front Roof Liner (715009196) and the Wiring Harness Extension Kit (715011770) if installed on the Cargo Rack Multi-position (715009148) on the Cargo Bed or Bed Wall Extender.

Not compatible with:
- Traxter G1: Can-Am JL Audio Roof (715005206 or 715006879).
- Traxter G2: Can-Am JL Audio Roof (715009223 or 715009224).

NEW SMART Cargo Bed Lights

Traxter G1, Traxter G1 MAX (except Traxter G1 PRO)*, Traxter G2, Traxter G2 MAX

715010232



- Light up your bed with this set of two LED Cargo Bed Lights.
- Designed to illuminate the cargo area without causing glare while providing increased brightness.
- SMART Mode: Light turns on during key and engine transitions or when shifting into Park, then fades out automatically after a short delay.
- Lights operate together, with one featuring an independent on/off switch that works even when the engine is off.
- 500-lumen white LEDs.
- Feature a 6,000K LED color temperature for bright, crisp illumination.
- Can be connected to the SMART Scene Lights (715010149) and the SMART Dome Light (715010252).
- Come as a pair.
- ECE R10 Certified.

Required for installation:
- SMART: Accessory Control Module (715009121) & Rear ACM Wiring Harness (715009416).

** No SMART fonction on Traxter G1*

NEW SMART Dome Light

Traxter G2, Traxter G2 MAX

715010252



- Offers optimal visibility in the cab and integrates perfectly with the vehicle.
- 160 lumens of soft white light ensures clear visibility of the surroundings.
- Unit with doors: Includes a wiring harness and two door switches that enable automatic operation with doors opening and closing. Can be connected to the SMART Scene Lights (715010149) and the SMART Cargo Bed Lights (71501023) to work simultaneously.
- SMART Mode: Light turns on during key and engine transitions or when shifting into Park, then fades out automatically after a short delay.
- Can be installed on the vehicle's cage or on the Sport Roof.
- Built in On/Auto/Off button on the light.

Required for installation:
- SMART: Accessory Control Module (715009121) for SMART fonctionality.

Not compatible with:
- Door switches are not compatible with Soft Doors (715009895 or 715009896).

SMART LED Hood Light

Traxter G2, Traxter G2 MAX

715011663



- Mounted seamlessly on the hood, it doesn't require a bumper or brackets.
- Both ends feature angled LEDs for a wider light spread.
- Integrated signature light enhances your vehicle's look and makes it instantly recognizable.
- Good option for X mr models where the bumper mounting plate is used for the winch or any other models with a relocated winch.
- Mounted higher up so less likely to be blocked by another accessory.
- 10,500 raw lumens for exceptional brightness.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High.
- SMART options: Off, Low, High and SMART Automatic Mode.
- SMART MODE: It's got a unique startup light sequence that adds a touch of style every time you power up your vehicle. Intensity increases or decreases and Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).
- ECE R10 Certified.
- T Category Approved as Work Lamp.

Required for installation:
- Accessory Control Module (715009121) is required for SMART functionality.
- Lights Wiring Harness (715009886) is required when ACM is not installed.

SMART Intermittent Wiper & Washer Kit *

Traxter G2, Traxter G2 MAX

715009441



- An ideal way to keep your windshield clear in rain, or while riding through mud and water.
- Includes single-speed wiper, washer fluid dispenser and windshield frame mount.
- Automatic speed variation mode and intermittent wiper speed features available when the kit is installed in combination with ACM and that vary with vehicle speed.
- Included with Flip Glass Windshield with SMART Intermittent Wiper & Washer Kit (715009890).

Required for installation:
- Must be used with the Glass Windshield (715010876) or Flip Glass Windshield (715009225).
- Requires Wiper and Power Cables when ACM is not installed:
  - If equipped with the Sport Roof, Power Cables (715010489 & 715009756) are required.
  - If equipped with the Audio Roof, Power Cables (715010324) are required.

NEW Rear ACM Wiring Harness

G2, G2 MAX

715009416



- Required to connect rear-mounted accessories to the ACM.
- Creates an ecosystem that makes installing accessories quicker and easier.

NEW Scene Lights Wiring Harness

Traxter G1, Traxter G1 MAX, G2, G2 MAX

715010781



- Allows you to install SMART Scene Lights (715010149) without ACM.

Required for installation:
- SMART Scene Lights (715010149).

NEW SMART Integrated Bumper Lights Wiring Harness

(Not illustrated)

G2, G2 MAX

715009931

- Required for installing the SMART Integrated Bumper Lights (715010148) if the ACM is not installed.

* *Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

LIGHTS

CAN-AM LIGHTS — TRAXTER G1

① CHOOSE YOUR MOUNT POINT	② FIND YOUR PLATFORM	③ CHOOSE YOUR LIGHTS						
		10" (25 cm) Double Stacked LED Bar **715010065**	15" (38 cm) Double Stacked LED Bar **715010066**	SMART 10" (25 cm) LED Light Bar **715008745**	SMART 15" (38 cm) LED Light Bar **715008746**	39" (99 cm) Double Stacked LED Bar **715004007**	4" (10 cm) Round LED Lights (sold in pairs) **715002935**	3.5" (9 cm) LED Flood Lights (sold in pairs) **715009774** & **715009775**
Front Bumper **Rancher Bumper** **XT Front Bumper** **X mr Front Bumper** (w/o winch) **X-TP Front Bumper**	Traxter Traxter MAX 2019 & prior	Light Power Cable **715002454**	Light Power Cable **715002454**	Lights Wiring Harness **715009886**		No compatibility	Light Power Cable (1 harness can support 2 lights) **715002454**	
	Traxter Traxter MAX 2020 & up	Light Power Cable **715006034**	Light Power Cable **715006034**				Light Power Cable (1 harness can support lights) **715006034**	
Light Rack or Light Bars *Roof Power Cable and Front Roof Liner may not be required if already installed with other accessories	Traxter & Traxter MAX (except XT CAB)	Light Rack **715002456** + Roof Power Cable **715003094** + Front Roof Liner **715008226**	Light Rack **715002456** + Roof Power Cable **715003094** + Front Roof Liner **715008226**	No compatibility		Light Bar Support **715006226** + Power Cable **715005822** + Front Roof Liner **715008226**	Spotlight Support Bar (only for 3.5" lights) **715009301** + Roof Power Cable **715003094** + Front Roof Liner **715008226**	Spotlight Support Bar (only for 3.5" lights) **715009301** + Light Power Cable **715006034** + Roof Power Cable **715003094** + Front Roof Liner **715008226** OR Light Rack **715002456** + Roof Power Cable **715003094** + Front Roof Liner **715008226**
	Traxter Traxter MAX XT CAB Limited	No requirements	No requirements			Light Bar Support **715006226** + Power Cable **715005822**	No requirements	
Adventure Roof Rack *Roof Power Cable may not be required if already installed with other accessories.	Traxter & Traxter MAX (except XT CAB Limited)	N/A	Front only: Power Cable **715003417** + Roof Power Cable **715003094** + Front Roof Liner **715008226**	N/A	Roof Power Cable **715003094** + Lights Wiring Harness **715009886**	Front only: Power Cable **715005822** + Roof Power Cable **715003094** + Front Roof Liner **715008226**	Front or Rear: 4" Round **715002935** 3.5" Flood **715009774** or 3.5" Spot **715009775** + Power Cable **715003417** + Roof Power Cable **715003094** + Front Roof Liner **715008226**	
	Traxter, Traxter MAX XT CAB Limited		Front only: Power Cable **715003417**			Front only: Power Cable **715005822**	Front or Rear: Power Cable **715003417**	
④ ORDER	**ORDER ALL PART NUMBERS IN INTERSECTING BOX** *Note: When installing more than one light kit, additional light power cable or mounting kit is required.							

CAN-AM LIGHTS – TRAXTER G2

CAN-AM LIGHTS WITH ACM

SMART FUNCTIONALITY

① CHOOSE YOUR MOUNT POINT	② CHOOSE YOUR LIGHTS						
	SMART 40" (102 cm) LED Light Bar **715008747**	SMART 10" (25 cm) LED Light Bar **715008745**	SMART 15" (38 cm) LED Light Bar **715008746**	SMART LED Hood Light **715011539**	3.5" (9 cm) LED Flood Lights (2 X 14 W) **715010093**	3.5" (9 cm) LED Driving Lights (2 X 14 W) **715010094**	SMART Integrated Bumper Lights **715010148**
Vehicle Integrated	No compatibility	No compatibility		Accessory Control Module **715009121**	No compatibility	No compatibility	N/A
Audio Roof 715009224 / 715009223	Accessory Control Module **715009121** + Cable Cover Kit **715010489**			No compatibility			
LED Light Bar Mounts 715009261	Accessory Control Module **715009121** + Cable Cover Kit **715010489** + Front Roof Liner						
Spotlight Support Bar 715009301	No compatibility				Accessory Control Module **715009121** + Round Lights ACM Wiring Harness **715009855** (1 harness can support 4 lights) + Cable Cover Kit **715010489** + Front Roof Liner		
Cargo Rack Multi-position 715009148 / 715009170	Accessory Control Module **715009121** + Cable Cover Kit **715010489** + Front Roof Liner	Accessory Control Module **715009121** + Cable Cover Kit **715010489** + Front Roof Liner					
Large Heavy-Duty Front Bumper 715009164	No compatibility	Accessory Control Module **715009121**			Accessory Control Module **715009121** + Round Lights ACM Wiring Harness **715009855**		Accessory Control Module **715009121**
Front Bumper XT 715009435							No compatibility

CAN-AM LIGHTS WITHOUT ACM

ON/OFF FUNCTIONALITY

① CHOOSE YOUR MOUNT POINT	② CHOOSE YOUR LIGHTS						
	SMART 40" (102 cm) LED Light Bar **715008747**	SMART 10" (25 cm) LED Light Bar **715008745**	SMART 15" (38 cm) LED Light Bar **715008746**	SMART LED Hood Light **715011539**	3.5" (9 cm) LED Flood Lights (2 X 14 W) **715010093**	3.5" (9 cm) LED Driving Lights (2 X 14 W) **715010094**	SMART Integrated Bumper Lights **715010148**
Vehicle Integrated	No compatibility	No compatibility		Lights Wiring Harness **715009886**	No compatibility		No compatibility
Audio Roof 715009224 / 715009223	SMART 40" (102 cm) LED Light Bar Harness **715009930****			No compatibility			
LED Light Bar Mounts 715009261							
Spotlight Support Bar 715009301	No compatibility				Light Kit Power Cable **715006034** (1 harness can support 2 lights)		
Cargo Rack Multi-position 715009148 / 715009170	SMART 40" (102 cm) LED Light Bar Harness **715009930**	Lights Wiring Harness **715009886** + Cable Cover Kit **715010489** + Front Roof Liner					
Large Heavy-Duty Front Bumper 715009164	No compatibility	Lights Wiring Harness **715009886**					Lights Wiring Harness **715009931**
Front Bumper XT 715009435							No compatibility
③ ORDER	**ORDER ALL PART NUMBERS IN INTERSECTING BOX** *Note: When installing more than one light kit, additional light power cable or mounting kit is required.						

**Requires Front Roof Liner (715009196) for installation.

NEW SMART Rear LED Light

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715008236



- This high performance LED light provides full illumination for your cargo box and the surrounding area.
- Convenient front liner switch with 2 modes, High & Low.
- High beam mode (3,000 lumens) illuminates up to 50 ft. (15 m) at the rear of the vehicle. Perfect for those moments when you're reversing.
- Low beam mode (1,000 lumens) illuminates your cargo area to ensure easy loading without the harsh glare.
- SMART Mode: The light automatically switches to high-beam mode when you shift into reverse. Light turns on during key and engine transitions or when shifting into Park, then fades out automatically after a short delay.
- ECE R10 Certified.
- T Category Approved as Work Lamp.

Required for installation:
- Sport Roof, Deluxe Sport Roof or Audio Roof.
- Roof Power Cable and Cable Cover Kit (715010489) & Front Roof Liner (715009196) for vehicles not already equipped.
- Traxter G1: Lights Wiring Harness (715009886).
- Traxter G2: SMART) Accessory Control Module (715009121) or Wiring Harness (715009886) for on/off fonction when ACM in not installed.


10" (25 cm) Double Stacked LED Light Bar (60 W)

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715010065



5,400 lumens



- Equipped with twelve 5 W Cree LEDs.
- 5,400 lumens.
- Packs a big punch for its size.
- Rugged and waterproof.
- Can be installed on front bumpers, Sport Roof and Bimini Roof with sun visor.
- Requires light power cable for installation.
- Lights up to more than 1,500 ft. (460 m) in front of the vehicle and around 65 ft. (20 m) wide on each side.
- ECE R10 Certified.

See table for installation location and requirements.


15" (38 cm) Double Stacked LED Light Bar (90 W)

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715010066



8,400 lumens



- Equipped with 18 5 W Cree LEDs.
- 8,400 lumens.
- Complements the Light Racks and most bumpers.
- Rugged and waterproof.
- Lights up to more than 1,900 ft. (580 m) in front of the vehicle and around 65 ft. (20 m) wide on each side.
- ECE R10 Certified.

See table for installation location and requirements.


39" (99 cm) Double Stacked LED Light Bar (270 W)

Traxter G1, Traxter G1 MAX

715004007



24,300 lumens



- Equipped with 54 5 W Cree LEDs.
- 24,300 lumens.
- Lights up to more than 2,900 ft. (900 m) in front of the vehicle and around 115 ft. (35 m) wide on each side.
- Compatible with the Adventure Roof Rack.
- Compatible with Flip Windshields and Full Windshields.
- Not ECE Certified

See table for installation location and requirements.


4" (10 cm) Round LED Lights (2 x 25 W)

Traxter G1, Traxter G1 MAX

715002935



1,800 lumens



- 25 W LED spotlights.
- 1,800 lumens.
- Rugged and waterproof.
- Includes basic wiring and switch.
- Can-Am branded grill.
- Sold in pairs.
- Not ECE Certified.


See table for installation location and requirements.

3.5" (9 cm) LED Driving Lights (2 x 14 W)

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715010094





- 14 W LED lights producing 1,260 lumens each.
- Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds.
- Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing.
- Features two attachment points. If one attachment point fails due to a collision, rotate to the next channel point and remount the light.
- Sold in pairs.
- ECE R10 Certified.


See table for installation location and requirements.

3.5" (9 cm) LED Flood Lights (2 x 14 W)

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715010093





- 14 W LED lights producing 1,260 lumens each.
- Flood lens for a wide light beam spread, ideal for working applications like plowing or cornering. Suitable for dusty or foggy riding conditions.
- Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing.
- Features two attachment points. If one attachment point fails due to a collision, rotate to the next channel point and remount the light.
- Sold in pairs.
- ECE R10 Certified.

See table for installation location and requirements.

LED Light Bar Mounts

Traxter G2, Traxter G2 MAX

715009261



- Black cast-aluminum construction.
- Optimized LED Light Bar positioning to work with Can-Am flip windshields.
- Can be installed with or without roof.
- Required for SMART LED Light Bar 40" (715008747) on Sport Roof, Deluxe Sport Roof, Bimini Roof.

Not compatible with:
- Audio Roof.

Spotlight Support Bar

Traxter G1 , Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715009301



- Black-casted aluminum construction and aluminum extrusion providing a mounting point for lights.
- Can be installed with or without roof.
- Required to install the 3.5" Round Lights on the roof.

Not compatible with:
- Audio Roof.

Light Bar Support

Traxter G1, Traxter G1 MAX

715006226



- Mounting bracket that allows the installation of the Can-Am 39" Lightbar (715004007).
- Low and forward mounting position for a sleek look.

Not compatible with:
- Can-Am Audio Roof (715005206) or Can-Am Max Audio Roof (715006879).

Light Rack

Traxter G1, Traxter G1 MAX

715002456



- Rugged steel construction serves as both mount and protection for accessory light systems.
- Lights not included.
- Front Roof Liner is required for installation on the roof (except Cab models or with Deluxe Sport Roof).
- Power Cable, Sport Roof or Deluxe Sport Roof required for installation.
- Integrates elegantly and seamlessly into our roof products.

RAM† LED Spotlight

Traxter G1, Traxter G1 MAX | **710005423**



- 540 lumen (9 watt) heavy-duty LED spotlight standard-equipped with 1" (2.5 cm) diameter rubber-coated double ball and socket system.
- Not ECE Certified.

Dome Light

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX | **715009228**



- Offers an optimal visibility in the cab and integrates perfectly with the vehicle.
- 160 lumens of soft white light ensure clear visibility of the surroundings.
- Built in on/off button on the light.
- Wiring included.
- Can be installed on cage or Sport Roof.

Not compatible with:
- The Traxter Audio Roofs.

LED Signature Lights *

Traxter G1, Traxter G1 MAX | **715006896**



- The stylish LED set puts the finishing touch to your Traxter, accentuating its aggressive stance.
- Included on Limited and Lone Star models.

Round Lights ACM Wiring Harness

Traxter G2, Traxter G2 MAX | **715009855**



- Required to connect the 3.5" (9 cm) LED Flood and LED Driving Lights (715010093 & 715010094) to the ACM Harness.

Lights Wiring Harness

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX | **715009886**



- Power cable for installation of compatible SMART LED Hood Light (715011539), SMART 10" (25 cm) LED Light Bar (715008745) or SMART Rear LED Light (715008236).

SMART 40" (102 cm) LED Light Bar Harness

Traxter G2, Traxter G2 MAX | **715009930**



- Required to install the SMART 40" (102 cm) LED Light Bar (715008747) if the ACM is not installed.

Cable Cover and Roof Power Cable Kit

Traxter G2, Traxter G2 MAX (models without Cab) | **715010489**



- Designed to organize cables and provide a safe environment by covering exposed cables.
- Required for installation of some electrical accessories.
- Brings power from the battery.
- Cable cover is made from injected plastic.
- Roof power cable included.
- Combined with the Front Roof Liner (715009196) for optimum integration.

Roof Power Cable

(Not illustrated)

Traxter G1, Traxter G1 MAX | **715003094**

- Required for installation of some electrical accessories.
- Brings power from the battery.

***** *Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

Light Kit Power Cable *(Not illustrated)*	Traxter G1, Traxter G1 MAX (2019 & prior) Traxter G1, Traxter G1 MAX (2020 & up), Traxter G2, Traxter G2 MAX	**715002454** **715006034**

- Power cable for installation of compatible Can-Am light kits at front bumper location.

AUDIO

CAN-AM x ROCKFORD FOSGATE

NEW Can-Am Rockford Fosgate Audio System – Level 2	Traxter G2 2027 (with 10.25" Wireless Touch Display), Traxter G2 MAX 2027 (with 10.25" Wireless Touch Display)	**715010564**



- Equipped with two 6.5" (165 mm) speakers (125 W each) and Front Liner.
- Can-Am Rockford Fosgate Amplifier 500 W included.
- Compatible with the pre-wired Can-Am Rockford Fosgate Subwoofer & Amplifier Kit (715010567) for quick, easy installation.
- Can-Am Rockford Fosgate Audio Rear Speaker Kit (715010828) or Can-Am Rockford Fosgate Audio Roof can be added to deliver superior performance.
- Vol Up/Down Switch (710010952) can be added to control volume separately from the touchscreen control.

Required for installation:
- Source Unit (715010329) for vehicle without 10.25" Wireless Touch Display.
- Cable Cover and Roof Power Cable Kit (715010489).
- If installed with audio roof (715010138/715010139 or 715010562/715010563), wiring harness (710011374) is required.

NEW Can-Am Rockford Fosgate Audio System – Level 2 (with Source Unit)	Traxter G2 2027 (without 10.25" Wireless Touch Display), Traxter G2 MAX 2027 (without 10.25" Wireless Touch Display)	**715010565**



- Equipped with two 6.5" (165 mm) speakers (125 W each) and Front Liner.
- Comes with a Can-Am Rockford Fosgate audio unit featuring a full-color LCD screen and a built-in 4-channel amplifier (31 watts per channel at 4 ohms).
- Add the 500 W Amplifier (715011105) for superior sound levels and to allow the installation of the Subwoofer & Amplifier Kit (715010567).
- Can-Am Rockford Fosgate Audio Rear Speaker Kit (715010828) can be added to deliver superior performance.

Required for installation:
- Cable Cover and Roof Power Cable Kit (715010489).

NEW Can-Am Rockford Fosgate Audio Rear Speaker Kit	Traxter G2 2027, Traxter G2 MAX 2027	**715010828**



- Add these to Can-Am Rockford Fosgate Audio System – Level 2 to enhance performance.
- Includes a pair of powerful 6.5" (16.5 cm) speakers (125 W each) for clear, immersive sound.
- Larger speaker box design delivers improved bass performance, offering deeper and richer sound.
- Comes with black speaker enclosures and complete wiring harnesses for a clean, ready-to-install setup.

Required for installation:
- Can-Am Rockford Fosgate Audio System – Level 2 (715010564 or 715010565).

NEW Can-Am Rockford Fosgate Audio System – Level 3	Traxter G2 2027 (with 10.25" Wireless Touch Display), Traxter G2 MAX 2027 (with 10.25" Wireless Touch Display)	**715010566**



- Equipped with four 6.5" (165 mm) speakers (125 W each).
- Can-Am Rockford Fosgate Amplifier 500 W included.
- Compatible with the pre-wired Can-Am Rockford Fosgate Subwoofer & Amplifier Kit (715010567) for quick, easy installation.
- Add the Can-Am Rockford Fosgate Premium Audio Roof to enhance performance.
- Vol Up/Down Switch (710010952) can be added to control volume separately from the touchscreen control.

Required for installation:
- Source Unit (715010329) for vehicle without 10.25" Wireless Touch Display.
- Cable Cover and Roof Power Cable Kit (715010489).
- If installed with audio roof (715010138/715010139 or 715010562/715010563), wiring harness (710011374) is required.

NEW Can-Am Rockford Fosgate Audio Roof – Level 4

Traxter G2 (2027 only)	**715010138**
Traxter G2 MAX (2027 only)	**715010139**



- Equipped with four 8" speakers (125 W each) paired with a 500-watt amplifier for rich, immersive sound.
- MAX: Six 8" speakers backed by a 500-watt amplifier deliver powerful, immersive sound—with room to upgrade by adding rear speakers (715011024).
- Fully operated through the 10.25" Wireless Touch Display.
- Personalize your lighting experience with the Rockford Fosgate Color Optix™ System, controlled directly from the RF Connect App.
- Includes a SMART Dome Light for interior visibility.
- Boosts bass performance by adding Can-Am Rockford Fosgate Bass Passive Radiator (715011108). (Two can be added on MAX models.)
- Compatible with the pre-wired Can-Am Rockford Fosgate Subwoofer & Amplifier Kit (715010567).
- Reaches peak performance when combined with the Can-Am Rockford Fosgate Audio System – Level 3 (715010566).
- Designed for quick mounting and simple connections.
- Vol Up/Down Switch (710010952) can be added to control volume separately from the touchscreen control.
- Roof design supports the SMART 40" LED Light Bar (715008747), SMART Rear LED Light (715008236) and SMART Scene Lights (715010149).

Required for installation:
- Source Unit (715010329) for vehicle without 10.25" Wireless Touch Display
- Cable Cover and Roof Power Cable Kit (715010489).
- If installed with audio system Level 2 or Level 3 (715010565 or 715010566), wiring harness (710011374) is required.

Not compatible with:
- Can-Am Rockford Fosgate Audio System – Level 2 (with source unit) (715010565), Cargo Rack (715009148 or 715009170).

NEW Can-Am Rockford Fosgate Premium Audio Roof – Level 4

G2 2027	**715010562**
Traxter G2 MAX 2027	**715010563**



- Equipped with four 8" speakers (125 W each) (or eight speakers for MAX models) paired with a 500-watt amplifier for rich, immersive sound.
- Deep bass performance with one (or two for MAX models) 15" passive radiators.
- Comes equipped with a SMART 40" (102 cm) LED Light Bar and SMART Rear LED Light for powerful, all-around illumination.
- Fully operated through the 10.25" Wireless Touch Display.
- Personalize your lighting experience with the Rockford Fosgate Color Optix™ System, controlled directly from the RF Connect App.
- Includes a SMART Dome Light for interior visibility.
- Compatible with the pre-wired Can-Am Rockford Fosgate Subwoofer & Amplifier Kit (715010567).
- Reaches peak performance when combined with the Can-Am Rockford Fosgate Audio System – Level 3 (715010566).
- Designed for quick mounting and simple connections.
- Vol Up/Down Switch (710010952) can be added to control volume separately from the touchscreen control.

Required for installation:
- Source Unit (715010329) for vehicle without 10.25" Wireless Touch Display.
- Cable Cover and Roof Power Cable Kit (715010489).
- If installed with audio system Level 2 or Level 3 (715010565 or 715010566), wiring harness (710011374) is required.

Not compatible with:
- Can-Am Rockford Fosgate Audio System – Level 2 (with source unit) (715010565), Cargo Rack (715009148 or 715009170).

NEW Add-On Rear Speakers for Can-Am Rockford Fosgate Audio Roof MAX

Traxter G2 MAX 2027	**715011024**



- Upgrade your Can-Am Rockford Fosgate Audio Roof – Level 4 MAX by adding these two high-performance 8" speakers (125 W each) for an even more immersive sound experience.
- Plug-and-play installation—no roof modifications required, fully designed and pre-planned to integrate seamlessly.
- Intensifies your audio output, delivering richer, more powerful sound you can truly feel.

NEW Can-Am Rockford Fosgate Bass Passive Radiator

Traxter G2 2027, Traxter G2 MAX 2027	**715011108**



- Boosts bass performance on your Can-Am Rockford Fosgate Audio Roof – Level 4 (715010138 or 715010139).
- Enhances efficiency and output at low frequencies, delivering richer, fuller bass you can feel.
- Plug-and-play installation—no roof modifications required; engineered for seamless, pre-planned integration.
- MAX models support adding two units.

NEW Can-Am Rockford Fosgate Subwoofer & Amplifier Kit

Traxter G2 2027 (with 10.25" Wireless Touch Display), Traxter G2 MAX 2027 (with 10.25" Wireless Touch Display)	**715010567**



- Makes installation a breeze by running the vehicle-specific plug-and-play wiring.
- Can-Am Rockford Fosgate mono amplifier 500 W included.
- Designed to withstand the toughest riding conditions with its rugged IP67 rating.
- Delivering powerful, immersive bass, this 10" (2.5 cm) 500-watt under-seat subwoofer enhances the ride for both driver and passenger.
- Specifically engineered to fit under the passenger seat only.
- Add it to the Can-Am Rockford Fosgate Audio Roofs or the Audio System Level 2 or Level 3 to create the most powerful and immersive sound experience.

NEW Can-Am Rockford Fosgate Amplifier 500W

Traxter G2 2027, Traxter G2 MAX 2027 | **715011105**



- Upgrades your Can-Am Rockford Fosgate Audio System – Level 2 (with Source Unit) (715010565) into a powerful 500 W audio system.
- Easy installation with the included mounting support.
- Engineered for a perfect vehicle fit, ensuring seamless integration with your Can-Am for a factory-level finish and optimal sound delivery.

NEW Can-Am Rockford Fosgate Source Unit

Traxter G2 2027 (without 10.25" Wireless Touch Display), Traxter G2 MAX 2027 (without 10.25" Wireless Touch Display) | **715010329**



- Weatherproof Source Unit with full color Thin Film Transistor LCD Touchscreen Display.
- Includes a digital AM/FM tuner and Bluetooth connectivity.
- Rockford Fosgate Party Mode lets you and friends with compatible Rockford units sync up to eight devices to play the same music.
- The tough IP67-rated case houses a 3.5-inch full-color LCD touchscreen display.
- Featuring a glove-friendly touchscreen with reliable wet-finger tracking and a polarized-friendly display, this unit delivers clear, responsive control in any riding or weather conditions.
- Required for most Can-Am Rockford Fosgate audio system levels installed on vehicles without the 10.25" Wireless Touch Display.

NEW Can-Am Audio Roof Flip Kit

Traxter G2 2027, Traxter G2 MAX 2027 | **715011614**



- Designed to work with the Can-Am Rockford Fosgate Audio Roof – Level 4 to enable the Flip functionality.
- Provides seamless integration for a clean, factory-fit installation.
- Not compatible with the Roof Rack, ensuring proper clearance and functionality.
- Experience next-level sound projection—the Flip feature lets you direct audio outward when parked, setting the vibe at camp, on the trail, or during group rides.

Required for installation:
- Can-Am Rockford Fosgate Audio Roof – Level 4 (715010138 or 715010139 or 715010562 or 715010563).

NEW Radio Tuner AM/FM

(Not illustrated)

Traxter G2 2027 (with 10.25" Wireless Touch Display), Traxter G2 MAX 2027 (with 10.25" Wireless Touch Display) | **715011295**

- Adds AM/FM radio capability to your audio system for instant access to local stations.

Required for installation:
- AM/FM Antenna (715010127).

NEW AM/FM Antenna

Traxter G2 (2027 only), Traxter G2 MAX (2027 only) | **715010127**



- Enables AM/FM functionality for the 10.25" Wireless Touch Display or the Can-Am Rockford Fosgate Source Unit (715010329).

Required for installation:
- Sport Roof and Radio Tuner AM/FM (715011295) for a vehicle with 10.25" Wireless Touch Display.
- Sport Roof and Can-Am Rockford Fosgate Source Unit (715010329) for a vehicle without 10.25" Display.

CAN-AM x JL AUDIO

Can-Am JL Audio System – Level 2

Traxter G2, Traxter G2 MAX 2026 | **715009192**



- Made using premium JL Audio components, including two 6.5" (165 mm) speakers and Front Liner.
- Control your music with Bluetooth connectivity.
- Can-Am JL Audio Amplifier included (715009229) with 280 watts.
- Compatible with the pre-wired Can-Am JL Audio Subwoofer & Amplifier Kit (715008094) for quick, easy installation.
- Rear Speaker Kit (715009193) and Audio Roof can be added to deliver superior performance.
- Vol Up/Down Switch (710010952) can be added to control volume separately from the Touchscreen control.

Required for installation:
- Requires the Can-Am JL Audio Source Unit (715010002) for vehicles without 10.25" Touch Display, installed in the center dashboard for a car-like experience.
- Requires the Cable Cover and Roof Power Cable Kit (715010489) for installation.

Can-Am JL Audio System – Level 2 (with Source Unit)

Traxter G2, Traxter G2 MAX 2026 | **715009194**



- Made using premium JL Audio components, including two 6.5" (165 mm) speakers.
- Included weatherproof marine source unit with full color LCD display and integrated 100 watt amplifier.
- Add the 280 W Amplifier (715009229) for superior sound levels and to allow the installation of the Subwoofer & Amplifier Kit (715008094).
- Rear Speaker Kit (715009193) can be added to deliver superior performance.

Required for installation:
- Requires the Cable Cover and Roof Power Cable Kit (715010489) for installation.

Not compatible with:
- Wetsound Stealth XT 6 Can-Am Edition Sound Bar (715008282).

Can-Am JL Audio Rear Speaker Kit

Traxter G2, Traxter G2 MAX 2026 | **715009193**



- Made using premium JL Audio components, including two 6.5" (165 mm) speakers.
- Including the black speaker boxes and wiring harnesses.
- Add these to Can-Am JL Audio System – Level 2 (715009192 or 715009194) to enhance performance.

Can-Am JL Audio System – Level 3

Traxter G2, Traxter G2 MAX 2026 | **715009197**



- Made using premium JL Audio components, including four 6.5" (165 mm) speakers (two dash and two surround speakers).
- Control your music with Bluetooth connectivity.
- Can-Am JL Audio Amplifier included (715009229) with 280 watts.
- Compatible with the pre-wired Can-Am JL Audio Subwoofer & Amplifier Kit (715008094) for quick, easy installation.
- Add the Can-Am JL Audio Roof (715009224 or 715009223) to enhance performance.
- Vol Up/Down Switch (710010952) can be added to control volume separately from the Touchscreen control.

Required for installation:
- Requires the Can-Am JL Audio Source Unit (715010002) for vehicles without 10.25" Touch Display, installed in the center dashboard for a car-like experience.
- Requires the Cable Cover and Roof Power Cable Kit (715010489) for installation.

Can-Am JL Audio Roof – Level 4

Traxter G2 2026 | **715009224**
Traxter G2 MAX 2026 | **715009223**



- Full roof with premium JL Audio System.
- Weatherproof components include four (or six for MAX) 7.7" coaxial speakers and a 500-watt amplifier (MX500/4).
- Speakers include an adjustable RGB LED cone illumination, controlled via an an app on your smartphone.
- Controlled by the 10.25" Touch Display.
- Easy to install and connect.
- Includes a Dome light. If you have an ACM installed, smart mode enables automatic on/off functions of the light.
- Compatible with the pre-wired Can-Am JL Audio Subwoofer & Amplifier Kit (715008094) for quick, easy installation.
- When combined with the Can-Am Audio System – Level 3 (715009197) , it provides the ultimate sound experience.
- Vol Up/Down Switch (710010952) can be added to control volume separately from the Touchscreen control.

Required for installation:
- Requires the Can-Am JL Audio Source Unit (715010002) for vehicles without 10.25" Touch Display, installed in the center dashboard for a car-like experience.
- Requires the Cable Cover and Roof Power Cable Kit (715010489) for installation.
- Requires the Wiper and Doors Harness (715010324) for models equipped with doors from factory.

Not compatible with:
- Cargo Rack Multi-position (715009148) or Cargo Rack MAX (715009170).

Can-Am JL Audio Subwoofer & Amplifier Kit

Traxter G2, Traxter G2 MAX 2026 | **715008094**



- Orchestrated for outstanding sound quality and calibrated to enhance your audio experience.
- Makes installation a breeze by running on vehicle-specific plug-and-play wiring.
- Includes the MX300/1 amplifier fixed on the subwoofer to ease the installation.
- Designed to be tough in the most demanding riding conditions with an IP166.
- This 10" (254 mm) 300 watt under-seat subwoofer enhances both the driver's and the passenger's experience.
- Can be installed only under the passenger's seat.
- Combines with JL Audio sound system Level 2 to 4 to create the ultimate sound experience.
- Traxter MAX only: A second subwoofer can be added by using the Dual Subwoofer Harness (715010858).

Required for installation:
- 280 W Amplifier (715009229) if installed with the Can-Am JL Audio System – Level 2 (with Source Unit) (715009194).

Can-Am JL Audio Amplifier

Traxter G2, Traxter G2 MAX 2026 | **715009229**



- This is a premium JL Audio MX280/4 amplifier that is used to upgrade your Can-Am JL Audio System – Level 2 (with Source Unit) (715009194) to a 280 W system.
- Designed to be Can-Am tough in the most demanding riding conditions.
- To add a subwoofer to the Can-Am JL Audio System – Level 2 (with Source Unit) (715009194), this item is required.
- Easy to install, mounting support included.
- We've got the perfect vehicle fit for seamless integration.

Can-Am JL Audio Source Unit

Traxter G2, Traxter G2 MAX 2026 (without 10.25" Touch Display) | **715010002**



- Weatherproof Source Unit with Full-Color LCD Display.
- Includes a Digital AM/FM Tuner, Bluetooth® connectivity.
- The tough case (which is rated IP67) houses a 2.8-inch full-color LCD display.
- Day/Night mode to help visibility, even when it is bright outside.
- The audio output options include a strong amplifier that is built into the device. This amplifier can power your speakers with 100 watts.
- Required for most Can-Am Audio JL levels installed on vehicles without 10.25" Color Touchscreen Display.

Dual Subwoofer Harness

(Not illustrated)

Traxter G2 MAX | **715010858**

- Required when installing a second subwoofer (715008094) for Traxter MAX.

Can-Am JL Audio Roof – Level 4

Traxter G1 | **715005206**



- Full roof with sleek built-in audio.
- Fully sealed and waterproof.
- Easy to install: one wire connects the roof to the vehicle's electronics.
- Four 7.7" speakers, one 280 watt amplifier, and one weatherproof source unit supplied by JL Audio†.
- Speakers include LED lighting integrated into the grille, designed to uniformly illuminate with an RGB glow.
- A 3" full-color LCD display, with separate day/night lighting themes for visibility, even in bright sunshine.
- AM/FM tuner.

Required for installation:
- To install the Audio Roof with the following accessories, the Power Harnesses 715003094 and 715008781 are required. Flip Glass Windshield with Wiper and Washer Kit (715002441), Windshield Wiper and Washer Kit (715001638), Front Deluxe Full Doors (715009906), Rear Deluxe Full Doors (715009907).

Not compatible with:
- Adventure Roof Rack or Headache Rack.
- 39 in. (99 cm) Double Stacked LED Light Bar (270 W) (715004007) and Light Bar Support (715006226).

Can-Am JL Audio Roof – Level 4 (MAX)

Traxter G1 MAX | **715006879**



- Full roof with premium JL Audio system for Traxter MAX.
- Fully sealed and waterproofed components and construction.
- Simple to install: one connector connects the roof to the vehicle's electrical system.
- Weatherproof components: six 7.7" coaxial speakers, 280 watt amplifier and 70 watt Mediamaster® source unit.
- AM/FM tuner.
- Expertly tuned for exceptional sound on the move in your Traxter MAX.
- Speakers include adjustable RGB LED cone illumination, controlled via an app on your smartphone.
- Mediamaster® source unit equipped with 3" full-color LCD display, with day/night lighting modes.
- Designed to not drain the battery.
- Specific to the type of riding.

Required for installation:
- To install the Audio Roof with the following accessories, the Power Harnesses 715003094 & 715008781 are required: Flip Glass Windshield with Wiper & Washer Kit (715002441), Windshield Wiper & Washer Kit (715001638), Front Deluxe Full Doors (715009906), Rear Deluxe Full Doors (715009907).

Not compatible with:
- Adventure Roof Rack.
- 39 in. (99 cm) Double Stacked LED Light Bar (270 W) (715004007) & Light Bar Support (715006226).

Can-Am JL Audio Subwoofer & Amplifier Kit

Traxter G1, Traxter G1 MAX | **715010050**

715010342 · Sub only



- Orchestrated for outstanding sound quality and calibrated to enhance your audio experience.
- Designed to be tough in the most demanding riding conditions.
- Easy to install, this 10" (254 mm) under-seat 250 W subwoofer enhances both the driver's and the passenger's experience.
- Includes the MX 500/1 amplifier with 715010050.
- When combined with the Can-Am Audio Roof (715005206) or with the Can-Am Audio Roof MAX (715006879), this premium JL Audio component creates the ultimate sound experience (only compatible with JL Audio Roofs).

OTHER AUDIO SYSTEMS

Overhead Audio System



- Rugged waterproof Jensen† Bluetooth Stereo Audio System offers multi-source input: AM/FM/WB and USB (iPod® and iPhone® ready).
- Convenient white LED-backlit LCD display and buttons.
- Stream from any Bluetooth-enabled device (smartphone, MP3 player).
- Powerful 4 x 40 W amplifier with remote turn-on.
- Voice-control of AVRCP-active device.
- 30 programmable AM/FM stations with auto-store/pre-set scan.
- Separate RCA audio output and input.
- UV-resistant finish/corrosion-resistant components.

Required for installation:
- Requires Sport Roof (715002430) or Front Roof Liner (715008226) and Power Cable (715003094).

Complete Overhead Audio System

Traxter G1, Traxter G1 MAX | **715009764**

- Complete with 4 ultra-sturdy outdoor speakers (2 front and 2 rear) and 4 black speaker boxes.

Overhead Front Audio System

Traxter G1, Traxter G1 MAX | **715009765**

- Complete with 2 ultra-sturdy front outdoor speakers and black speaker box.

Wetsound Stealth XT 6 Can-Am Edition Sound Bar

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX | **715008282**



- Built-in Bluetooth connectivity with source control.
- Built-in Broadcast mode.
- Backlit control panel with Integrated LED RGB cabin lights.
- Integrated LED Dome.
- IP67 rated RF wireless remote control.
- 3.5 aux input/output.
- Built-in 300 W Class D amplifier.
- 4 marine-rated 3" full range drivers.
- 2 marine-rated 1" tweeters.
- Operating voltage: 12 V.
- IP rated: IP67.
- Length: 21.31"
- Width: 4.04"
- Height: 3.85"
- Sound Bar Mounting Kit required for installation.

Can-Am Audio Roof Flip Kit

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715007133



- Combines with Can-Am Audio Roofs (715005206, 715006879, 715009224/715009223, 715010138/715010139 or 715010562/715010563) for Flip option.

Not compatible with:
- Roof Rack.

Sound Bar Mounting Kit

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715007840



- Required to install the Wetsound Stealth XT 6 Can-Am Edition Sound Bar on a Traxter and Traxter MAX.

NEW Vol Up/Down Switch

Traxter G2, Traxter G2 MAX (with touchscreen display)

710010952



- Volume control is now possible using this switch independently of the touchscreen display.

ELECTRONIC ACCESSORIES

NEW Front View Camera

Traxter G2, Traxter G2 MAX (with 10.25" touch display) | **715011691**



- Allows clear visibility of the conditions near the front wheels.
- Helpful for avoiding obstacles before descending steep hills, when plowing or maneuvering in tight spaces.
- Offers a 170-degree viewing angle.
- Transmits an image to the touchscreen display.

Not compatible with:
- Rear View Camera & Monitor (715009407).

NEW Front HD Digital Camera

Traxter G2 2027 (with 10.25" Wireless Touch Display), Traxter G2 MAX 2027 (with 10.25" Wireless Touch Display) | **715011107**



- High Definition Digital Camera.
- Allows clear visibility of the conditions near the front wheels.
- 1920 x 720 pixel resolution front view camera.
- Helpful for avoiding obstacles before descending steep hills, when plowing or when maneuvering in tight spaces.
- Offers a 190-degree viewing angle.
- Transmits an image to the 10.25" Wireless Touch Display.

Front View Camera (without Touchscreen Display)

Traxter G2 (without 10.25" Display), Traxter G2 MAX (without 10.25" Display) | **715009408**



- Allowing clear visibility of the conditions near the front wheels.
- Helpful for avoiding obstacles before descending steep hills, when plowing or maneuvering in tight spaces.
- Offers a 170-degree viewing angle.

Required for installation:
- Rear View Camera & Monitor (715009407).

Rear View Camera & Monitor

Traxter G2 (without 10.25" Display), Traxter G2 MAX (without 10.25" Display) | **715009407**



- Fully waterproof rear-view mirror and monitor kit.
- See exactly what you need to see with the multiple camera feeds from the rear-view camera.
- This kit is designed to replace the original rear-view mirror on vehicles equipped with one (the display is integrated into the replacement mirror).
- The camera uses infrared light for night vision capabilities.
- Provides a 170-degree viewing angle.
- Designed only for models without a Touchscreen Display.
- Possibility of adding the Front View Camera (715009408) for optimal vision around the vehicle.

Rear View Mirror & Camera Monitor

Traxter G1, Traxter G1 MAX | **715009410**



- Fully waterproof rear-view mirror and monitor kit.
- See exactly what you need to see with the multiple camera feeds from the rear-view camera.
- This unit replaces the stock rear-view mirror (the screen is integrated into the unit's replacement rear-view mirror).
- The camera uses infrared light for night vision capabilities.

Power Tilt Bed

Traxter G2, Traxter G2 MAX | **715009452**



- Powerful cargo box tilter with dash-integrated switch.
- Load capacity of 1,000 lb.
- Electrically actuated hydraulics for a strong and quick tilting system.

Power Tilt Bed

Traxter G1 (except 6x6), Traxter G1 MAX (2020 & up), Traxter G1 PRO	**715007096**
Traxter G1 6x6	**715007204**



- Powerful cargo box tilter with dash-integrated switch.
- Electrically actuated hydraulics for a strong and quick tilting system.

C-TEK charger

860200997



- CTEK, the manufacturer of the smartest battery chargers in the world, has produced a BRP specific charger for all BRP products.
- Charger is built to meet the demanding arctic conditions.
- Ask your dealer for more information.

NEW 5" Color Display Screen Protector

Traxter G2 (with 5" Color Display), Traxter G2 MAX (with 5" Color Display) — **219401334**



- Tempered glass – 0.5 mm thick.
- 9H hardness for tough protection.
- 100% bubble-free adhesive.
- Anti-scratch and anti-fingerprint.
- Maintains 99.99% clarity.
- Easy to clean.
- Includes cleaning tools: wet wipe, dry wipe, dust absorber and soft cloth.

NEW 10.25 in. Color Touchscreen Display Protector

Traxter G2, Traxter G2 MAX — **860202680**



- Tempered glass – 0.3 mm thick.
- 9H hardness for tough protection.
- 100% bubble free adhesive.
- Anti-scratch, anti-glare and anti-fingerprint.
- Maintains 99.99% clarity.
- Easy to clean.
- Includes cleaning tools: wet wipe, dry wipe, dust absorber and soft cloth.

Cellphone Holder

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX — **715008786**



- Water resistant door allows for perfect phone positioning.
- Features capacitive and resistive touch screen technology.
- Spring system in back plate automatically adjusts for thickness.
- Fits all cellphones within 7.2" (185 mm) x 3.3" (85 mm) x 0.6" (15 mm) dimensions.
- Works with almost all charger wires.
- Can be installed with the LinQ Lite Device Holder (715009201).
- Does not include cellphone or charging wires.

Required for installation:
- RAM GPS Mount (715003325) bolted directly on the dashboard for the Cellphone Holder to be supported.

RAM GPS Mount

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX — **715003325**



- Allows for GPS integration onto vehicle.
- Standard AMPS hole pattern for Garmin Cradle.

Digitally Encoded Security System (D.E.S.S.) Keys

Traxter G1, Traxter G1 MAX (2023 & prior with HD7/HD8 engine), Traxter G1, Traxter G1 MAX (with HD9/HD10 engine) — **715002458**



- Top-security anti-theft protection for your vehicle.
- Encrypted chip technology restricts access to your vehicle's electronic ignition system.
- One vehicle/one code.
- A vibration/shock-resistant ball-and-socket design that ensures a reliable connection.
- 3 programmable modes:
  - Work mode: Limits vehicle speed to 25 mph (40 kph) but does not limit engine torque. Traxter G1 HD7/HD8: Configurable vehicle speed limit between 13 mph (20 kph) and 60 mph (100 kph) that does not limit engine torque.
  - Normal mode: configurable, limits vehicle speed to 44 mph (70 kph) and may have torque reduction.
  - Performance mode: no restrictions.

Digitally Encoded Security System (D.E.S.S.) Keys

Traxter G1, Traxter G1 MAX (2024 & up with HD7 engine)

715009300



- Top-security anti-theft protection for Can-Am vehicles.
- The encrypted chip technology restricts access to the unit's electronic ignition system.
- One code per vehicle.
- Features a vibration/shock-resistant ball-and-socket design that ensures a reliable connection.
- Comes with three programmable keys, including:
  - Work key: configurable vehicle speed limit between 13 mph (20 kph) and 60 mph (100 kph) that does not limit engine torque.
  - Normal key: configurable, limits vehicle speed to 44 mph (70 kph) and may have torque reduction.
  - Performance key: no restrictions.

Digitally Encoded Security System (D.E.S.S.) Green Key

Traxter G2, Traxter G2 MAX

710005232



- Top-security anti-theft protection for your vehicle.
- Encrypted chip technology restricts access to your vehicle's electronic ignition system.
- One vehicle/one code.
- A vibration/shock-resistant ball-and-socket design that ensures a reliable connection.
- 3 programmable modes:
  - Work mode: configurable vehicle speed limit between 20 km/h (13 mph) and 70 km/h (43 mph)that does not limit engine torque.
  - Normal mode: configurable, limits vehicle speed to 44 mph (70 kph) and may have torque reduction.
  - Performance mode: no restrictions.

Auxiliary Battery Installation Kit

Traxter G2, Traxter G2 MAX

715009473



- Allows you to add a second 32 Ah battery for a dual battery setup that will give you the extra juice you need to power auxiliary electrical components like a sound system or winch.
- Kit includes all necessary wiring and the battery holder.
- Additional battery sold separately (710008836).

Required for installation:
- Requires Center Underseat Storage Bin (715009199).

Auxiliary Battery Installation Kit

Traxter G1, Traxter G1 MAX (2020 & up)

715006035



- Allows you to add a second 30 Ah battery for a dual battery setup that will give you the extra juice you need to power auxiliary electrical components like a sound system or winch.
- Additional battery sold separately (515176151).
- Equipped with an integrated smart battery isolator that will prevent your auxiliary electrical components from draining your starting battery.
- Kit includes an additional battery junction block, all necessary wiring and the battery holder.

USB Power Outlet Kit

Traxter G1, Traxter G1 MAX (2020 & up)

219400510



- Recharges your electronic devices while riding* (smartphone, MP3, heating gear, etc.).
- Dual port USB connectors.

**The power outlet is not capable of recharging all device types while riding.*

Defrost, Heat & Ventilation System

Traxter G2, Traxter G2 MAX

715009173



- Ventilation system design and vehicle integration have been rethought to significantly improve installation time.
- Best integrated in-dash system on the market with 3 fan speeds and adjustable temperature.
- Mode dial lets you choose between 5 airflow selections.
- Adjustable/directional vents can be closed to concentrate heat toward specific areas.
- A total of 10 vents specially positioned for windshield, window defrost and occupant heating.
- Easy-to-service air filter.
- Includes the replacement lower dashboard compatible with the heating system.
- For MAX models, you can add the Rear Passenger Heater Vents for rear passengers' comfort.

Required for installation:
- If the vehicle is not already equipped with a cab, Cable Cover and Roof Power Cable Kit (715010489) is required for window defrost.

Rear Passenger Heater Vents

Traxter G2 MAX

715010080



- Situated on the floor to allow the heated air to circulate effectively to the rear seats.
- Adjustable/directional vents can be closed to concentrate heat toward specific areas.
- Two vents are designed to help keep rear passengers cozy.

Required for installation:
- Defrost, Heat & Ventilation System (715009173).

Defrost, Heat & Ventilation System

Traxter G1, Traxter G1 MAX 2019 & prior (not compatible with HD5 Motorization)	**715004917**




- Best integrated system on the market with 3 ventilation speeds and in-dash adjustable temperature.
- Adjustable/directional vents.
- 10 vents specially positioned for better windshield and side window defrosting/deicing, foot and hand heat.
- Easy-service air filter.
- Once installed, you might want to add storage space with the Lower Dashboard for Heating System and Dash Storage Compartment Net for Heating System.

Traxter G1, Traxter G1 MAX 2020 (except Traxter G1 PRO & HD5 models)	**715005904**
Traxter G1, Traxter G1 MAX (2021 & up)	**715008093**

- Best integrated in-dash system on the market with 3 fan speeds and adjustable temperature.
- Adjustable/directional vents can be closed to concentrate heat at specific areas.
- A total of 8 vents specially positioned for windshield and occupant heating.
- Easy-to-service air filter.
- Includes the replacement lower dashboard compartment for the heating system.
- Dash Storage Compartment Net for Heating System is recommended.

Seat Heater

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX	**715006112**



- 25 W seat heater delivers chill-free riding comfort.
- High/low temperature settings allow you to control the desired degree of warmth.
- This kit includes one carbon fiber seat heater, foam sheet and in-dash switch.
- Installs directly in the original seat cushion.

Required for installation:
- Heated Accessories Wiring Harness (710005757 or 710006036) is required for installation on front seat.
- Heated Accessories Wiring Harness (715006004) is required for installation on rear seats on MAX models.
- Heated Accessories Wiring Harness (710010228) is required when it is used in combination with the ACM so you can adjust the heating intensity directly from the touchscreen with three selectable levels: Low, Medium and High.

NEW Seat Heater Wiring Harness for ACM

Traxter G2, Traxter G2 MAX	**710010228**



- Required to connect the Seat Heater (715006112) with the ACM.
- Adjust the heating intensity directly from the touchscreen with three selectable levels: Low, Medium and High.

Required for installation:
- Accessory Control Module (715009121) & Rear ACM Wiring Harness (715009416) for rear mounted heated seats only.

Heated Seat Harness for Front Seat

(Not illustrated)

Traxter G1, Traxter G1 MAX (models with Defrost, Heat & Ventilation System), All Traxter G1 PRO models	**715006036**
Traxter G1, Traxter G1 MAX (models without Defrost, Heat & Ventilation System), Traxter G2, Traxter G2 MAX	**710005757**

- Electric harness required to hook up and operate heated accessories.
- Powers up to 4 accessories: 2 hand accessories (grab bar/steering wheel) and 2 seat covers.

Heated Seat Harness for Rear Seat

(Not illustrated)

Traxter G1 MAX, Traxter G2 MAX	**715006004**

- Electric harness required to hook up and operate rear heated seats.

Heated Visor Outlet

Traxter G1, Traxter G1 MAX	**715001246**



- Strategically positioned on vehicle to maintain your agility.
- Optional visor outlet that delivers fog-free riding.
- Quick and easy installation.
- Sold individually.
- Heated Visor not included.

WINCHES & HITCHES

CAN-AM HD WINCHES

NEW Can-Am HD 5500 Winch

Traxter G2, Traxter G2 MAX

715010192



- Pulling strength capability of 5,500 lb (2,494 kg).
- Includes 34.4' x 9⁄32" (10.5 m x 7.2 mm) steel cable.
- Heavy-duty 4-way roller fairlead.
- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- IP68 waterproofing prevents water and environmental intrusions.
- Weather-sealed corded remote and dash-mounted switch.
- CE & UKCA Compliant.
- Operate the winch remotely when you're not on the vehicle with the Wireless Winch Remote (715008286) (sold separately).

NEW Can-Am HD 5500-S Winch

Traxter G2, Traxter G2 MAX

715010193



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- EPDM Winch Cable Stopper included (715009921).
- Can-Am Winch Hook included (715011610).
- Sealed solenoid for all-weather protection.
- IP68 waterproofing prevents water and environmental intrusions.
- Weather-sealed corded remote and dash-mounted switch.
- Pulling strength capability of 5,500 lb (2,494 kg).
- 9⁄32" x 40' (7 mm x 12.2 m) synthetic rope.
- Corrosion-proof aluminum Hawse fairlead.
- Operate the winch remotely when you're not on the vehicle with the Wireless Winch Remote (715008286) (sold separately).
- CE & UKCA Compliant.

NEW Can-Am HD 4500 Winch

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715011705



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Weather sealed corded remote and dash mounted switch.
- CE & UKCA Compliant.
- Pulling strength capability of 4,500 lb (2,041 kg).
- 43' of 15⁄64" (13 m of 6.3 mm) steel wire cable.
- Heavy-duty 4-way roller fairlead.
- Operate the winch remotely when you're not on the vehicle with the Wireless Winch Remote (715008286) (sold separately).

Required for installation:
- Winch Electrical Harness (715007078) is required for installation on a Traxter 2021 and prior. Winch Electrical Harness (715008152) is required for installation on a Traxter Base and DPS™ 2022 and up.

NEW Can-Am HD 4500-S Winch

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715011706




- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- EPDM Winch Cable Stopper included (715009921).
- Can-Am Winch Hook included (715011610).
- Sealed solenoid for all-weather protection.
- Weather sealed corded remote and dash mounted switch.
- Pulling strength capability of 4,500 lb (2,041 kg).
- 50' of ¼" (15.2 m of 6.35 mm) synthetic rope.
- Corrosion-proof aluminum Hawse fairlead.
- Operate the winch remotely when you're not on the vehicle with the Wireless Winch Remote (715008286) (sold separately).
- CE & UKCA Compliant.

Required for installation:
- Winch Electrical Harness (715007078) is required for installation on a Traxter 2021 and prior. Winch Electrical Harness (715008152) is required for installation on a Traxter Base, DPS, DPS Cab 2022 and up.

Cargo Bed Winch

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715011249



- Allows you to pull heavy loads into the cargo box easily.
- Perfect for hunting applications when it comes to loading game.
- Includes support base made of heavy-duty 2" (5 cm) steel tubing, winch and weather-sealed corded remote.
- 750 lb (340 kg) maximum pulling capacity.
- Electronic security module to prevent vehicle damage that could occur if loaded vehicle exceeds manufacturer's gross weight rating.
- CE & UKCA Compliant.

Required for installation:
- Adapter Kit (715004709) is required for installation with Gear Rail Adapter (715003392).
- Traxter 6x6 and PRO: Requires Power Tilt Bed (715009338).

WINCH ACCESSORIES

Winch Cable Stopper

All Can-Am HD Winches | **715009921**



- Made of EPDM, a highly durable synthetic rubber.
- The Winch Cable Stopper isn't just for looks. It helps extend the life of the winch, rope, hook and fairlead.
- In addition, the split design makes it easy to install.

NEW Can-Am HD Winch Auto-Stop

Can-Am HD Winch | **715010042**



- The Auto Stop Mechanism pauses rope intake to avoid over-spooling and keep your synthetic rope protected for long-term use.
- Requires synthetic winch rope (NOT compatible with steel cable).

Not compatible with:
- X mr Front Bumper (715006143).

NEW Can-Am HD Hawse Fairlead

Can-Am HD Winch | **715010966**



- A must-have when upgrading your winch to a synthetic cable.
- Corrosion-proof die-cast aluminum Hawse fairlead.
- Finished with a black powder-coated surface.
- Must be used with synthetic cables only.

WARN Hawse Fairlead*

With WARN winch | **715007785**



- Double-powder-coated construction.
- Required to use the Synthetic Winch Cable (715007783) on WARN winches.
- To be used with synthetic winch cables only.

Can-Am HD Hawse Fairlead

With Can-Am HD winch | **715006426**



- A must when upgrading your winch with a synthetic cable, this corrosion-proof aluminum Hawse fairlead will prevent the cable from snapping in a corner of a roller fairlead and from wearing prematurely due to the rough surface of the worn roller guide.
- Must be used with synthetic cables only.

Roller Fairlead

With Can-Am HD winch | **710007082**



- Suggested when changing the wire rope.
- Heavy-duty replacement fairlead for winches.

Not compatible with:
- Can-Am HD 5500 Winch (715010192).

NEW Can-Am HD Winch Hook

Can-Am HD Winch | **715011610** · Platinum Silver



- Heavy-duty, forgedv and heat-treated steel hook for maximum strength.
- Unique and premium design with a Can-Am-stamped logo.
- Durable cast-aluminum latch with a functional 1" opening.
- Integrated pulling strap for quick and easy handling.
- Finished with a platinum-silver powder coating for long-lasting protection.

Wireless Winch Remote

With Can-Am HD Winch — **715008286**



- On/Off and Winch In/Winch Out buttons with LED indicator light.
- Large Winch In/Winch Out buttons for easy activation with gloves.
- Ergonomic remote handle shape with a trigger-like holding protrusion.
- Quick and easy to install, thanks to a wiring harness with an integrated antenna and all necessary mounting hardware.
- Allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options.
- All components are IP67 sealing rated.
- The remote also floats in case it's dropped during a deep water recovery.
- Dash and handlebar mounting options.
- Compatible with all Can-Am HD winches.

Wired Remote Control

With Can-Am HD winch — **715006504**



- This kit allows winch owners to add the hand-held remote to vehicles with a stock winch.
- Works in conjunction with the mini-rocker switch.
- Remote control and connection socket are included with Can-Am HD winch.
- EC compliant.

Winch Electrical Harness

(Not illustrated)

Traxter G1, Traxter G1 MAX (2019 & prior)	**715003093**
Traxter G1, Traxter G1 MAX (2020 & 2021)	**715007078**
Traxter G1, Traxter G1 MAX (2022 & up)	**715008152**

- Required to install a winch on a Traxter without a factory-installed winch.

Synthetic Winch Cable*

Can-Am HD Winch	**715006430**
WARN Winch	**715007783**



- 50' of ¼" (15.2 m of 6.35 mm) synthetic cable for WARN winch.
- WARN Hawse Fairlead is required when upgrading to a synthetic cable to avoid damage and premature wear of the cable.

**Ask your dealer or visit canamoffroad.com for price details.*

Replacement Wire Rope*

Can-Am HD Winch	**705014978**
WARN Winch	**715006699**



- 43' of 15⁄64" (13.1 m of 6.3 mm) wire rope.
- 4,500 lb (2,041 kg) pulling strength.

**Ask your dealer or visit canamoffroad.com for price details.*

Synthetic Cable Extension

715001120



- Lightweight ¼" (6.35 mm) diameter, easy to handle and won't rattle in cargo box.
- Easily attaches to winch cable to provide additional 50' (15.2 m) of distance.
- 4,500 lb (2,041 kg) single line capacity.

HITCHES

NEW Rear Hitch Drawbar Kit *

Traxter G2, Traxter G2 MAX

715011530 (US)



- Works on 2" (5 cm) standard receiver hitch.
- It offers 1,650 lb (750 kg) of towing capacity.
- Solid steel construction.
- Extended length design for easier rear hitch access.

Trailer Hitch Ball Mount

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715010023 (US)
715010617 (EU)



- Designed to fit trailer hitches with a 2" x 2" (5 cm x 5 cm) receiver tube opening.
- It offers 3,500 lb (1,590 kg) of towing capacity.
- Solid forged steel construction.
- Equipped with a hole to accept a ¾" (1.9 cm) ball shank.
- 1" (2.5 cm) raised or 2" (5 cm) lowered for precise trailer leveling.
- Hitch ball not included.

Lower Front Receiver Hitch

Traxter G1, Traxter G1 MAX

715002519



- Heavy-duty 1,500 lb (680 kg) towing capacity, 2" (5 cm) receiver hitch.
- Expand and enhance functionality by pairing it with Higher Front Receiver Hitch and Removable Winch Mounting Kit (need to relocate winch from its standard mounting position).

Higher Front Receiver Hitch

Traxter G1, Traxter G1 MAX (except Limited models)

715003109



- Heavy-duty 1,500 lb (680 kg) towing capacity, 2" (5 cm) receiver hitch.
- No need to relocate winch from its standard mounting position.

Rubber Receiver Plug

705204503



- Rubber cap for 2" (5 cm) Receiver Hitch.

RECOVERY

NEW Can-Am Retractable Rope System

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715010190



- Tow a disabled vehicle easily.
- 11 ft. self-retracting tow rope for quick and convenient operation.
- 3,200 lb (1,450 kg) towing capacity.*
- Ready to use with an integrated soft shackle for simple hookup.
- Rope is easy to replace with no threading required.
- Lightweight design makes it easier to carry, thanks to its built-in handle.
- Weight: 14.7 lb (6.67 kg)
- Compact design fits all Can-Am off-road hitch receivers and most units with a 2" receiver.

**Never exceed vehicle max towing capacity.*

NEW Can-Am Winch Accessory Kit

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715010814



- Complete recovery kit featuring a Can-Am Soft Shackle (715010577), Recovery Ring (715010836) and Tree Saver Strap.
- Durable Tree Saver Strap—8' x 3" wide with folded eyes and an abrasion guard.
- Includes a carrying bag to keep all components organized.
- For synthetic rope only.

***** *Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

NEW Can-Am Kinetic Recovery Kit

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715010837



- Includes a Kinetic Rope (715010835) and two Soft Shackles (715010577).
- Comes with a practical roll-top carrying bag that offers plenty of space to add additional recovery accessories.
- Features drain hole to allow water to escape.

NEW Can-Am Soft Shackle

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715010577



- ⅜ in. (9.5 mm) x 12 in. (30.4 cm) loop UHMWPE soft shackle.
- 21,000 lb (9,525 kg) breaking strength.
- 4,200 lb (1,905 kg) working load limit.
- Lightweight, ultra-strong 12-strand UHMWPE braid offers steel-like strength with added flexibility.
- Provides a quick, strong connection thanks to the “dog bone” rigid piece, which easily locks the loop.
- Protective covering to reduce early damage.

NEW 2" Soft Shackle Hitch Receiver

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715010784



- Provides a reliable recovery solution that plugs directly into any 2" receiver.
- 8,000 lb (3,636 kg) working load limit.
- Forged aluminum construction with a durable viper-red powder-coated finish.
- Easy installation: slide the shackle mount into the receiver and secure it with a hitch pin (not included).
- Compatible with the Can-Am Soft Shackle (715010577) for a complete recovery setup.

NEW Can-Am Kinetic Recovery Rope (⅝" x 25')

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715010835



- 15,000 lb (6,803 kg) breaking strength.
- 3,000 lb (1,360 kg) working load limit.
- Product size: ⅝" x 25' (16 mm x 7.6 m).
- Our kinetic energy rope stretches up to 30%.
- Each rope is built from heavy-duty synthetic fiber engineered to withstand repeated use in the harshest off-road conditions. Reinforced protective sleeves add extra durability and help guard against wear in high-friction areas.
- Kinetic ropes provide superior pulling power by stretching up to 30% to store and release kinetic energy.
- This controlled stretch reduces shock on both vehicles, making recoveries smoother and safer than traditional tow straps.
- From mud to sand to snow, these ropes deliver the forward momentum needed to break free.

NEW Recovery Ring

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715010836



- Change the direction of your pull.
- Machined from premium aluminum alloy.
- Features a black hard-anodized, ultra-smooth, low-friction finish that delivers long-lasting durability in a sleek design.
- This recovery ring is perfectly sized to fit the Can-Am Soft Shackle (715010577) and works flawlessly with synthetic winch ropes below ½".
- Working load limit: 6,600 lb.
- Minimum breaking strength: 33,000 lb.
- For use with synthetic winch rope only and a soft shackle.

PERFORMANCE

NEW Heavy-Duty Springs – Rear

Traxter G1 Pro Limited (2025 & prior), Traxter G1 Pro Lonestar (2021-2022)

715010325

Traxter G1 Pro DPS, Traxter G1 Pro XT & XU (2025 & prior)

715010661



- Heavy-duty springs provide enhanced stiffness.
- Perfect for hauling heavy loads.
- Improves handling.
- Sold in pairs.
- Standard on Can-Am Traxter Pro (2026 & up).

Brake Holding Mechanism

Traxter G1, Traxter G1 MAX	**715004733**



- Maintains constant pressure on the brake pedal to keep the vehicle from moving on sloped terrain, without having to put the transmission in P (park).

Heavy-Duty Spring Kit

Traxter G1, Traxter G1 MAX 62" with Double A-Arm Front Suspension	**715005084**



- This set of heavy-duty springs will stiffen your suspension.
- Perfect for reducing overall vehicle sag when shocks are under heavy demand: heavy loading and hauling or for snow clearing.
- Complete kit of 4 springs.

Magneto Stator Kit (1,700 W)

Traxter G2, Traxter G2 MAX (2026 & up) (with HD11 engine only)	**715011779** NEW
Traxter G2, Traxter G2 MAX (2026 models) (with HD11 engine only)	**715009450**



- Increases the magneto output to 1,700 W.
- Includes rotor, stator and regulator.
- Improves charging when several accessories are installed.
- Standard on HVAC models.

Magneto Kit (850 W)

Traxter G1, Traxter G1 MAX (2020 & up except HD5 & HD7)	**715011725**



- Increases the magneto output to 850 W.
- Includes rotor, stator and regulator.

AIR INTAKES

Snorkel Kit *

Traxter G2, Traxter G2 MAX	**715009151**



- Raises point of engine and CVT air intakes so vehicle can be semi-submersed in water/mud without taking in water to the engine.
- Standard on Traxter X mr models.

Not compatible with:
- Not compatible with Rear Glass Window (715007079), Rear Glass Window with Sliding Panel (715007080), Headache Rack (715009171), Bed Wall Extender (715009166, 715009590 & 715010833).
- Not compatible with cab models and track systems.

Snorkel Kit *

Traxter G1, Traxter G1 MAX 2018 & up (except HD5, HD7, Limited and PRO)	**715003727**



- Raises point of engine and CVT air intakes so vehicle can be semi-submersed in water/mud without taking in water to the engine.
- Not compatible with Headache Racks, Gear Rail equipment, DragonFire Cargo Bed Roll Bar and Windshield Wiper & Washer Kit.
- Snorkel Extension Kit is available for roof level air intake and CVT exhaust.
- Standard on Traxter X mr models.

Sealed Air Box
(Not illustrated)

Traxter G1, Traxter G1 MAX (2017 & prior)	**707801033**

- Required when installing the Snorkel Kit (715003727) on Traxter and Traxter MAX 2017 and prior models.
- Standard on Traxter 2018 and up models.

* *Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

Snorkel Pre-Filter

Traxter G1, Traxter G1 MAX (except PRO models)

715005597



- Pre-filter specifically for snorkels.
- Adds extra protection to your engine in harsh riding conditions.
- Helps keep air filter cleaner.
- Filter blocks particles larger than 0.005" (0.13 mm).
- Necessary to maintain vehicle warranty when tracks are installed for winter use.
- For Traxter HD10 models 2020 & up: Replace CVT intake of snorkel kit with CVT relocation kit 715008651 or 703501211.

Air Intake Pre-Filter

Traxter G1, Traxter G1 MAX

715003483



- Adds extra protection to your engine in harsh riding conditions.
- Helps keep air filter cleaner.
- Filter blocks particles larger than 0.007" (0.19 mm).
- Easy, tool-less installation.
- Necessary to maintain vehicle warranty when tracks are installed.

Required for installation:
- Required to install the Apache and Backcountry Track Systems.

Not compatible with:
- Not compatible with Snorkel Kit.

Foam Air Filter by Twin AIR†

Traxter G1, Traxter G1 MAX

715003630



- The best choice for the harshest conditions.
- Multiple staged oiled filtering foam for superior dust retaining capacity with high air flow.
- Washable and reusable.

NEW CVT Air Intake Relocation Kit

Traxter G2, Traxter G2 MAX (models with Snorkel Kit)

715011440



- Relocates the CVT air intake to the side of the vehicle.
- MANDATORY to maintain the warranty on Can-Am Traxter G2 (with snorkel kit) equipped with tracks and used in snowy conditions.

Required for installation:
- All track systems.

Not compatible with:
- Snorkel Kit (715009151).

NEW Engine & CVT Pre-Filter Kit

Traxter G2, Traxter G2 MAX

715009150



- Adds extra protection to your engine and CVT in harsh riding conditions.
- Helps keep air filter cleaner.
- Filter blocks particles larger than 0.005" (0.13 mm).
- Recommended when vehicle is equipped with track kits used in snow conditions.
- Eases cleaning of snow accumulation on engine & CVT air intake.

NEW Snorkel Pre-Filter

(Not illustrated)

Traxter G2, Traxter G2 MAX (models with Snorkel Kit)

715011772

- Pre-filter specifically for snorkels.
- Adds extra protection to your engine in harsh riding conditions.
- Helps keep air filter cleaner.
- Filter blocks particles larger than 0.005" (0.13 mm).
- Necessary to maintain vehicle warranty when tracks are installed for winter use.

CVT Auxiliary Intake & Pre-Filter Kit

Traxter G1, Traxter G1 MAX (without Snorkel Kit)

703501210

Traxter G1, Traxter G1 MAX (models with Snorkel Kit)

703501211**



- The CVT Auxiliary Intake & Pre-Filter Kit is MANDATORY for track-equipped 2020 to 2022 and some 2023* Traxter HD10 models used in snow conditions and highly recommended for other models.
- This kit is sold separately.

**Comes from the factory on some MY23; inspect the vehicle to confirm.*
Mandatory on all MY20 and up Traxter HD10 models equipped with a snorkel.
***When installed on X mr models or models with Snorkel Kit, it temporarily relocates CVT air intake to the standard factory location.*

APACHE TRACK SYSTEMS

APACHE XC LT — LIMITED WARRANTY**

Apache XC LT Track System *

Traxter G1, Traxter G1 MAX, Traxter G2*, Traxter G2* MAX (except 6x6 models)

715007719



- Long Track version.
- Brand-new track design to optimize driving off-road and in deep snow conditions.
- Reduction in steering effort thanks to the 4-wheel tandem.
- Improved steering precision from optimized wheel and track rolling band alignment.
- 1.25" (3.175 cm) lugs in the front and in the back for better traction and lateral stability.
- Track width: front 12.5" and rear 15".
- Adds 3" (7.62 cm) of ground clearance versus 27" tires.
- Additional shaft dampers, tandem dampers, track design and wheel layout significantly reduce NVH (noise vibration harshness).
- Central guide for optimized track alignment and reduced occurrences of detracking.
- Optimized track layout with increased angle of attack for better obstacle crossing and snow performance.
- Stamped and welded steel frame for improved strength and durability.
- Easy maintenance with replaceable hub and wheel bearings.
- Main hub has oil bath and 3 bearings for consistent lubrication and improved durability.
- Mounting kit sold separately.
- See table for fit, compatibility and requirements.

Required for installation:
- Engine & CVT Pre-filter Seals (715011744 & 715011745) are required for track-equipped Traxter G2s produced before May 13, 2026, when used in snow conditions.

Apache XC LT Mounting Kit *

See table for fit, compatibility and requirements.

715006891
715008612
715009252



- Required for installation of the Apache XC LT Track System.
- DPS module and Engine Pre-filter not included.
- The CVT Auxiliary Intake & Pre-filter Kit is MANDATORY for track-equipped 2020 and up Traxter HD10 models used in snow conditions and highly recommended for other models.*
- This kit is sold separately.
- See table for fit, compatibility and requirements.

**Comes from the factory on some 2023 and up models, inspect the vehicle to confirm.*
Mandatory on all 2020 and up Traxter HD10 models equipped with a snorkel.

APACHE BACKCOUNTRY — LIMITED WARRANTY**

Apache Backcountry LT Track Kit *

Traxter G1, Traxter G1 MAX (except 6x6), Traxter G2**, Traxter G2** MAX

715005891



- Tracks designed to deliver the best snow performance on the market with unmatched flotation level and traction on snow surface.
- Large contact patch, 37% bigger than the Apache 360 LT.
- Impressive added ground clearance of 7" (18 cm) helps keep the vehicle over the snow.
- Lightweight snowmobile-inspired rail design.
- Aggressive track design with 2" (5 cm) lug height for maximum traction on snow.
- Apache Backcountry LT Mounting Kit, Track DPS Module and Engine Pre-filter are required and sold separately.
- The CVT Auxiliary Intake & Pre-filter Kit is MANDATORY for track-equipped 2020 to 2022 and some 2023* Traxter HD10 models and highly recommended for other models. This kit is sold separately.
- For winter use only.
- Track installation will affect vehicle width and length.
- Fine-tune your track system using extra Idler Wheels, Sliders with Vespel Inserts and Rail Ice Scratcher.

**Comes from the factory on some MY23, inspect the vehicle to confirm.*
Mandatory on all MY20 and up Traxter HD10 models equipped with a snorkel.
***Engine & CVT Pre-filter Seals (715011744 & 715011745) are required for track-equipped Traxter G2s produced before May 13, 2026, when used in snow conditions.*

Apache Backcountry LT Mount Kit *
(Not illustrated)

See table for fit, compatibility and requirements.

715009932
715005888
715005493
715006196

- Required for installation of the Apache Backcountry Track LT System.
- DPS Module and Engine Pre-filter are required and sold separately.
- The CVT Auxiliary Intake & Pre-filter Kit is MANDATORY for track-equipped 2020 to 2022 and some 2023* Traxter HD10 models and highly recommended for other models. This kit is sold separately.

**Comes from the factory on some MY23, inspect the vehicle to confirm.*
Mandatory on all MY20 and up Traxter HD10 models equipped with a snorkel.

* *Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

**The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

APACHE 360 — LIMITED WARRANTY**

Apache 360 LT Track System *

Traxter G1, Traxter G1 MAX (except 6x6) — **715005103**



- Multifunctional tracks designed to support heavy loads and to fit on most Can-Am off-road vehicles.
- Extra contact patch adjustment for better performance over rough terrain.
- Contact patch is 7 to 9% bigger than the Apache 360's.
- Average ground clearance of 16" (41 cm). 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- EC compliant.
- Apache 360 LT Mounting Kit, Track DPS Module and Engine Pre-filter Kit are required and sold separately.
- The CVT Auxiliary Intake & Pre-filter Kit is MANDATORY for track-equipped 2020 to 2022 and some 2023* Traxter HD10 models used in snow conditions and highly recommended for other models. This kit is sold separately.

**Comes from the factory on some MY23, inspect the vehicle to confirm.*

Mandatory on all MY20 and up Traxter HD10 models equipped with a snorkel.

Apache 360 LT Mounting Kit *
(Not illustrated)

See table for fit, compatibility and requirements. — **715004832**

- Required for installation of the Apache 360 LT Track System.
- DPS module and Engine Pre-Filter not included.
- The CVT Auxiliary Intake & Pre-Filter Kit is MANDATORY for track-equipped 2020 to 2022 and some 2023* Traxter HD10 models used in snow conditions and highly recommended for other models.
- This kit is sold separately.

**Comes from the factory on some MY23, inspect the vehicle to confirm.*

Mandatory on all MY20 and up Traxter HD10 models equipped with a snorkel.

APACHE ACCESSORIES

NEW Engine Intake Pre-Filter Seal
(Not illustrated)

Traxter G2, Traxter G2 MAX — **715011744**

- Improves intake sealing against the elements to help prevent debris, snow and dust from entering your engine.

See table for compatibility and requirements.

NEW CVT Intake Pre-Filter Seal
(Not illustrated)

Traxter G2, Traxter G2 MAX — **715011745**

- Enhances intake protection to keep dust, snow and debris out of your CVT system.

See table for compatibility and requirements.

Track DPS Module *
(Not illustrated)

See table for fit, compatibility and requirements. — **715006266** / **715007338**

- An innovative DPS module that ensures speedometer accuracy and optimized steering assist, which make for perfect track control and riding ease.
- Required to install the Apache and Backcountry Track Systems.

Rail Ice Scratchers

Apache Backcountry and Backcountry LT Track Systems — **860201728**



- Provide additional lubrication in hard and icy conditions and extend slider life.
- Rail mounted, small, light.
- Design expands on coil concept to allow reversing without damage.
- Easily stored when not in use.

Extra Wheel Kit

Apache Backcountry LT Wheel Kit — **715006293**



- Additional wheel kit for Backcountry LT rear tracks.
- Reduces drag and rolling resistance in hard snow conditions or when transporting heavier loads.
- Extends slider life in hard snow conditions.
- Includes two wheels, cross shaft and mounting hardware per kit to service one track corner.
- Up to two kits per rear track can be installed.

* *Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

**The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

APACHE TRACK SYSTEMS FITTING GUIDE

APACHE XC LT

Model Year	Generation	Front Suspension Type	Track	Track Mount	Track DPS Module	CVT Pre-filter or Air Intake Relocation Kit	Engine Pre-filter
2024 & Prior	G1	Double A-Arm	715007719	715006891	715007338	703501210 (w/o Snorkel Kit) 703501211 (w/ Snorkel Kit)	715003483 (w/o Snorkel Kit) 715005597 (w/ Snorkel Kit)
2020 to 2022	G1	Arched Double A-Arm without Swaybar		715008612			
2023 & Up	G1	Arched Double A-Arm with and without Swaybar					
2024 & Up	G1	Double A-Arm		715006891	715006266	715011440 (w/ Snorkel Kit) 715011745 (All models)*	715011772 (w/ Snorkel Kit) 715011744 (All models)*
2026 & Up	G2	Arched Double A-Arm with Swaybar		715009252			

APACHE BACKCOUNTRY LT

Model Year	Generation	Front Suspension Type	Track	Track Mount	Track DPS Module	CVT Pre-filter or Air Intake Relocation Kit	Engine Pre-filter
2024 & Prior	G1	Double A-Arm	715005891	715005888	715007338	703501210 (w/o Snorkel Kit) 703501211 (w/ Snorkel Kit)	715003483 (w/o Snorkel Kit) 715005597 (w/ Snorkel Kit)
2025 & Prior	G1	Arched Double A-Arm with Swaybar		715006196			
2020 & Up	G1	Arched Double A-Arm without Swaybar		715005493			
2024 & Up	G1	Double A-Arm		715005888	715006266	715011440 (w/ Snorkel Kit) 715011745 (All models)*	715011772 (w/ Snorkel Kit) 715011744 (All models)*
2026 & Up	G2	Arched Double A-Arm with Swaybar	715004734	715009932			

APACHE 360 LT

Model Year	Generation	Front Suspension Type	Track	Track Mount	Track DPS Module	CVT Pre-filter	Engine Pre-filter
2018 to 2022	G1	Arched Double A-Arm with Swaybar	715005103	715004832	715007338	703501210 (w/o Snorkel Kit) 703501211 (w/ Snorkel Kit)	715003483 (w/o Snorkel Kit) 715005597 (w/ Snorkel Kit)

*Engine & CVT Pre-filter Seals (715011744 & 715011745) are required for track-equipped Traxter G2s produced before May 13, 2026 when used in snow conditions.

CAN-AM FISHER PLOWS

CAN-AM FISHER HD HYDRAULIC PLOW KIT

NEW Can-Am FISHER 72" HD Hydraulic Plow Kit

Traxter G2, Traxter G2 MAX

715011556



This kit includes:
- Can-Am FISHER Quick-Attach HD Hydraulic System (715009460).
- FISHER Heavy Duty 72" Blade (715011525).
- Heavy Duty Spring Kit (715011731) recommended to reduce suspension sag and improve ground clearance when plowing.
- No winch required.

Not compatible with:
- All track systems.

NEW Can-Am FISHER 80" HD Hydraulic Plow Kit

Traxter G2, Traxter G2 MAX

715011528



This kit includes:
- Can-Am FISHER Quick-Attach HD Hydraulic System (715009460).
- FISHER Heavy Duty 80" Blade (715011529).
- Heavy Duty Spring Kit (715011731) recommended to reduce suspension sag and improve ground clearance when plowing.
- No winch required.

Not compatible with:
- All track systems.

CAN-AM FISHER PLOW ACCESSORIES

NEW Can-Am FISHER Quick-Attach HD Hydraulic System

Traxter G2, Traxter G2 MAX

715009460



- Quick-attach mount plate, heavy-duty pushframe and full hydraulic plow action.
- Heavy-duty steel designed to withstand the roughest use.
- Advanced hydraulic system delivers fast response, high reliability and long-lasting durability, enabling quick and effortless blade positioning for efficient plowing.
- Features Float Mode and the FISHER® Scrape Lock System.
- The ergonomic Fish-Stick® handheld control features automatic shutoff. Traxter G2 platform offers a plow-ready frame with an integrated mount plate enabling a tool-less installation of Can-Am's quick-attach system.
- Covered by a 2-year warranty.*
- Heavy Duty Spring Kit (715011731) recommended to reduce suspension sag and improve ground clearance when plowing.
- No winch required.

Not compatible with:
- All track systems.

NEW FISHER Heavy Duty Blade

Can-Am FISHER Quick-Attach HD Hydraulic System

715011525 · 72"
715011529 · 80"



- 14-gauge powder-coated steel blade with a 5" high-carbon cutting edge.
- With four vertical ribs and high-strength, low-weight, alloy steel construction, the TRAILBLAZER™ SXS straight blade is strong enough for commercial operation.
- Two heavy-duty coil springs protect your plow and SXS by allowing the whole blade to trip when striking obstacles.

Required for installation:
- Can-Am FISHER Quick-Attach HD Hydraulic System (715009460).

Not compatible with:
- All track systems.

NEW FISHER Rubber Deflector

FISHER Heavy Duty Blade

715011557 · 72"
715011561 · 80"



- Built from 2-ply, heavy-duty rubber for durability in demanding conditions.
- Improves visibility by directing snow forward instead of onto your windshield.
- Easy-to-install kit designed for quick, hassle-free mounting.

Required for installation:
- FISHER Heavy Duty 72" Blade (715011525).
- FISHER Heavy Duty 80" Blade (715011529).

Not compatible with:
- All track systems.

NEW Heavy Duty Spring Kit	Traxter G2, Traxter G2 MAX	**715011731**



- This set of heavy-duty springs will stiffen your suspension.
- Perfect for reducing vehicle overall sag when shocks are under heavy demand: heavy loading and hauling or for snow clearing.
- Kit of 2 springs.

NEW Can-Am FISHER Replacement Wear Bar *(Not illustrated)*	FISHER Heavy Duty Blade	**715011656** • 72" **715011657** • 80"

PROMOUNT PLOWS

CAN-AM ProMount FLEX2 PLOW KIT

Can-Am ProMount Flex2 72" (183 cm) Blade Plow Kit	Traxter G1, Traxter G1 MAX	**715008170**
	Traxter G2, Traxter G2 MAX	**715009134**



- These kits include:
  - Can-Am ProMount Flex2 Blade.
  - Push Frame with Quick-Attach System.
  - Mounting Plate (Traxter G1 models only).

Required for installation:
- Winch.

CAN-AM ProMount FLEX2 BLADES

Can-Am ProMount Flex2 Blade	Fits ProMount Push Frame	**715009883** • 66" (168 cm) **715009868** • 72" (183 cm)



- Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when accidental impact occurs.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- 66" (168 cm): Clears 60" (152 cm) when plow is fully angled.
- 72" (183 cm): Clears 66" (168 cm) when plow is fully angled.
- Blade height of 17" (43 cm).
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

CAN-AM ProMount STEEL PLOW KIT

Can-Am ProMount Steel 72" (183 cm) Blade Plow Kit	Traxter G1, Traxter G1 MAX	**715008172**
	Traxter G2, Traxter G2 MAX	**715009135**



- These kits include:
  - Can-Am ProMount Steel Blade.
  - Push Frame with Quick-Attach System.
  - Mounting Plate (Traxter G1 models only).

Required for installation:
- Winch.

CAN-AM ProMount STEEL BLADES

Can-Am ProMount Steel Blade	Fits ProMount Push Frame	**715009881** • 66" (168 cm) **715009877** • 72" (183 cm)



- Plow blade made from 12-gauge steel.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- 66" (168 cm): Clears 60" (152 cm) when plow is fully angled.
- 72" (183 cm): Clears 66" (168 cm) when plow is fully angled.
- Blade height of 17" (43 cm).
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

ProMount PLOW KITS – REFERENCE CHARTS

	TRAXTER G1				TRAXTER G2	
	66" Black Steel	66" Flex2	72" Black Steel	72" Flex2	72" Flex2	72" Black Steel
Plow Kit	–	–	715008172	715008170	715009134	715009135
Blade	715009881	715009883	715009877	715009868	715009868	715009877
Push Frame	715008116	715008116	715008116	715008116	715008888	715008888
Mounting Plate	715007745	715007745	715007745	715007745	–	–

CAN-AM ProMount ANGLE PLOWS

Can-Am ProMount 72" (183 cm) Steel Oneway State Blade

Fits ProMount Push Frame

715009879



- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 26" (67 cm) high and tapers down to 16" (41 cm).
- One-way "winged" state plow designed to throw snow higher.
- Rubber flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

CAN-AM ProMount PLOW ACCESSORIES

Can-Am ProMount Push Frame with Quick-Attach System

Traxter G2, Traxter G2 MAX

715008888



- New platform offering a plow ready vehicle frame with an integrated lead-in designed to receive the plow push frame hooks—no mounting plate needed!
- Adjustable roller and gas strut to support the front hooks at the appropriate height for your vehicle—no need to lift the plow push frame to hook it.
- Precise location of the rear hooks allows you to clip with confidence each time.
- Attaches directly to the vehicle for quick installation—no mounting plate needed!
- Heavy-duty steel tubes designed to withstand the roughest use.
- Mount location provides ultimate push strength and traction.
- Designed for maximum plow lift height.
- Features a self-aligning quick-attach system, an easy foot-release pedal and an ergonomic handle for plow angle adjustment.
- Allows blade to swivel left or right, five positions.
- Compatible with all Can-Am ProMount blades.
- Plow Limit Switch recommended to extend winch cable lifespan.
- Plow Roller Fairlead included.

Required for installation:
- Requires winch.

Can-Am ProMount Push Frame with Quick-Attach System

Traxter G1, Traxter G1 MAX

715008116



- Heavy-duty steel tubes designed to withstand the roughest use.
- Mid-mount carriage provides ultimate push strength and traction.
- Designed for maximum plow lift height.
- Features a self aligning quick-attach system, an easy foot release pedal and an ergonomic handle for plow angle adjustment.
- Plow Limit Switch recommended to extend winch cable lifespan.
- Blade swivels left or right, 5 positions.
- Large pin designed for easy blade rotation to eliminate dirt and snow buildup at pivot point.

Required for installation:
- Can-Am ProMount Mounting Plate and a winch.

Not compatible with:
- S3 High Clearance Front A-Arm (715003784, 715005116).

Can-Am ProMount Edge Markers

Fits ProMount Plow Blades

715004206



- Help locate the edges of your plow.
- Height: 24" (60 cm).
- Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Can-Am ProMount Plastic Wear Blade

Fits ProMount Plow Blades

715004482 • 66" (168 cm)
715004483 • 72" (183 cm)



- To help prevent scratches on smooth driveways and markable surfaces.

Can-Am ProMount Drift Cutters

Fits ProMount Plow Blades

715006258



- Help keep snow in the plow.
- Dimensions: 17" x 13" (43.2 cm x 33 cm).
- Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Back Drag Blade

(Not illustrated)

Fits ProMount Plows (60" and more)


715007794

- ¼ thick steel swivel scraper.
- Lifts up when the vehicle is moving forward so as not to affect the scraping.
- Increased capacity to pull snow.
- More aggressive scraping in reverse mode.
- Lifts the scraper off the ground so that it scrapes evenly.
- Adjustable in length for compatibility with 60", 66" and 72" blades.
- Compatible with ProMount blades (Flex and Steel).

Can-Am ProMount Push Frame Extension

Traxter G2, Traxter G2 MAX

715009461




- Improved angle for a better ground contact.
- 13.5" (35 cm) push frame extension required when plow is installed with Apache Track systems.
- Compatible with the Can-Am ProMount Push Frame with Quick-Attach System (715008888).

Can-Am ProMount Push Frame Extension

Traxter G1, Traxter G1 MAX

715006257



- 12" (30 cm) push frame extension required when plow is installed with Apache Track Systems.
- Compatible with the Can-Am ProMount Push Frame with Quick-Attach System (715008116).

Can-Am ProMount Mounting Plate

Traxter G1, Traxter G1 MAX (2021 & prior)

715007743



- Required to install the Can-Am ProMount Push Frame with Quick-Attach System.
- Mounting plate precision-designed to stay on year round without compromising ground clearance.

Not compatible with:
- S3 Front High Clearance A-Arm (715003784).

Can-Am ProMount Mounting Plate

Traxter G1, Traxter G1 MAX (2022 & up)

715007745



- Required to install the Can-Am ProMount Push Frame with Quick-Attach System.
- Mounting plate precision-designed to stay on year round without compromising ground clearance.
- Comes with the Plow Roller Fairlead.

Not compatible with:
- S3 Front High Clearance A-Arm (715003784).

Can-Am ProMount Plow Angling System

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715009133



- Improved operation speed for quicker plow angle adjustments.
- Converts your plow system into an easy-to-control accessory from the driver's seat.
- Allows you to have full up/down and left/right plow control at your fingertips with the supplied joystick.
- Using one hand to control all plow motions allows you to easily concentrate and manage your plowing tasks with ease.
- Compatible with the SSV ProMount Push Frame (715008888 or 715008116) and Blades.
- Winch and plow system sold separately.

Required for installation:
- Can-Am Push Frame Extension (715006257) if installed with Rancher Front Bumper (715005410).

Not compatible with:
- Apache Backcountry LT Track System.

Plow Quick Adjust Blade Shoes

ProMount Steel & Flex2 Blades 60" (all years), 66"& 72" (2025 & prior)

715009751



- Zinc-plated steel construction for corrosion resistance.
- Easy and quick tool-free adjustment.
- Pre-set adjustment for different heights.
- Larger shoe diameter for greater ground contact.
- Improved shoe design for better flotation.

ProMount Plow Limit Switch

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715009894



- For controlling the cable tension when over-raising your plow system.
- Prevents winch, plow push frame and vehicle damage.
- Sensor relocated for optimal lift height.

Plow Roller Fairlead

Traxter G1, Traxter G1 MAX, Traxter G2, Traxter G2 MAX

715001223



- Cylindrical roller fairlead.
- Larger diameter lower roller reduces wear on wire rope for plow application.
- Can be used with all ProMount plows.

Not compatible with:
- Can-Am HD 5500 Winch (715010192).

SUPER-DUTY PLOW SYSTEM

Super-Duty 72" (183 cm) Blade Plow Kits

Traxter G1, Traxter G1 MAX

715003416



- A comprehensive plow system with manual lift and angling.
- Ultra-durable 72" (183 cm) blade made of 12-gauge steel with integrated reinforcement and heavy-duty push tubes to tackle the most demanding jobs.
- Requires a winch for raising and lowering.
- Convenient disconnect system for quick and easy installation or removal.
- Front mount provides minimum 11" (28 cm) lift distance.

This kit includes:
- 72" (183 cm) Super-Duty Plow.
- Super-Duty Plow Push Frame.
- Super-Duty Plow Mounting Kit.

Not compatible with:
- Apache XC LT Tracks.

Super-Duty Plow Hydraulic Angling Kit

Traxter G1, Traxter G1 MAX (2019 & prior) **715002840**

Traxter G1, Traxter G1 MAX (2020 & up) **715006038**



- Allows you to have full up/down and left/right plow control at your fingertips.
- Pre-assembled, it comes with everything you need to turn your Super-Duty Plow into a quick, easy-to-control unit from the driver's seat.
- Using one hand to control all plow motions with the supplied joystick will allow you to easily concentrate and manage your plowing tasks.
- With this commercial grade kit, you will reliably send snow exactly where you want all winter long.
- Winch and plow sold separately.

Super-Duty Plow Push Frame Extension

(Not illustrated)

Super-Duty Plow

715001221

- Extension to use the Super-Duty Plow with the Apache 360 LT Track System.
- Comes with Plow Magnetic Switch and Plow Pulley.

Required for installation:
- Requires Front Bumper or Front Accessory Bar for installation.

Not compatible with:
- Apache XC LT Tracks.

Plow Blade Extensions

Super-Duty Plow | **715001217**



- Side extensions for widening your plow blade by 6" (15 cm) on each side.
- Include rubber flaps for extension parts.
- Sold in pairs.

Plow Edge Markers
(Not illustrated)

Super-Duty Plow | **715001216**

- For a more accurate view of the width of your plow.
- Allows you to work closely around objects.

Plow Drift Cutter
(Not illustrated)

Super-Duty Plow | **715001218**

- Keeps snow securely in the plow.
- Allows you to cut a cleaner pass.
- Sold individually.

Plow Rubber Flap
(Not illustrated)

Super-Duty Plow | **715001219**

- Keeps snow away from the driver and helps snow to roll in front of the plow.

Plow Pulley
(Not illustrated)

Super-Duty Plow | **715002042**

- For use with the Super-Duty Plow.
- Helps winching efficiency.

Required for installation:
- XT Front Bumper.

Plow Magnetic Switch
(Not illustrated)

Super-Duty Plow | **715001995**

- Magnetic switch that stops the winch to prevent cable, winch and frame damage.
- For use with Super-Duty Plow.

COVERS & TIE-DOWNS

NEW Can-Am Trailering Cover

Traxter G2 | **715009484**
Traxter G2 MAX | **715009485**



- Get on or off the trailer while remaining fully covered and protected.
- Two-part cover design, including a main vehicle cover and a separate windshield cover.
- Windshield and upper door sections made of clear PVC film for on/off riding.
- You can keep only the windshield cover to protect from the elements when the vehicle is dirty.
- The driver's side door can be opened.
- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- All high-abrasion areas are reinforced with a double canvas layer.
- Weather-resistant trailering cover protects your vehicle during storage and transportation.
- Designed to perfectly fit your vehicle with or without Can-Am accessories.

Not compatible with:
- Cargo Rack (715009148 or 715009170) installed on Roof, Cargo Crossbars (715008758).

Trailering Cover

Traxter G1 | **715004453**
Traxter G1 MAX | **715004454**



- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- Inner soft liner protects windshield and colored panels from abrasion.
- All high-abrasion areas are reinforced with a double canvas layer.
- Weather-resistant trailering cover protects your vehicle during storage and transportation.
- Opening for fuel cap.
- Quick and easy installation.
- Designed to perfectly fit your vehicle with or without Can-Am accessories.

Not compatible with:
- Adventure Roof Rack (715003870).

NEW Tie Downs Anchors

Traxter G2, Traxter G2 MAX

715010210



- Made of high-strength steel.
- Coated with a corrosion-resistant black epoxy finish.
- Add extra points on the cargo bed wall for tying down cargo in the back of your vehicle.
- Sold in pairs.

Bolt-On† Retractable Ratcheting Tie-Downs

Traxter G1, Traxter G1 MAX

295101072



- Perfect for transporting your powersport vehicle or securing loads.
- Mount easily: Bolt on any flat surface (e.g., truck bed or frame).
- 1" x 6' (2.5 cm x 1.8 m) tie-down strap with heavy-duty stitching that delivers a 500 lb (226 kg) working load strength and 1,500 lb (680 kg) break strength.
- Convenient retractable push button automatically slackens, spools and stores away strap, while the ratchet mechanism tightens the strap snugly to secure your vehicle or load into place.
- Rubber ratcheting handle provides firm grip, and the hook is vinyl coated to protect whatever surface it hooks into.
- Sold in pairs.

Ratchet Tie-Downs

715008309 • Black/Gray



- 400 lb (181 kg) safe working load.
- 1" x 10' (2.5 cm x 3 m) strap with Sea-Doo, Ski-Doo and Can-Am logos.
- Deluxe ratchet with rubber handle.
- Coated S hooks.
- Pack of 2.

Heavy-Duty Ratchet Tie-Down

715008308



- 1,000 lb (454 kg) safe working load.
- 1.5" x 6' (38 mm x 1.8 m) strap with BRP brands.
- Deluxe ratchet with rubber handle.
- Black-coated clip hooks.
- 12" (300 mm) webbing included.
- Pack of two.

CAN-AM MAVERICK R



CAN-AM MAVERICK R

Comparative Chart	80
Maverick r Accessory Packages	82
Accessories	83
Roofs	83
Windshields & Wind Protection	83
Mirrors	85
Doors	85
HMWPE Skid Plates	86
Bumpers & Protection	87
LinQ Accessories	89
Racks & Storage	94
ACM & SMART Accessories	96
Lights	100
Audio	106
Electrical & Electronic Accessories	107
Winches	108
Recovery	110
Performance	111
Covers	112






		MAVERICK R X (INT)***	MAVERICK R MAX X (INT)***	MAVERICK R X RS	MAVERICK R X RS WITH SAS
COLOR OPTIONS		Granite Grey & Orange Crush	Granite Grey & Orange Crush	Timeless Black Metallic	Dolomite Grey & Orange Crush
ENGINES		999T DCT	999T DCT	999T	999T
	Type	240 hp (176.5 kW), Rotax Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter and launch control	240 hp (176.5 kW), Rotax Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter and launch control	240 hp (176.5 kW), Rotax® 999 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	240 hp (176.5 kW), Rotax® 999 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Transmission	Rotax DCT, 7 Speed with High & Extra Low range	Rotax DCT, 7 Speed with High & Extra Low range	Rotax DCT, 7 Speed with High & Low range	Rotax DCT, 7 Speed with High & Low range
	Drive Train	Lockable front differential with exclusive Smart-Lok* True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL	Lockable front differential with exclusive Smart-Lok* True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL	Lockable front differential with exclusive Smart-Lok True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL	Lockable front differential with exclusive Smart-Lok True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL
	Power Steering	High torque Gen 2 Tri-Mode DPS	High torque Gen 2 Tri-Mode DPS	High torque Gen 2 Tri-Mode DPS	High torque Gen 2 Tri-Mode DPS
SUSPENSIONS	Front Suspension	Forged Aluminum heavy duty Tall Knuckle Double A-arm with sway bar / 25 in. (63.5 cm) suspension travel	Forged Aluminum heavy duty Tall Knuckle Double A-arm with sway bar / 24 in. (61 cm) suspension travel	Forged Aluminum heavy duty Tall Knuckle - Double A-arm with sway bar / 25 in. (63.5 cm) suspension travel	Forged Aluminum heavy duty Tall Knuckle - Double A-arm with sway bar / 25 in. (63.5 cm) suspension travel
	Front Shocks	FOX† 2.5 PODIUM Piggyback with QS3† compression adjustment	FOX† 2.5 PODIUM Piggyback with QS3† compression adjustment	FOX† 2.5 PODIUM RC2† Piggyback with bypass, dual speed compression and rebound adjustments	FOX† 2.5 PODIUM† Piggyback with bypass and Smart-Shox technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)
	Rear Suspension	4 Link Trailing arm with Forged Aluminum heavy duty Tall Knuckle / 25 in. (63.5 cm) suspension travel	4 Link Trailing arm with Forged Aluminum heavy duty Tall Knuckle / 24 in. (61 cm) suspension travel	4 Link Trailing arm with Forged Aluminum heavy duty Tall Knuckle / 25.5 in. (64.8 cm) suspension travel	4 Link Trailing arm with Forged Aluminum heavy duty Tall Knuckle / 26 in. (66 cm) suspension travel with Smart-Shox
	Rear Shocks	FOX† 2.5 PODIUM Piggyback with QS3† compression adjustment and bottom-out control	FOX† 2.5 PODIUM Piggyback with QS3† compression adjustment and bottom-out control	FOX† 3.0 PODIUM RC2† Piggyback with bypass, dual speed compression and rebound adjustments	FOX† 3.0 PODIUM† Piggyback with bypass and Smart-Shox technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)
TIRES / WHEELS	Front/Rear Tires	XPS Trac Force 32 x 10 x 16 in.	XPS Trac Force 32 x 10 x 16 in.	XPS Trac Force 32 x 10 x 16 in.	XPS Trac Force 32 x 10 x 16 in.
	Wheels	16 in. Aluminum flow formed	16 in. Aluminum flow formed	16 in. Aluminum flow formed beadlock	16 in. Aluminum flow formed beadlock
BRAKES	Front	32 mm hydraulic triple piston caliper with a 265 mm disc	32 mm hydraulic triple piston caliper with a 265 mm disc	32 mm hydraulic triple piston caliper with a 265 mm disc	32 mm hydraulic triple piston caliper with a 265 mm disc
	Rear	30 mm hydraulic twin piston caliper with a 255 mm disc	32 mm hydraulic twin piston caliper with a 255 mm disc	30 mm hydraulic twin piston caliper with a 255 mm disc	30 mm hydraulic twin piston caliper with a 255 mm disc
DIMENSIONS / CAPACITIES	Cage	High strength (Dual phase) steel tubing and stampings	High strength (Dual phase) steel tubing and stampings	High strengh (Dual phase) steel tubing and stampings	High strengh (Dual phase) steel tubing and stampings
	Estimated Dry Weight	1,076 kg	1,211 kg	1,083 kg	1,087 kg
	L x W x H	142 x 78.1 x 71.5 in. (360.7 x 198.5 x 181.5 cm)	175 x 78.1 x 69.2 in. (444.7 x 198.4 x 175.7 cm)	142 x 78.1 x 71.5 in. (360.7 x 198.5 x 181.5 cm)	142 x 78.1 x 71.5 in. (360.7 x 198.5 x 181.5 cm)
	Wheelbase	110 in. (279.1 cm)	142.5 in. (485 cm)	110 in. (279.1 cm)	110 in. (279.1 cm)
	Ground Clearance	17 in. (43.2 cm)	17 in. (43.2 cm)	17 in. (43.2 cm)	17 in. (43.2 cm)
	Rack Capacity	90 kg	90 kg	90 kg	90 kg
	Storage Capacity	Total: 8.1 L	Total: 8.1 L	Total: 8.1 L	Total: 8.1 L
	Fuel Capacity	50 L	50 L	50 L	50 L
FEATURES	Gauge	4.5 in. digital display with keypad & 10.25 in. touchscreen display	4.5 in. wide digital display with keypad & 10.25 in. touchscreen display	4.5 in. wide digital display with keypad & 10.25 in. touchscreen display	4.5 in. wide digital display with keypad & 10.25 in. touchscreen display
	Magneto	1700-W	1700-W	1700-W	1700-W
	Instrumentation	USB A (2 charging port & 1 communication port) DC outlet (10-A)	USB A (2 charging port & 1 communication port) DC outlet (10-A)	USB A (2 charging port & 1 communication port) DC outlet (10-A)	USB A (2 charging port & 1 communication port) DC outlet (10-A)
	Lighting	Premium high-performance LED headlights Can-Am LED signature	Premium high-performance LED headlights Can-Am LED signature	Premium high-performance LED headlights Can-Am LED signature	Premium high-performance LED headlights Can-Am LED signature
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
	Winch	Winch-ready bumper 2,041 kg winch not installed)	Winch-ready bumper 2,041 kg winch not installed)	Winch-ready bumper (2,041 kg winch not installed)	Winch-ready bumper (2,041 kg winch not installed)
	Protection	Full hard roof Premium half doors Front lower deflector Front / Rear anchor Full plastic skid plate	Full hard roof Premium half doors Window net Front lower deflector Front / Rear anchor 3/8'' Full HD HMW plastic skid plate Rock guard	Full hard roof Premium half doors Front lower deflector Front / Rear anchor Full plastic skid plate	Full hard roof Premium half doors Front lower deflector Front / Rear anchor Full plastic skid plate

*Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry.
**Smart-Shox was developed in conjunction with Tractive Industries, a market leader in the suspension industry.
*** These models are available only in EMEA countries outside the European Union. All other models are available throughout the EMEA region. Availability and warranty conditions may vary by country. Please contact your local dealer for details.
Vehicles sold within the European Union include a 2-year BRP limited warranty; vehicles sold elsewhere in the EMEA region include a 1-year BRP limited warranty. BRP's limited warranty does not affect consumer guarantees.






		MAVERICK R MAX X RS WITH SAS	MAVERICK R X RC WITH SAS	MAVERICK R MAX X RS***	MAVERICK R MAX X RC WITH SAS (INT)***
COLOR OPTIONS		Dolomite Grey & Orange Crush (CE) Timeless Black Metallic (INT)***	Loft Green Satin	Granite Grey	Loft Green Satin
ENGINES		999T	999T	999T	999T
	Type	240 hp (176.5 kW), Rotax® 999 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	240 hp (176.5 kW), Rotax® 999 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	240 hp (176.5 kW), Rotax® 999 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	240 hp (176.5 kW), Rotax® 999 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Transmission	Rotax DCT, 7 Speed with High & Extra Low range	Rotax DCT, 7 Speed with High & Extra Low range	Rotax DCT, 7 Speed with High & Extra Low range	Rotax DCT, 7 Speed with High & Extra Low range
	Drive Train	Lockable front differential with exclusive Smart-Lok True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL	Lockable front differential with exclusive Smart-Lok True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL / 4WD ROCK	Lockable front differential with exclusive Smart-Lok True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL	Lockable front differential with exclusive Smart-Lok True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL / 4WD ROCK
	Power Steering	High torque Gen 2 Tri-Mode DPS	High torque Gen 2 Tri-Mode DPS	High torque Gen 2 Tri-Mode DPS	High torque Gen 2 Tri-Mode DPS
SUSPENSIONS	Front Suspension	Forged Aluminum heavy duty Tall Knuckle Double A-arm with sway bar / 24 in. (61 cm) suspension travel	Forged Aluminum heavy duty Tall Knuckle Double A-arm with sway bar / 25 in. (63.5 cm) suspension travel	Forged Aluminum heavy duty Tall Knuckle Double A-arm with sway bar / 24 in. (61 cm) suspension travel	Forged Aluminum heavy duty Tall Knuckle Double A-arm with sway bar / 25 in. (63.5 cm) suspension travel
	Front Shocks	FOX† 2.5 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)	FOX† 2.5 PODIUM† Piggyback with bypass and Smart-Shox technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)	FOX† 2.5 PODIUM RC2† Piggyback with bypass, dual speed compression and rebound adjustments	FOX† 2.5 PODIUM† Piggyback with bypass and Smart-Shox technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)
	Rear Suspension	4 Link Trailing arm with Forged Aluminum heavy duty Tall Knuckle / 24 in. (61 cm) suspension travel	4 Link Trailing arm with Forged Aluminum heavy duty Tall Knuckle / 26 in. (66 cm) suspension travel	4 Link Trailing arm with Forged Aluminum heavy duty Tall Knuckle / 24 in. (61 cm) suspension travel	4 Link Trailing arm with Forged Aluminum heavy duty Tall Knuckle / 26 in. (66 cm) suspension travel
	Rear Shocks	FOX† 3.0 PODIUM† Piggyback with bypass and Smart-Shox technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)	FOX† 3.0 PODIUM† Piggyback with bypass and Smart-Shox technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)	FOX† 3.0 PODIUM RC2† Piggyback with bypass, dual speed compression and rebound adjustments	FOX† 3.0 PODIUM† Piggyback with bypass and Smart-Shox technology featuring Live Valve Gen 3 (Dual Valve compression & rebound)
TIRES / WHEELS	Front/Rear Tires	XPS Trac Force 32 x 10 x 16 in.	XPS Hammer King 35 x 10 x 16 in.	XPS Trac Force 32 x 10 x 16 in.	XPS Hammer King 35 x 10 x 16 in.
	Wheels	16 in. Aluminum Flow Formed Beadlock	16 in. Aluminum flow formed beadlock	16 in. Aluminum Flow Formed Beadlock	16 in. Aluminum flow formed beadlock
BRAKES	Front	32 mm hydraulic triple piston caliper with a 265 mm disc	32 mm hydraulic triple piston caliper with a 265 mm disc	32 mm hydraulic triple piston caliper with a 265 mm disc	32 mm hydraulic triple piston caliper with a 265 mm disc
	Rear	32 mm hydraulic twin piston caliper with a 255 mm disc	32 mm hydraulic twin piston caliper with a 255 mm disc	32 mm hydraulic twin piston caliper with a 255 mm disc	32 mm hydraulic twin piston caliper with a 255 mm disc
DIMENSIONS / CAPACITIES	Cage	High strength steel (Dual phase) steel tubing and stampings	High strength (Dual phase) steel tubing and stampings	High strength steel (Dual phase) steel tubing and stampings	High strength (Dual phase) steel tubing and stampings
	Estimated Dry Weight	1,210 kg	1,118 kg	1,205 kg	1,118 kg
	L x W x H	175 x 78.1 x 69.2 in. (444.7 x 198.4 x 175.7 cm.)	147.4 x 78.1 x 72.6 in. (374.3 x 198.4 x 184.5 cm)	175 x 78.1 x 69.2 in. (444.7 x 198.4 x 175.7 cm.)	147.4 x 78.1 x 72.6 in. (374.3 x 198.4 x 184.5 cm)
	Wheelbase	142.5 in. (365 cm)	110 in. (279.1 cm)	142.5 in. (365 cm)	110 in. (279.1 cm)
	Ground Clearance	17 in. (43.2 cm)	18 in. (45.7 cm)	17 in. (43.2 cm)	18 in. (45.7 cm)
	Rack Capacity	90 kg	90 kg	90 kg	90 kg
	Storage Capacity	Total: 8.1 L	Total: 8.1 L	Total: 8.1 L	Total: 8.1 L
	Fuel Capacity	50 L	50 L	50 L	50 L
FEATURES	Gauge	4.5 in. wide digital display with keypad & 10.25 in. touchscreen display	4.5 in. wide digital display with keypad & 10.25 in. touchscreen display	4.5 in. wide digital display with keypad & 10.25 in. touchscreen display	4.5 in. wide digital display with keypad & 10.25 in. touchscreen display
	Magneto	1700-W	1700-W	1700-W	1700-W
	Instrumentation	USB A (2 charging port & 1 communication port) DC outlet (10-A)	USB A (charging port & communication port) DC outlet (10-A)	USB A (2 charging port & 1 communication port) DC outlet (10-A)	USB A (charging port & communication port) DC outlet (10-A)
	Lighting	Premium high-performance LED headlights Can-Am LED signature	Premium high-performance LED headlights Can-Am LED signature with start-up animation	Premium high-performance LED headlights Can-Am LED signature	Premium high-performance LED headlights Can-Am LED signature with start-up animation
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
	Winch	Winch-ready bumper (2,041 kg winch not installed)	2,041 kg winch with synthetic rope and roller fairlead	Winch-ready bumper (2,041 kg winch not installed)	2,041 kg winch with synthetic rope and roller fairlead
	Protection	Full hard roof Premium half doors Front lower deflector Front / Rear anchor Full HD HMW plastic skid plate Rock guard	Full hard roof Premium half doors Front lower deflector Front / Rear anchor Full HD HMW plastic skid plate Front bumper Front intrusion bar Rock slider (UHMWPE) Rock guard	Full hard roof Premium half doors Front lower deflector Front / Rear anchor Full HD HMW plastic skid plate Rock guard	Full hard roof Premium half doors Front lower deflector Front / Rear anchor Full HD HMW plastic skid plate Front bumper Front intrusion bar Rock slider (UHMWPE) Rock guard

*Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry.
**Smart-Shox was developed in conjunction with Tractive Industries, a market leader in the suspension industry.
*** These models are available only in EMEA countries outside the European Union. All other models are available throughout the EMEA region. Availability and warranty conditions may vary by country. Please contact your local dealer for details.
Vehicles sold within the European Union include a 2-year BRP limited warranty; vehicles sold elsewhere in the EMEA region include a 1-year BRP limited warranty. BRP's limited warranty does not affect consumer guarantees.

MAVERICK R ACCESSORY PACKAGES

UPGRADE YOUR RIDE. CHOOSE YOUR EXPERIENCE.

For details on the exact SKUs required for installation, please contact your authorised dealer,
as additional components such as wiring harnesses, mounting brackets or vehicle specific hardware may be required.



MAVERICK R ALL-IN

Essentials	Electronic Device Holder
	10.25 in. Color Touchscreen Display Protector
	Can-Am JL Audio Roof - Level 4
	Glass Windshield
	Cold Air Roof Scoop
	Rear Wind Screen
	Soft Upper Door Panels
	Aluminum Side Mirrors
	Digitally Encoded Security System (D.E.S.S.) - 2nd Key
Protections	Desert Front Bumper*
	Desert Rear Bumper
	Rock Sliders
Winches & Recovery	Can-Am HD 4500-S Winch*
	Can-Am Retractable Rope System
	Can-Am Winch Accessory Kit
Cargo & Storage	Upper Door Storage Bags
	Shoulder Storage Bag
	LinQ Side Cargo Boxes (13.5 L)
	LinQ Trunk Box (96 L)
SMART	Accessory Control Module*
	SMART Control Center for ACM
	SMART Integrated LED Side Mirror Lights
	SMART Integrated LED Hood Light
	SMART 40" (102 cm) LED Light Bar
	SMART Intermittent Wiper & Washer Kit

*Excluding X RC models
**Some accessories require additional installation hardware

ROOFS

Sport Roof

Maverick R	**715007364**
Maverick R MAX	**715008074**



- Impact-resistant injected polypropylene.
- Provides excellent protection from the elements and downhill visibility.
- Designed to work with the Cold Air Roof Scoop.
- Windshield compatible.

Cold Air Roof Scoop

Maverick R	**715008280**
Maverick R MAX	**715008301**



- Feeds fresh air to the engine compartment.
- Sleek design for a sleek racing look.
- Increases cold air to the intake to prevent power loss.
- Required when using a windshield.

Required for installation:
- Sport Roof or Can-Am JL Audio Roof – Level 4.

Not compatible with:
- The Audio Roof Flip Kit.

WINDSHIELDS & WIND PROTECTION

WINDSHIELDS

Powerflip Windshield

Maverick R, Maverick R MAX — **715009900**



- The PowerFlip Windshield is equipped with electric cylinders that allow the rider to adjust the windshield opening at the touch of a button.
- High-impact-resistant Quantum† hardcoated polycarbonate full windshield with a rubber seal contour and a tinted top section.
- Allows you to quickly adapt to changing conditions by adjusting the windshield as you go.
- Can be fully opened for optimal visibility and ventilation, fully closed for maximum protection from the elements, or somewhere in between.
- You have an infinite number of opening possibilities depending on your protection, visibility and airflow preferences.

Required for installation:
- Requires a Cold Air Roof Scoop (715008280 or 715008301).
- Needs Accessory Control Module (ACM) (715010097) or Powerflip Windshield Harness (715008854) for installation.

Not compatible with:
- SMART Integrated LED Roof Light (715007322) and Audio Roof Flip Kit (715008164).

Glass Windshield

Maverick R, Maverick R MAX — **715010203**



- Curved and laminated glass full windshield.
- Seals firmly against the cage and protects both the rider and the passenger from the elements.
- Provides maximum optical clarity and abrasion resistance.
- Must be used with the Wiper & Washer Kit for clear visibility during severe riding conditions, including mud riding.
- Use with rear wind protection to maximize passenger comfort.
- Compatible with the SMART Integrated Roof LED Light.

Required for installation:
- Must be used with the Cold Air Roof Scoop (715008280 or 715008301).

Not compatible with:
- Audio Roof Flip Kit (715008164).

Full Windshield – Hardcoated

Maverick R, Maverick R MAX — **715007321**



- Highly impact-resistant Quantum† hardcoated polycarbonate full windshield.
- Formed polycarbonate construction for enhanced rigidity.
- Provides excellent optical clarity and better abrasion resistance.
- Protects the driver and the passenger from the elements.
- Quick and easy tool-less removal.
- Use with rear wind protection to maximize comfort for the passenger.
- Can be used with the Windshield Wiper & Washer Kit (715007173) (light-duty usage only).
- Compatible with SMART Integrated Roof LED Light.

Must be used with:
- Cold Air Roof Scoop (715008280 or 715008301).

Not compatible with:
- Audio Roof Flip Kit (715008164).

SMART PowerFlip Intermittent Windshield Wiper & Washer Kit

Maverick R, Maverick R MAX

715008555



- Washer fluid dispenser is perfectly concealed on the vehicle.
- Must be installed with the PowerFlip Windshield (715009900) (sold separately).
- SMART and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM.

Required for installation:
- Electric harness required (715008855) to hook up and operate the SMART PowerFlip Intermittent Windshield Wiper & Washer Kit in ON/OFF functionality when the ACM is not installed (sold separately).

Powerflip Windshield Harness

Maverick R, Maverick R MAX

715008854



- Electric harness required to hook up and operate the Powerflip Windshield (715009900) for on/off function when ACM is not installed.

SMART Intermittent Wiper & Washer Kit

Maverick R, Maverick R MAX

715007173



- An ideal way to keep your windshield clear in the rain, or while riding through mud and water.
- The wiper mechanism and washer fluid dispenser are perfectly concealed on the vehicle.
- The wiper and washer fluid dispenser installs at the bottom of the windscreen for maximum visibility.
- For use on glass or hardcoated windshields.
- SMART and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM.

Required for installation:
- Electric harness required (715008855) to hook up and operate the SMART Intermittent Windshield Wiper & Washer Kit in ON/OFF functionality when the ACM is not installed (sold separately).

Wiper & Washer Kit Wiring Harness

Maverick R, Maverick R MAX

715008855



- Electric harness required to hook up and operate in ON/OFF functionality the SMART PowerFlip Intermittent Windshield Wiper & Washer Kit and the SMART Intermittent Windshield Wiper & Washer Kit.

Manual Wiper Kit

Maverick R, Maverick R MAX

715009424



- Single manual wiper that can be used to clear windshield of debris.
- Easy to install system that requires no electrical hookup.
- Large ergonomic handle provides a good grip over the entire sweeping surface.
- Compatible with hardcoated windshields that use top mounted wipers.

REAR WIND PROTECTION

Rear Polycarbonate Window

Maverick R, Maverick R MAX

715007315



- High impact-resistant polycarbonate window.
- Reduces windshield backdraft and stops dust and rain from entering the cabin for added comfort.
- Quick and easy installation.
- Designed to work with Can-Am's JL Audio Level – 3 and 5 rear speakers, and all roofs.

Rear Wind Screen for Speakers

Maverick R, Maverick R MAX

715009175



- Full rear mesh screen reduces windshield backdraft for added cabin comfort.
- Installs quickly and easily on roll cage.
- Designed to work with Can-Am's JL Audio Level – 3 and 5 rear speakers, and all roofs.

Rear Wind Screen

Maverick R, Maverick R MAX

715007317



- Full rear mesh screen reduces windshield backdraft for added cabin comfort.
- Installs quickly and easily on roll cage.

Not compatible with:
- Can-Am JL Audio System – Level 3 (715007954) and Level 5 (715007957).

MIRRORS

Rally Side Mirrors

Maverick R, Maverick R MAX

715005262



- Sleek design with unique racing style.
- High-quality black molded aluminum for extreme durability.
- 4" (10 cm) convex surface provides a wider field of view and better visibility around the unit.
- Can be installed at any height on the cage A-pillar for optimized rider vision.
- Multi-position adjustable ball-joint-mounted mirrors.
- Spring-loaded pivots let mirrors fold back completely.
- Sold in pairs.

Not compatible with:
- Glass Windshield.

Aluminum Side Mirrors

Maverick R, Maverick R MAX

715007363



- Sleek design.
- High-quality black molded aluminum for extreme durability.
- The convex surface provides a wider field of view and better visibility around the unit.
- Can be installed at any height on the cage A-pillar for optimized rider vision.
- Possibility to install the Integrated LED Side Mirror Lights (715007185).
- Adjustable ball-joint mirrors.
- Possibility to fold down the mirrors (fold-away mechanism).
- Compatible with windshields, Soft Upper Door and Upper Wind Nets.
- Sold in pairs.

Side Mirrors

Maverick R, Maverick R MAX

715007188



- Sleek design.
- High-impact resistant plastic mirrors.
- The convex surface provides a wider field of view and better visibility around the unit. Can be installed at any height on the cage A-pillar for optimized rider vision.
- Adjustable ball-joint mirrors.
- Possibility to fold down the mirrors (fold-away mechanism).
- Compatible with windshields, Soft Upper Door and Upper Wind Nets.
- Sold in pairs.

Rear View Mirror and Camera Monitor

Maverick R, Maverick R MAX

715009410



- Fully waterproof rear-view mirror and monitor kit.
- See exactly what you need to see with the multiple camera feeds from the rear-view camera.
- This unit replaces the stock rear-view mirror (the screen is integrated in the unit's replacement rear-view mirror).
- The camera uses infrared light for night vision capabilities.

DOORS

Soft Upper Door Panels

Maverick R — **715007432** • 2 doors

Maverick R MAX — **715007894** • 4 doors



- Weather-resistant panels reinforced with aluminum frame offer good protection from the elements.
- This extension is an excellent addition to the half-door, providing full coverage.
- Made of heavy-duty UV-resistant solution-dyed polyester canvas for excellent resistance to tear and abrasion.
- Zip-down windows made of clear vinyl for added ventilation with heavy duty zippers.
- Ensures high sealing edge performance.
- Easy to use, it follows the door's movements, facilitating ingress and egress.

Upper Wind Nets


Maverick R — **715007376**

Maverick R MAX — **715007962**



- Complete mesh screen net with a steel frame attaches to the doors of the vehicle for added protection from the wind and mud.
- Easy to use, it follows the door's movements, facilitating ingress and egress.
- Net zips up and down for added ventilation when required.
- The window can be rolled down and attached with a strap to hold it in position.

HMWPE SKID PLATES



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of abrasion-resistant thermoformed ⅜" (10 mm) thick High Molecular Weight Polyethylene (HMWPE).

- Lighter than aluminum.
- Superior stress crack resistance.
- High-impact strength.

	MAVERICK R	MAVERICK R MAX
HMWPE SKID PLATE PROTECTION KIT		
	715007373 (2025 & prior)	–
INDIVIDUAL HMWPE SKID PLATES		
(1) HMWPE Front A-Arm and Trailing Arm Protectors	**715007183**	**715007183**
(2) HMWPE Front Skid Plate	**715007313**	**715007313**
(3) HMWPE Underbelly Plate	**715007314** (2025 & prior)	–
(4) HMWPE Front (Nose) Skid Plate	**715010009**	**715010009**

BUMPERS & PROTECTION

BUMPERS

Front Bumper X rc

Maverick R, Maverick R MAX

■ **715010008** · Black



- Sleek and rugged design.
- Provides added protection without sacrificing the agility and performance of the vehicle.
- Made of heavy-duty steel tubing to protect the front of the unit.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Combine with the Rock Sliders and Rear Bumper for ultimate protection.
- Requires Front Bumper X rc Light Support (715010532) for the installation of lights.
- Winch compatible.

Trail Front Bumpers

Maverick R, Maverick R MAX

■ **715010071** · Black
■ **715010072** · Yellow
■ **715009925** · Legion Red



- Can-Am's largest front bumper protects the headlights and radiator area of the unit.
- Added heavy-duty protection in extreme driving conditions.
- Made of 1.5" (3.8 cm) diameter steel tubing.
- Anti-corrosion coating with durable powder coat finish.
- Combine with the Rock Sliders and Rear Bumper for ultimate protection.
- Features integrated mounting points for lights.
- Winch compatible.

Desert Front Bumpers

Maverick R, Maverick R MAX

■ **715007311** · Black
■ **715007691** · Yellow
■ **715009926** · Legion Red



- Sleek and rugged design.
- Provides added protection without sacrificing the agility and performance of the vehicle.
- Made of heavy-duty steel profiled tubing to protect the front of the unit.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Combine with the Rock Sliders and Rear Bumper for ultimate protection.
- Features integrated mounting points for lights.
- Winch compatible.

Dune Front Bumpers

Maverick R, Maverick R MAX

■ **715007169** · Black
■ **715007305** · Raw Metal



- Highly integrated bumper that creates a more pronounced attack angle and provides added protection to the vehicle.
- Allows for better ground clearance.
- The sleek design gives the unit a sportier look.
- Made of heavy-duty steel with a ⅛" (3 mm) aluminum plate.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Features an integrated Tow Hook.
- Not winch compatible.

Desert Rear Bumpers

Maverick R, Maverick R MAX

■ **715007172** · Black
■ **715007694** · Yellow
■ **715009924** · Legion Red




- Rugged design.
- Provides added protection to the rear of the unit without sacrificing the agility and performance of the vehicle.
- Gives riders extra grip on the bumper and improves accessibility to rear cargo.
- Made of heavy-duty steel profiled tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Combine with the Rock Sliders and Front Bumper for ultimate protection.

ROCK SLIDERS

Rock Sliders

Maverick R	■ **715007170** · Black ■ **715007693** · Yellow ■ **715009923** · Legion Red
Maverick R MAX	■ **715007922** · Black ■ **715007923** · Yellow ■ **715009922** · Legion Red



- Protect the vehicle's sides against obstacles.
- With added grip on top to improve accessibility of the roof cargo.
- Made of unique heavy-duty steel profiled tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Combine with the Front and Rear Bumpers for ultimate protection.
- Sold in pairs.

HMW-HDPE Rock Sliders

Maverick R — **715008142**



- The sleek design gives the vehicle a sportier look.
- Tight integration with the unit's body to provide maximum obstacle clearance and outstanding protection.
- Made of combination of HMWPE and HDPE for extra durability.
- Add the Dune Front Bumper for ultimate integrated protection.
- Sold in pairs.

INTRUSION BAR

Front Intrusion Bar

Maverick R, Maverick R MAX — ■ **715007312** · Black



- The steel intrusion bar matches the vehicle's styling and enhances its visual impact.
- The tube's design doesn't obstruct the rider's line of sight and reduces blind spots for increased visibility.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Compatible with the 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar (710006818) and SMART Integrated LED Roof Light (715007322).
- Compatible with all windshields.

MAVERICK R LINQ ACCESSORIES

ACCESSORY MOUNTING LOCATIONS AND REQUIREMENTS



LinQ 16" central position orange.
Included mounting position.



LinQ 16" position yellow.
2 extra LinQ Base kits needed.*



LinQ 16" position blue.
3 extra LinQ Base kits needed.*



LinQ 36" position red.
Included mounting position.

*Depending on the size of the accessory.

No tools needed: Quickly install and remove accessories by hand. Sturdy mounting system that holds up to the roughest terrain.	Standard Cargo Bed	LinQ® Pivoting Rack **715009465**	Adventure Roof Rack **715007186**
LinQ ACCESSORIES WITH 16" BASE	• LinQ anchors mounted 16 inches apart, center-to-center. • Lower loading capacity than the LinQ with 36" base accessories. • Can be used on Can-Am ATV and SxS vehicles, Can-Am Spyder and Ryker vehicles, Sea-Doo watercraft and Ski-Doo snowmobiles.		
LinQ Rigid Cooler 4.7 US Gal (18 L) 715010491	Central position: No further requirements Other positions: LinQ Base Installation Kit **715008125** (1 set needed/accessory)	LinQ Base Installation Kit **715008125** (1 set needed/accessory)	LinQ Base Installation Kit **715008125** (1 set needed/accessory)
LinQ Cooler 5.3 US Gal (20 L) 295101257 • Gray			
LinQ 11.4 US Gal (43 L) Cooler 715007825 • Black, 715009276 • Gray	Central position: No further requirements	No compatibility	No compatibility
LinQ Tool Kit 715006829	Central position: No further requirements (fit on stock mounted LinQ anchors) Other positions: LinQ Base Installation Kit **715008125** (1 set needed/accessory)	LinQ Base Installation Kit **715008125** (1 set needed/accessory)	LinQ Base Installation Kit **715008125** (1 set needed/accessory)
LinQ Tool Box 715008111			
LinQ SR 5.5 Gal (21 L) Bag 860202449			
LinQ 4.5 Gal (17 L) Sport Bag 860202447			
LinQ Modular Box 715005494 • (10 L), 715007112 • (20 L), 715006830 • (30 L)			
LinQ Roll-Top Bag 715008110			
LinQ 26 US Gal (100 L) Explorer Bag 295101016			
LinQ 5.3 US Gal (20 L) Semi-Rigid Cooler 295101252			
LinQ ACCESSORIES WITH 36" BASE	• Mount on LinQ racks often used by Can-Am ORV vehicles. • Higher loading capacity than the LinQ with 16" base accessories. • Usage is limited to Can-Am ORV vehicles.		
LinQ Semi-Rigid Bag 715005345	Stopper Kit **715008895**	**2x** LinQ Base Installation Kit **715008125** + Stopper Kit **715008895**	**2x** LinQ Base Installation Kit **715008125** + Stopper Kit **715008895**
LinQ Bow and Gun Case 715008232	No further requirements (fit on stock mounted LinQ anchors)	**2x** LinQ Base Installation Kit **715008125**	**2x** LinQ Base Installation Kit **715008125**
LinQ Trunk Box (87 L) – G3L 715009312			
LinQ Cargo Box (53 L) 715006997			
LinQ Low Profile Box (63 L) 715007827			
LinQ Cargo Basket (90 L) 715005274			
LinQ 9.2 Gal (35 L) Cooler 715006998			
LinQ CARGO ACCESSORIES			
LinQ Trunk Box (96 L) 715007182	No further requirements (fit on stock mounted LinQ anchors)	No compatibility	No compatibility
LinQ Side Cargo Boxes (13.5 L) 715007372			
LinQ HOLDERS			
LinQ Gear Grips 715005340	No further requirements	LinQ Base Installation Kit **715008125** (1 set needed)	Side wall installation LinQ Adapters **715003058**
LinQ Tool Holder 715007358			

LinQ ACCESSORIES WITH 16" BASE

LinQ Rigid Cooler 4.7 US Gal (18 L)

Maverick R, Maverick R MAX

■ **715010491** · Black



- Versatile LinQ 16" configuration fits many vehicles.
- Durable rotomolded rigid construction.
- Molded-in handles for quick installation and removal.
- High quality insulation for optimal ice retention.
- Sealed lid for airtight, weather-tight closure.
- Ergonomic and secure latch system offers excellent sealing.
- 4.7 US gal (18 L) capacity.

See table for installation location and requirements.

LinQ Cooler 5.3 US Gal (20 L)

Maverick R, Maverick R MAX

295101257 · Gray



- LinQ-mounted for fast, easy and secure storage.
- Locks in place with just a quarter turn.
- High-quality insulation for optimal ice retention.
- Keeps ice cold for 5 days.
- Rotomolded construction for exceptional rigidity and durability.
- Sealed lid for airtight, weather-tight closure.
- Rigid handles make transportation easy.
- Horizontal locking handles allow for installation of LinQ Lite accessories.
- Holds thirty-four 355 ml cans.
- 5.3 US gal (20 L) capacity.
- Exterior dimensions: 21" L x 15" W x 14" H (52 cm L x 38 cm W x 35 cm H).
- Interior dimensions: 15" L x 10" W x 9" H (39 cm L x 26 cm W x 23 cm H).

See table for installation location and requirements.

LinQ 5.3 US Gal (20 L) Semi-Rigid Cooler

Maverick R, Maverick R MAX

295101252



- 5.3 US gal (20 L) of insulated, water-resistant capacity.
- Quick, easy and secure LinQ system installation.
- Attaches with one set of LinQ fasteners.
- Single-day-use soft cooler.
- Mesh pocket on top of the lid.
- Zippered pocket under the lid for quick and easy access.
- Removable interior for easy cleaning.
- Carry handles for easy transport.
- Can contain twelve 355 ml cans.
- Dimensions: 19" L x 13" W x 10" H.

See table for installation location and requirements.

LinQ 11.4 US Gal (43 L) Cooler

Maverick R, Maverick R MAX

■ **715007825** · Black
715009276 · Gray



- Versatile LinQ 16" configuration fits many vehicles.
- High quality injection-molded impact resistant polypropylene outer shell for exceptional durability.
- High quality insulation for optimal ice retention.
- Thicker insulation on bottom to isolate vehicle heat.
- 11.4 US gal (43 L) capacity.
- LinQ-mounted for fast, easy, secure storage.
- Locks in place with only a quarter turn.
- Rigid handles make transportation easy.
- Horizontal locking handles allow installation of LinQ Lite accessories.
- Dry-basket included to protect items.
- Drain plug at the bottom to evacuate water.
- New ergonomic and secure latch system offers excellent sealing.
- Possibility to lock the cooler with a padlock.

See table for installation location and requirements.

NEW Ice Pack for LinQ Coolers

Maverick R, Maverick R MAX

295101513



- Acts as a cooling element to keep your cooler contents fresh.
- Slim profile design fits seamlessly inside the LinQ 5.3 US Gal (20 L) Cooler lid without sacrificing storage space.
- Comes with two swivel latches for easy on and off installation.
- Dual-purpose functionality doubles as a compartment divider for better organization with LinQ 11.4 US Gal (43 L) Cooler.

Required for installation:
- LinQ 5.3 US Gal (20 L) Cooler (295101257) or LinQ 11.4 US Gal (43 L) Cooler (715007825 or 715009276).

LinQ Modular Box

Maverick R, Maverick R MAX

715005494 · (10 L)
715007112 · (20 L)
715006830 · (30 L)



- Allows stacking of other modular boxes to always have the right gear accessible.
- Always have the right box size to fit everything.
- Can be installed on any LinQ base with a 16" width.

See table for installation location and requirements.

Thermal Insert for LinQ Modular Box (10 L)

Maverick R, Maverick R MAX | **219401110**



- Insulated liner.
- Fits very well in the LinQ Modular Box (10 L).
- Can contain seven 355 ml cans.
- Keeps ice cold for one day.
- Interior dimensions: 9" L x 17" W x 2½" H.

LinQ Tool Box

Maverick R, Maverick R MAX | **715008111**



- High precision injected HDPE construction provides rigidity and durability.
- 5 gal (19 L) maximum capacity.
- Weather-resistant, sealed and lockable cover.
- Easy one-second on/off tool-less system.
- All the benefits of LinQ—simple, fast and secure.

See table for installation location and requirements.

LinQ Tool Kit

Maverick R, Maverick R MAX | **715006829**



- Includes:
  - Cutter pliers
  - Long-nose pliers
  - Locking pliers
  - Ratchet wrench ⅜" drive
  - 6" ratchet extension
  - Integrated CVT belt storage location (belt not included)
  - Long-socket 19 mm ⅜" drive – 6 pts
  - Socket 18 mm ⅜" drive
  - Long-socket 17 mm ⅜" drive – 6 pts
  - Socket 15 mm ⅜" drive
  - Socket 13 mm ⅜" drive
  - Socket 10 mm ⅜" drive
  - Socket 8 mm ⅜" drive
  - Socket Torx T40 ⅜" drive
  - Socket Torx T30 ⅜" drive
  - Socket Torx T20 ⅜" drive
  - Breaker bar ⅜" drive
- Combination Wrench set:
  - Wrench 19 mm
  - Wrench 18 mm
  - Wrench 15 mm
  - Wrench 13 mm
  - Wrench 10 mm
  - Wrench 8 mm

See table for installation location and requirements.

SR 5.5 Gal (21 L) LinQ Bag

Maverick R, Maverick R MAX | **860202449**



- All the benefits of LinQ—simple, fast and secure.
- Semi-rigid expandable bag.
- 5.5 gal (21 L) capacity.
- Utilizes LinQ mounting system (Patent US 8777531 and US 8875830).
- Easy one-second on/off tool-less system.

See table for installation location and requirements.

LinQ Roll-Top Bag

Maverick R, Maverick R MAX | **715008110**



- Fully waterproof roll-top dry bag will securely store and confine your equipment.
- LinQ mounted using heavy-duty rigid plastic base.
- High capacity storage solution (40 L).
- Bottom foam liner for additional equipment protection.
- Integrated handle for easy transportation on/off the vehicle.
- Dimensions: 14" L x 19" W x adjustable H.

See table for installation location and requirements.

LinQ Explorer Bag

Maverick R, Maverick R MAX | **295101016**



- 26 gal (100 L) of watertight storage.
- Installs in seconds with tool-less LinQ accessory system.
- Dedicated essentials compartment for registration, license, insurance and more.
- Exclusive D.E.S.S.™ key storage.
- External quick-access pocket for small items like keys and wallets.
- Turns into a backpack when you get off your machine.
- Collapsible if not fully packed with straps on both sides.
- Dimensions: 26" L x 18" W x 14" H.

LinQ ACCESSORIES WITH 36" BASE

NEW LinQ Semi-Rigid Bag

Maverick R, Maverick R MAX | **715005345**



- Offers 70 L (18.5 gal) of cargo space for fully loaded adventures.
- Semi-rigid construction.
- Removable lid that converts the bag into a practical storage basket.
- Dedicated seal ensures excellent dust and weather resistance.
- Three-section lid design for quick and convenient access.
- Integrated removable center compartment to keep your items neatly organized.

See table for installation location and requirements.

Required for installation:
- Stopper Kit (715008895).

NEW LinQ Bow & Gun Case

Maverick R, Maverick R MAX

715008232



- Made of impact-resistant injected polypropylene and weatherproof.
- LinQ-mounted for efficient and secure storage.
- Practical design allows you to store a bow and arrows or firearms up to 40" (1 m).
- Arrow rubber racking system securely fixes shafts in place under lid.
- Fits up to 9 arrows from 6 mm to 9 mm.
- Two convoluted foam pieces and one foam sheet are included, so you can make the necessary adjustments according to your use.
- Mounting tabs attach to the base, and a 6' velcro strap is included to let you firmly position your gear exactly the way you want.
- Easily carried with the rigid handle.
- Anti-vibration system prevents the handle from moving while riding.
- Support feet at hinge level so the box can stand on its own.
- Compact design allows for maximum rear field of vision.
- Features a lock on the front of the box (two keys included).
- Can be installed in several 16" configurations (SXS), or in a 36" configuration (ATV & SXS).
- LinQ 16" accessories can be installed on the cover to increase cargo capacity.
- Check local regulations regarding firearms transportation.

See table for installation location and requirements.

LinQ Trunk Box (87 L) – G3L

Maverick R, Maverick R MAX

715009312



- Weatherproof polyethylene rear cargo box compatible on the rear rack.
- Storage capacity of 23 gal (87 L).
- Optimized shape of the cargo box base to fit the G3L rear rack perfectly.
- Lockable with a lock on the front of the box (2 keys included).
- Easy to install, easy to remove using the LinQ system.
- Installation in LinQ 36" configuration.
- Requires the installation of the Stopper Kit 715008895 included with the accessory.

See table for installation location and requirements.

LinQ 9.2 Gal (35 L) Cooler

Maverick R, Maverick R MAX

715006998



- LinQ-mounted for efficient and secure storage, locked in place with only a quarter turn.
- Easy to install, easy to remove using the LinQ system.
- Installation in LinQ 36" configuration.
- Made of polyethylene for exceptional rigidity and durability.
- Storage capacity of 35 L.
- Lock the cooler on the vehicle using the LinQ Lock (860201968).
- Premium-quality foam insulation for optimal ice retention.
- Option to add a 5-slot LinQ Lite Rail on the side and at the rear of the cooler.
- A dry basket is included to protect your food from water.
- Drain plug at the bottom to get rid of excess water.
- The new ergonomic and resistant latch system ensures the top is tightly sealed.
- Innovative way to hold 12 cans (355 ml).
- Molded-in handles for quick installation and removal.

See table for installation location and requirements.

LinQ Cargo Box (53 L)

Maverick R, Maverick R MAX

715006997



- Made of polyethylene.
- Storage capacity of 14 gal (53 L).
- Easy to install and remove with the LinQ system.
- New ergonomic and resistant latch system offers excellent sealing.
- Possibility to install LinQ 16" accessories on the cover and increase the cargo capacity.
- Ability to install Tool Holders (715008896) on the box.
- Lockable with a lock on the front of the box (2 keys included).

See table for installation location and requirements.

LinQ Low Profile Box (63 L)

Maverick R, Maverick R MAX

715007827



- Made of impact-resistant injected polypropylene and weatherproof, this box has a storage capacity of 63 L.
- LinQ-mounted for efficient and secure storage, it is locked in place with only a quarter turn. Easy to install, easy to remove using the LinQ system.
- Can be installed in several 16" configurations, or in a 36" configuration.
- LinQ 16" accessories can be installed on the cover to increase cargo capacity.
- Easily carried with the rigid handle. The anti-vibration system prevents the handle from moving while riding.
- Support feet at hinge level so the box can stand on its own.
- The compact design allows for maximum rear field of vision.
- Features a lock on the front of the box (two keys included).

See table for installation location and requirements.

LinQ Cargo Basket (90 L)

Maverick R, Maverick R MAX

715005274



- Made of polyethylene.
- Storage capacity of 23 gal (90 L).
- Easy to install and remove with the LinQ system.
- Can already be installed on your vehicle thanks to the stock mounted LinQ anchor.
- 6 handles on the contour to easily install bungee cords.
- Ability to install Tool Holders (715008896) on the basket.

See table for installation location and requirements.

LinQ CARGO ACCESSORIES

LinQ Trunk Box (96 L)

Maverick R, Maverick R MAX | **715007182**



- Weatherproof box made of impact-resistant injected polypropylene reinforced with glass fiber.
- Features a maximum storage capacity of 96 L and 15 kg.
- Easy to install, easy to remove with the LinQ system.
- Can already be installed on your vehicle thanks to the stock mounted LinQ anchor.
- Ability to install in conjunction with the LinQ Side Cargo Boxes (13.5 L) for a complete cargo solution.

See table for installation location and requirements.

LinQ Side Cargo Boxes (13.5 L)

Maverick R, Maverick R MAX | **715007372**



- Weatherproof box made of impact-resistant injected polypropylene reinforced with glass fiber.
- Features a maximum storage capacity of 13.5 L each and 5 kg.
- Easy to install, easy to remove thanks to the LinQ system.
- Possibility of installing up to two LinQ 16" accessories between the LinQ Side Cargo Boxes (13.5 L).
- Ability to install in conjunction with the LinQ Trunk Box (96 L) for a complete cargo solution.

See table for installation location and requirements.

LinQ HOLDERS

LinQ Lite Action Camera Holder

Maverick R, Maverick R MAX (2026 & up) | **295101139**



- LinQ Lite attachment system for cameras.
- Provides great vantage points to capture photos and videos.
- Offers 360-angle positioning for perfect filming and taking photos.
- Designed to hold devices securely.
- Fast, easy attachment and removal.

LinQ Lite Device Holder

Maverick R, Maverick R MAX (2026 & up) | **715009201**



- Made with strong magnets that you can trust while riding through rough terrain.
- Includes everything needed for installation on your favorite electronic devices: 2 pre-assembled Can-Am plates with 3M multi-surface adhesive.
- 360° adjustment for an improved driving experience and immersion.
- Secure LinQ Lite attachment allows you to install/remove the holder in seconds.
- Robust plastic and aluminum construction allows for the right fit and easy installation.
- Compatible with the Cellphone Holder (715008786).
- To keep a good vision while driving, we recommend using this device for smartphones only.

LinQ Tool Holder

Maverick R, Maverick R MAX | **715007358**



- Ultra-versatile tool holder.
- Convenient swivel-latch allows tools to be stored in any orientation.
- Sold in pairs.

NEW Tool Holder Bolt-On

Maverick R, Maverick R MAX | **715008896**



- Tool Holder is made to fit the LinQ Cargo Basket (90 L) (715005274), LinQ Cargo Box (53 L) (715006997).
- Convenient swivel-latch allows tools of all shapes to be stored in the proper orientation.
- Sold in pairs.
- Several degrees of adjustment.

LinQ Gear Grips

Maverick R, Maverick R MAX | **715005340**



- Durable and flexible grips provide a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Make transporting your tools a snap by combining the LinQ Gear Grips with the LinQ system.
- 360° orientation.
- Sold in pairs.

LinQ MOUNTING

LinQ Adapter

Maverick R, Maverick R MAX | **715003058**



- Sold in pack of 4.
- Allows the installation of the LinQ Tool Holder on the Adventure Roof Rack.

LinQ Base Installation Kit

Maverick R, Maverick R MAX | **715008125**



- Unique mounting fastener usable on any LinQ system accessory.
- Included: 2 cargo LinQ bases and hardware.

LinQ Lock

Maverick R, Maverick R MAX | **860201968**



- Simple way to securely lock most LinQ accessories.
- Lock cover protects lock from the elements.
- Corrosion resistant.
- Pack of 1, includes 2 keys.

Not compatible with:
- LinQ Tool Holder, LinQ 4.2 US Gal (16 L) Cooler (219400964), LinQ Gun Case (715010936), LinQ Tool Box (715008111) or LinQ Gear Grips (715005340).

Spare Tire Ratchet Tie-Downs

Maverick R, Maverick R MAX | **280000955**



- 3-way ratcheting tie-down strap with loop ends.
- Designed to securely hold spare tires on accessories equipped with integrated spare tire attachment points.
- Adjustable to accommodate most common UTV tire sizes.
- Ratchet and junction ring made of durable zinc-plated steel.
- Required for spare tire attachment on Adventure Roof Rack.

RACKS & STORAGE

RACKS

LinQ Pivoting Rack

Maverick R, Maverick R MAX | **715009465**



- Strong and durable, the LinQ Pivoting Rack helps keep cargo securely in place.
- Anti-corrosion coating with durable powder coat finish.
- Gas cylinder pivot action, locks in the open position.
- Possibility of installing up to three LinQ 16" accessories on top of the rack.
- Compatible with LinQ accessories for installation under the rack.
- Features anchor points for the spare-tire attachment.
- Spare Tire Tie-Downs sold separately.

Adventure Roof Rack

Maverick R | **715007186**
Maverick R MAX | **715008073**



- The ideal cargo solution. Pack all the gear you need to take on any off-road experience.
- Built using lightweight 1.25" (3.2 cm) diameter steel tubing.
- Supports loads of up to 75 lb (34 kg).
- This roof rack features a height adjustment setting to precisely accommodate a stock roof or a roof with Cold Air Roof Scoop.
- Integrated mounting points for lights.
- Features anchor points for a spare tire attachment.
- Can be completed with LinQ Adapter (715003058) on the side.
- The Spare Tire Tie-Downs sold separately.

Required for installation:
- Sport Roof (715007364 or 715008074).

STORAGE

Center Console Bag

Maverick R MAX

715007895



- These weather-resistant bags hold your gear safely and securely while you ride.
- Extra storage solution for front and rear passenger.
- Accessible from front and rear seating position.
- Attach the bag between the seats to maximize unused space and increase the vehicle's cargo capacity.
- Volume 23 L.
- Dedicated pocket for goggles.
- Detachable side pouches for additional storage/garbage.
- Clear side pockets for cellphones.

Shoulder Storage Bag

Maverick R, Maverick R MAX

715007371



- This weather-resistant bag holds your gear safely and securely while you ride.
- Attach the bag between the seats to maximize unused space and increase the vehicle's cargo capacity.
- This bag has a 1.5 gal (6 L) capacity and is equipped with outer netting compartments and a flexible inner net to hold items in place.
- The thermoformed base creates a semi-rigid structure to ease installation.
- Its soft construction makes the bag flexible enough to fit odd-shaped loads.

Not compatible with:
- SMART Helmet Pumper System.

Overhead Storage Bag

Maverick R, Maverick R MAX

715007379



- This weather-resistant bag holds your gear safely and securely while you ride.
- Makes smart use of the overhead space and increases the vehicle's cargo capacity by 2.3 gal (9 L).
- The thermoformed base attaches to the roof for easy bag installation and the soft construction makes the bag flexible enough to fit oddly shaped loads.
- Features a hanging function for easier access to the items in the bag and an integrated net for even more storage space.
- Contains two sections: a fixed bag and a detachable bag that can be carried.
- Easily access your smartphone using the touchscreen-compatible clear front pocket.

Rear Upper Door Storage Bags

Maverick R MAX

715007893



- Weather-resistant bags hold your gear safely and securely while you ride.
- Door bags fit in the upper door opening to increase your vehicle's cargo space.
- Each bag is designed as a 1.3 gal (5 L) capacity pocket and is equipped with inner netting compartments.
- Thermoformed base attaches to the doors, allowing the bags to be installed.
- Its soft construction makes the bag flexible enough to fit odd-shaped loads.
- Added elbow cushions for extra comfort.
- Sold in pairs.

Upper Door Storage Bags

Maverick R, Maverick R MAX

715008065



- These weather-resistant bags hold your gear safely and securely while you ride.
- The door bags fit in the upper door opening to increase your vehicle's cargo space.
- Each bag is designed as a 1.3 gal (5 L) capacity pocket and is equipped with inner netting compartments.
- The thermoformed base attaches to the doors, allowing the bags to be installed.
- Its soft construction makes the bag flexible enough to fit odd-shaped loads.
- Added elbow cushions for extra comfort.
- Sold in pairs.

Lower Door Storage Bags

Maverick R, Maverick R MAX

715007324



- These weather-resistant bags hold your gear safely and securely while you ride.
- The door bags fit in the lower door opening to increase the vehicle's cargo space.
- Each bag is designed as a 1.3 gal (5 L) capacity pocket and equipped with inner netting compartments.
- The thermoformed base attaches to the doors, allowing the bags to be installed.
- Its soft construction makes the bag flexible enough to fit odd-shaped loads.
- Added cushions for extra comfort.
- Sold in pairs.

Not compatible with:
- Door Speakers (Level 5 Audio System).

Passenger Storage Seat Bag

Maverick R, Maverick R MAX

715008080



- This weather-resistant bag holds your gear safely and securely while you ride.
- Bag settling on the passenger's seat to increase the vehicle's cargo capacity.
- This bag features a 14.5 gal (55 L) storage capacity and is divided into two compartments.
- The top compartment is insulated to keep your beverages cold and includes two cup holders.
- Additional pocket inside for additional storage, such as a cell phone.
- The bottom compartment is accessible from both sides and serves as a large pocket for storing various items.
- The detachable pocket at the front of the bag can be used as a garbage bag.

Back Panel Storage Net

Maverick R, Maverick R MAX

715008312



- Storage net behind the passenger's seat for more storage.

Bed Side Doors

Maverick R, Maverick R MAX

715009154



- Creates a storage solution out of the rear bed cavities of the unit.
- Perfect for housing trail and safety items that remain on the vehicle.
- Includes two Bed Side Doors, one for each side.

ACM & SMART ACCESSORIES

ACCESSORY CONTROL MODULE (ACM)

Accessory Control Module

Maverick R, Maverick R MAX (except X rc models)

715010097



- Bringing the SMART to accessories using live vehicle ECU information to maximize your accessory experience.
- Connect your accessories to the 10.25" Color Touchscreen Display.
- Easy accessory installation (plug and play).
- Creates an ecosystem that makes installing accessories quicker and easier.
- Includes ACM Front Harness to connect front-mounted SMART accessories to the Accessory Control Module (two auxiliary connectors available).

Required for installation:
- Requires ACM Rear Harness (715009268) to connect rear-mounted SMART accessories to the Accessory Control Module.
- Accessory Control Center (715010834) is required for 2024 and 2025 models without the 10.25" Touch Display.

Rear ACM Harness

(Not illustrated)

Maverick R, Maverick R MAX

715009268

- Required to connect rear-mounted accessories and rear chase lights to the ACM.
- Creates an ecosystem that makes installing accessories quicker and easier.
- Five auxiliary connectors are available.

X rc Roof Harness

Maverick R, Maverick R MAX (X rc models only)

715010620



- Electric harness required to hook up and operate Roof Lights with ACM.
- Required only for Maverick R X rc.

SMART Control Center for ACM

Maverick R, Maverick R MAX

715010834



- Control accessories with the selection of different modes, the illuminated halo around the button indicates the active mode.
- Icons illuminate when accessories are activated.
- Make accessory control changes without having to take your eyes off the trail by choosing the accessory button required (quick access).
- All Front LED Off button to turn off all front lights with one click. Remembers the last programmed setups when this button is pressed again.
- 6 pre-programmed buttons (Light Bars, PowerFlip Windshield, All Front LED Off, Corner Lights) and 10 programmable buttons to customize according to the accessories installed.

Required for installation:
- Accessory Control Module.

SMART ACCESSORIES

NEW SMART 15" (38 cm) LED Light Bar

Maverick R, Maverick R MAX

715008746



- The perfect combination of powerful white and selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 24 white LEDs and 12 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 12,000 raw lumens and the selective yellow 5,280 raw lumens, delivering stunning lighting performance.
- Features a signature LED light that enhances the vehicle's appearance when not activated.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Color change by quickly flicking the switch.
- SMART options: Off, Low, High, color change and SMART Automatic Mode.
- SMART MODE: Intensity increases or decreases, and the Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).
- ECE R10 Certified.

See table for compatibility, installation location and requirements

SMART 10" (25 cm) LED Light Bar

Maverick R, Maverick R MAX

715008745



- The perfect combination of powerful white and selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 16 white LEDs and 8 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 8,100 raw lumens and the selective yellow 2,640 raw lumens, delivering stunning lighting performance.
- The lens is made from hard-coated polycarbonate.
- Features a signature LED light that enhances the vehicle's appearance when not activated.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Color change by flicking the switch quickly.
- SMART options: Off, Low, High, color change and SMART Automatic Mode.
- SMART MODE: Intensity increases or decreases and Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).
- ECE R10 Certified.

See table for installation and requirements.

SMART 40" (102 cm) LED Light Bar

Maverick R, Maverick R MAX

715008747



- The perfect combination of powerful white or selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 64 white LEDs and 32 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 32,000 raw lumens and the selective yellow 10,560 raw lumens, delivering stunning lighting performance.
- Features a signature LED light that enhances the vehicle's appearance when not activated.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Color change by flicking the switch quickly.
- SMART options: Off, Low, High, color change and SMART Automatic Mode.
- SMART MODE: Intensity increases or decreases and Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).
- ECE R10 Certified.

See table for installation location and requirements.

NEW SMART 40" (102 cm) LED Light Bar Mounts – Low

Maverick R, Maverick R MAX,

715010843



- Allows you to install the SMART 40" (102 cm) LED Light Bar (715008747) directly on the vehicle cage or on the Sport Roof.
- Premium steel construction with a durable black powder-coated finish for long-lasting protection.
- Simple bolt-on design for quick, hassle-free installation.
- 3.75" (9.5 cm) overall height.

See table for installation location and requirements.

Not compatible with:
- Cold Air Roof Scoop (715008280 or 715008301), Can-Am JL Audio Roof (715007309 or 715007967).

NEW SMART 40" (102 cm) LED Light Bar Mounts – High

Maverick R, Maverick R MAX

715010844



- Allow you to install the SMART 40" (102 cm) LED Light Bar (715008747) directly on the vehicle with or without a Roof Scoop.
- Premium steel construction with a durable black powder-coated finish for long-lasting protection.
- Simple bolt-on design for quick, hassle-free installation.
- 7.48" (19 cm) overall height.


See table for installation location and requirements.

SMART Integrated LED Roof Light

Maverick R, Maverick R MAX | **715007322**



22,100 lumens



- Mounted under the roof for a signature look.
- Intensity varies (increases or decreases) according to the speed of the vehicle with the installation of the Accessory Control Module (ACM) (Spot/Flood ratio).
- Spot/Flood combo beam.
- 22,100 lumens.
- Off/Low/High (switch activated).
- Off/Low/High/SMART Automatic Mode (Accesssory Control Module (ACM) activated).
- ECE R10 Certified.

Required for installation:
- Accessory Control Module (715010097 or 715010620) is required for SMART functionality.
- Electric Harness (715008209) required to hook up and operate the Integrated LED Roof Light (715007322) for on/off function when ACM is not installed.


Not compatible with:
- Powerflip Windshield (715009900).

SMART Integrated LED Hood Light

Maverick R, Maverick R MAX | **715007378**



5,250 lumens



- Mounted flush inside the hood scoop for a signature look.
- Intensity varies (increases or decreases) according to the speed of the vehicle with the installation of the Accessory Control Module (ACM) (Spot/Flood ratio).
- Spot/Flood combo beam.
- 5,250 lumens.
- Off/Low/High (switch activated).
- Off/Low/High/SMART Automatic Mode (Accesssory Control Module (ACM) activated).
- ECE R10 Certified.


Required for installation:
- Accessory Control Module (715010097) is required for SMART functionality.
- Wiring Harness (715008211) required for on/off function when ACM is not installed. Sold separately.

SMART Integrated LED Side Mirror Lights

Maverick R, Maverick R MAX | **715007185**



3,000 lumens



- Light up corners.
- Increase the width of the beams and illuminate the wheels for increased visibility.
- Wide flood beam.
- 3,000 lumens for each light.
- Left and right dynamic lighting with Accessory Control Module (ACM) install. Follow steering wheel input.
- ECE R10 Certified.

Required for installation:
- Require Aluminum Side Mirrors (715007363).
- Accessory Control Module (715010097) is required for SMART functionality.
- Electric Harness required (715008212) to hook up and operate the Integrated LED Side Mirror Lights for on/off function when ACM is not installed.

SMART LED Chase Lights

Maverick R, Maverick R MAX | **715007727**



- Designed by Can-Am to make you visible to vehicles riding behind you, especially in dusty or harsh conditions.
- Four modes available:
  - Trail Mode: serves as a taillight and as a brake light.
  - Chasing Mode: displays amber light pattern and serves as a brake light.
  - Work Mode: white light to light up your cargo bed.
  - Reverse Mode (when connected with Accessory Control Module (ACM)): serves as a back up light.
- Modular to allow installation with rear roll cage mounted accessories.
- Plug-and-play installation with the Accessory Control Module (ACM).
- The Cold Air Roof Scoop limits the performance of the Chase Lights to only the two outside portions and not the center.
- ECE R10 Certified.

Required for installation:
- Accessory Control Module (715010097) and Rear ACM Harness (715009268) are required for SMART functionality.
- Electric Harness (715008210) required to hook up and operate the LED Chase Lights (715007727) for a non-smart function when ACM is not installed.

NEW SMART Helmet Pumper System

Maverick R	Coming soon
Maverick R MAX	Coming soon



- Creates positive air pressure inside the helmet to prevent dust intrusion.
- Continuously circulates fresh, cool air to reduce heat buildup.
- Optimized housing paired with two high static-pressure fans delivers superior airflow and volume—outperforming any other helmet pumper.
- Includes two ultra-light, flexible, expandable breathing hoses stretching from 26" (68 cm) to 72" (1.8 m).
- MAX: Includes four ultra-light, flexible, expandable breathing hoses, two stretching from 26" (68 cm) to 72" (1.8 m) and two from 47" (1.2 m) to 128" (3.2 m).
- 3-stage high-flow filtration system for maximum performance and longer filter life: Washable, splash-proof pre-filter. Washable foam second stage. Dry media final filter.
- Two mounting systems for versatile installation: direct bolt-on or half-clamp.
- SMART Mode: automatically adjusts fan speed based on vehicle speed/RPM when paired with an ACM.
- Without ACM, the system operates in ON/OFF mode only.
- Caps for unused outlets to increase airflow can be placed on the ends of the hoses after use and hung from the roof area using the rubber straps.
- Includes rubber straps to secure hoses (4 for 2-Up models, 10 for MAX models).

Required for installation:
- SMART: Accessory Control Module (715009121) and Rear ACM Wiring Harness (715009268)
- Not SMART: Helmet Pumper System Harness (715008905)

Not compatible with:
- Shoulder Storage Bag (715007371) and LinQ Lite Multi Holder (295100977)

SMART Particle Separator

Maverick R, Maverick R MAX — **715007187**



- Filters up to 96% of the dust prior to air intake.
- Fan speed adjusts with vehicle speed/RPM when equipped with ACM (Accessory Control Module).
- Mounts directly to the stock air intake duct.
- IP68 fan.
- Keeps your air filter clean longer.
- Maintains engine performance.

Required for installation:
- Air Intake Tube (706600403) is currently required for installation.
- Requires Particle Separator Harness (715008890) when not equipped with the ACM.

SMART PowerFlip Intermittent Windshield Wiper & Washer Kit

Maverick R, Maverick R MAX — **715008555**



- Washer fluid dispenser is perfectly concealed on the vehicle.
- SMART and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM.

Required for installation:
- Powerflip Windshield (715009900).
- SMART: Accessory Control Module (715010097).
- Not SMART: Electric Harness (715008855).

SMART Intermittent Wiper & Washer Kit

Maverick R, Maverick R MAX — **715007173**



- An ideal way to keep your windshield clear in the rain, or while riding through mud and water.
- The wiper mechanism and washer fluid dispenser are perfectly concealed on the vehicle.
- The wiper and washer fluid dispenser installs at the bottom of the windscreen for maximum visibility.
- For use on glass or hardcoated windshields.
- SMART and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM.

Required for installation:
- Electric Harness (715008855) required to hook up and operate the Wiper & Washer Kit (715007173) for on/off function when ACM is not installed.

NEW SMART 40" (102 cm) LED Light Bar Harness

(Not illustrated)

Maverick R, Maverick R MAX — **715010831**

- Required for the installation of the SMART 40" (102 cm) LED Light Bar (715008747) if the ACM is not installed.

NEW Helmet Pumper System Harness

Maverick R, Maverick R MAX — **715008905**



- Required for the installation of the SMART Helmet Pumper System if the ACM is not installed.

LIGHTS

CAN-AM LIGHTS WITH ACM

SMART FUNCTIONALITY

① CHOOSE YOUR MOUNT POINT	② CHOOSE YOUR LIGHTS						
	SMART Integrated LED Roof Light **715007322**	SMART Integrated LED Hood Light **715007378**	SMART Integrated LED Side Mirror Lights **715007185**	SMART LED Chase Lights **715007727**	SMART 40" (102 cm) LED Light Bar **715008747**	SMART 10" (25 cm) LED Light Bar **715008745**	SMART 15" (38 cm) LED Light Bar **715008746**
Vehicle Integrated	Accessory Control Module **715010097** or X rc Roof Harness **715010620** (X rc models only)	Accessory Control Module **715010097**	Aluminum Side Mirrors **715007363** + Accessory Control Module **715010097**	Accessory Control Module **715010097** + Rear ACM Harness **715009268**	No compatibility		
Front Bumper X rc (715010008)	No compatibility				No compatibility	Front Bumper X rc Light Support **715010532** + Accessory Control Module **715010097*** (for non XRC model) *Not compatible with Accessory Control Module **715009796**	
Desert Front Bumper (715007311, 715007691 or 715009926)						Accessory Control Module **715010097** *Not compatible with Accessory Control Module **715009796**	Accessory Control Module **715010097** *Not compatible with Accessory Control Module **715009796**
Trail Front Bumper (715010071, 715010072 or 715009925)							No compatibility
Sport Roof with Light Support Bar (715003529)					Accessory Control Module **715010097** or X rc Roof Harness **715010620** (X rc models only) *Not compatible with Accessory Control Module **715009796**		Accessory Control Module **715010097** *Not compatible with Accessory Control Module **715009796**
Audio Roof (no additional bracket needed)						No compatibility	
Adventure Roof Rack (715007186 or 715008073)							
SMART 40" (102 cm) LED Light Bar Mounts (715010843 or 715010844)							

*All lights are intended for off-road use only.

CAN-AM LIGHTS WITHOUT ACM

ON/OFF FUNCTIONALITY

① CHOOSE YOUR MOUNT POINT	② CHOOSE YOUR LIGHTS						
	SMART Integrated LED Roof Light **715007322**	SMART Integrated LED Hood Light **715007378**	SMART Integrated LED Side Mirror Lights **715007185**	SMART LED Chase Lights **715007727**	SMART 40" (102 cm) LED Light Bar **715008747**	SMART 10" (25 cm) LED Light Bar **715008745**	SMART 15" (38 cm) LED Light Bar **715008746**
Vehicle Integrated	Integrated LED Roof Light Wiring Harness **715008209**	Integrated LED Hood Light Wiring Harness **715008211**	Aluminum Side Mirrors **715007363** + Integrated LED Side Mirror Lights Wiring Harness **715008212**	LED Chase Lights Wiring Harness **715008210**	No compatibility	No compatibility	
Front Bumper X rc (715010008)	No compatibility					Lights Wiring Harness **715009886**	Lights Wiring Harness **715009886**
Desert Front Bumper (715007311, 715007691 or 715009926)							
Trail Front Bumper (715010071, 715010072 or 715009925)							No compatibility
Sport Roof with Light Support Bar (715003529)					Lights Wiring Harness **715010831**		
Audio Roof (no additional bracket needed)						No compatibility	
Adventure Roof Rack (715007186, 715008073)							
SMART 40" (102 cm) LED Light Bar Mounts (715010843 or 715010844)	N/A						

*All lights are intended for off-road use only.

BAJA LIGHTS WITH ACM

① CHOOSE YOUR MOUNT POINT	② CHOOSE YOUR LIGHTS				
	40" (102 cm) Baja Designs OnX6 Arc LED Light Bar **710006818**	10" (25 cm) Baja Designs OnX6 LED Light Bar **710006819**	Baja Designs XL Sport LED Lights **710006821**	Baja Designs Squadron Sport LED Lights **710006820**	Baja Designs XL80 LED Lights **710005041**
Front Bumper X rc (715010008)	No compatibility	Front Bumper X rc Light Support **715010532** + LED Light Bars ACM Adaptor **715008213** OR Light Harness for X rc models **715010830**	Front Bumper X rc Light Support **715010532** + LED Lights ACM Adaptor **715007715** OR Light Harness for X rc models **715010830**		
Desert Front Bumper (715007311, 715007691 or 715009926)		LED Light Bars ACM Adaptor **715008213** OR Light Harness for X rc models **715010830**	LED Lights ACM Adaptor **715007715** OR Light Harness for X rc models **715010830**		
Trail Front Bumper (715010071, 715010072 or 715009925)					
Roof with Light Support Bar (715003529)	LED Light Bars ACM Adaptor **715008213** + X rc Roof Harness **715010620** (X rc models only)	No compatibility	LED Lights ACM Adaptor **715007715** + X rc Roof Harness **715010620** (X rc models only)		
Sport Roof with Roof Light Mounting Kit – Low Position (715008585)			No compatibility		
Sport Roof with Roof Light Mounting Kit – High Position (715007930)					
Adventure Roof Rack (715007186, 715008073)			LED Lights ACM Adaptor **715007715** + X rc Roof Harness **715010620** (X rc models only)		

*All Baja lights are not ACM compatible with Maverick R X rc models.

BAJA LIGHTS WITHOUT ACM


① CHOOSE YOUR MOUNT POINT	② CHOOSE YOUR LIGHTS				
	40" (102 cm) Baja Designs OnX6 Arc LED Light Bar **710006818**	10" (25 cm) Baja Designs OnX6 LED Light Bar **710006819**	Baja Designs XL Sport LED Lights **710006821**	Baja Designs Squadron Sport LED Lights **710006820**	Baja Designs XL80 LED Lights **710005041**
Front Bumper X rc (71501008)	No compatibility	Front Bumper X rc Light Support **715010532** + Wiring Harness **715008863**	Front Bumper X rc Light Support **715010532** + Wiring Harness **715008865**		Front Bumper X rc Light Support **715010532** + Wiring Harness **715008863**
Desert Front Bumper (715007311, 715007691 or 715009926)		Wiring Harness **715008863**	Wiring Harness **715008863**	Wiring Harness **715008863**	Wiring Harness **715008863**
Trail Front Bumper (715010071, 715010072 or 715009925)					
Roof with Light Support Bar (715003529)	Wiring Harness **715008864**	No compatibility			
Roof Light Mounting Kit – Low Position (715008585)					
Roof Light Mounting Kit – High Position (715007930)					
Adventure Roof Rack (715007186, 715008073)		Wiring Harness **715008863**	Wiring Harness **715008863**	Wiring Harness **715008863**	Wiring Harness **715008863**
③ ORDER	**ORDER ALL PART NUMBERS IN INTERSECTING BOX** *Note: When installing more than one light kit, additional light power cable or mounting kit is required.				

*All lights are intended for off-road use only.

40" (102 cm) Baja Designs OnX6 Arc LED Light Bar

Maverick R, Maverick R MAX | **710006818**






- 252 W light bar producing 29,000 lumens.
- Equipped with 24 Cree XM-L2 LEDs.
- Driving/combo light pattern for smooth blend of light for both near field applications and distance.
- Designed for installation onto Light Support Bar equipped roofs.

See table for installation location and requirements.

Baja Designs 10" (25 cm) OnX6 LED Light Bar

Maverick R, Maverick R MAX | **710006819**






- 108 W light bar producing 12,460 lumens.
- Equipped with 6 Cree XM-L2 LEDs.
- Driving/combo light pattern for smooth blend of light for both near field applications and distance.
- Dual intensity (high/low) settings.

See table for installation location and requirements.

Baja Designs XL80 LED Lights

Maverick R, Maverick R MAX | **710005041**






- 80 W per spot producing 9,500 lumens.
- Equipped with 4 Cree XHP50 LEDs per spot.
- Dual intensity (high/low) settings.
- Driving/combo light pattern for smooth blend of light for both near field applications and distance.
- Sold in pairs.
- Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).

See table for installation location and requirements.

Baja Designs Squadron Sport LED Lights

Maverick R, Maverick R MAX | **710006820**






- 26 W per spot producing 3,150 lumens.
- Equipped with 4 Cree XP-G2 LEDs per spot.
- Wide cornering light pattern designed specifically for cornering, dust and/or fog conditions.
- Sold in pairs.
- Dimensions: 3" x 3" (7.6 cm x 7.6 cm).

See table for installation location and requirements.

Baja Designs XL Sport LED Lights

Maverick R, Maverick R MAX | **710006821**





- 26 W per spot producing 3,150 lumens.
- Equipped with 4 Cree XP-G2 LEDs per spot.
- High Speed Spot features a longer and narrower beam focus for illumination farther down.
- Sold in pairs.
- Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).

See table for installation location and requirements.

Dome Light

Maverick R, Maverick R MAX | **715009228**



- Offers an optimal visibility in the cab and integrates perfectly with the vehicle.
- 160 lumens of soft white light ensures clear visibility of the surroundings.
- Built-in on/off button on the light.
- Wiring included.
- Can be installed on cage or Sport Roof.

Not compatible with:
- Audio Roof.

Light Support Bar

Maverick R, Maverick R MAX | **715003529**



- Sleekly styled rugged aluminum construction.
- Full vehicle width to allow the installation of any large LED light bar.
- Required for light installation on vehicle's roof.
- Lights sold separately.

Front Bumper X rc Light Support

Maverick R, Maverick R MAX | **715010532**



- Required for lights on Front Bumper X rc (715010008).

Baja Designs Light Mounting Kit – High Position

Maverick R, Maverick R MAX | **715007930**



- Mounting system for 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar.
- Compatible with the Cold Air Roof Scoop.

Baja Designs Light Mounting Kit – Low Position

Maverick R, Maverick R MAX | **715008585**



- Mounting system for 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar.

Not compatible with:
- Cold Air Roof Scoop.

NEW Baja Designs Lights Wiring Harness

(Not illustrated)

Maverick R (X rc models only) | **715010830**

- To allow the installation of Baja lights on front bumper of X rc models.

Required for installation:
- Front Bumper X rc Light Support (715010532).

Lights Wiring Harness

Maverick R, Maverick R MAX | **715009886**



- Power cable for installation of the SMART 10" (25 cm) LED Light Bar (715008745).

AUDIO

Can-Am JL Audio System – Level 5

Maverick R, Maverick R MAX

715007957



- Orchestrated for outstanding sound quality and calibrated to enhance your audio experience.
- Designed to fit the vehicle perfectly for a fully integrated look.
- Designed to be Can-Am tough in the most demanding riding conditions.
- Controlled by the 10.25" Touch Display or by the Can-Am JL Audio Source Unit.
- Made using premium JL Audio components, including six 6.5" (165 mm) speakers (two dash, two door and two surround speakers), as well as two 10" (254 mm) under-seat 250 W subwoofers that will enhance both the driver's and the passenger's experience.
- Speakers include an adjustable RGB LED cone illumination.
- Uses one MX500/4 to power up our six speakers, and one MX500/1 to feed the under-seat subwoofers.
- Complements the Can-Am Audio Roof – Level 4 (715007309).
- Vol Up/Down Switch (710010952) can be added to control volume separately from the Touchscreen control.

Required for installation:
- Can Am JL Audio Source Unit (715008230) for vehicle without 10.25" Touch Display.

Can-Am JL Audio Roof – Level 4

Maverick R

715007309

Maverick R MAX

715007967



- Full roof with premium JL Audio System for Maverick R.
- Features fully sealed and waterproofed components and construction.
- Easy to install and connect.
- Controlled by the 10.25" Touch Display or by the Can-Am JL Audio Source Unit.
- Its weatherproof components include four 7.7" coaxial speakers (6 speakers for MAX) and a 500-watt amplifier.
- The system is expertly tuned for exceptional sound when you're riding in your Maverick R.
- Speakers include an adjustable RGB LED cone illumination, controlled via an app on your smartphone.
- When combined with the Can-Am Audio System – Level 3 (715007954) or Level 5 (715007957), it provides the ultimate sound experience.
- Vol Up/Down Switch (710010952) can be added to control volume separately from the Touchscreen control.

Not compatible with:
- Adventure Roof Rack (715008073 or 715007186).

Required for installation:
- Can Am JL Audio Source Unit (715008230) for vehicle without 10.25" Touch Display.

Can-Am JL Audio System – Level 3

Maverick R, Maverick R MAX

715007954



- Orchestrated for outstanding sound quality and calibrated to enhance your audio experience.
- Designed to fit the vehicle perfectly for a fully integrated look.
- Designed to be Can-Am tough in the most demanding riding conditions.
- Controlled by the 10.25" Touch Display or by the Can-Am JL Audio Source Unit.
- Made using premium JL Audio components, including four 6.5" (165 mm) speakers (two dash and two surround speakers), and a 10" (254 mm) under-seat 250 W subwoofer that will enhance both the driver's and the passenger's experience.
- Uses one MX280/4 to power up our four speakers, and one MX500/1 to power up the under-seat subwoofer.
- Easy to install, with the option to add a second subwoofer (715007310).
- Complements the Can-Am Audio Roof – Level 4 (715007309).
- Vol Up/Down Switch (710010952) can be added to control volume separately from the Touchscreen control.

Required for installation:
- Can Am JL Audio Source unit (715008230) for vehicle without 10.25" Touch Display.

Can-Am JL Audio Roof Flip Kit

Maverick R, Maverick R MAX

715008164




- Combines with the Can-Am JL Audio Roof – Level 4 (715007309 or 715007967) for Flip option.

Not compatible with:
- Cold Air Roof Scoop (715008280, 715008301) and Adventure Roof Rack (715007186, 715008073).

Can-Am JL Audio Subwoofer

Maverick R, Maverick R MAX

715007310



- Orchestrated for outstanding sound quality and calibrated to enhance your audio experience.
- Designed to be Can-Am tough in the most demanding riding conditions.
- Easy to install, this 10" (254 mm) under-seat 250 W subwoofer enhances both the driver's and the passenger's experience.
- When combined with the Can-Am Audio System – Level 3 (715007954) or with the Can-Am Audio Roof – Level 4 (715007309), this premium JL Audio component creates the ultimate sound experience.
- To add one or two subwoofers to the Can-Am JL Audio Roof – Level 4, a Can-Am JL Audio Amplifier (715007714) is required.

Can-Am JL Audio Amplifier

Maverick R, Maverick R MAX

715007714



- Orchestrated for outstanding sound quality and calibrated to enhance your audio experience.
- Designed to fit the vehicle perfectly for a seamless integration.
- Designed to be Can-Am tough in the most demanding riding conditions.
- This MX500/1 is a premium JL Audio component and is used to feed one or two 250 W under-seat subwoofers.
- When combined with the Can-Am Audio Roof – Level 4 (715007309 or 715007967), it creates the ultimate sound experience.
- To add one or two subwoofers to the Can-Am JL Audio Roof – Level 4, this item is required.
- Easy to install, mounting support included.

Can-Am JL Audio Source Unit

Maverick R, Maverick R MAX

715008230



- Required with all Can-Am Audio JL levels installed on vehicles without 10.25" Touch Display.
- Designed to fit the vehicle perfectly for a fully integrated look.
- AM/FM/Bluetooth compatible.

NEW Vol Up/Down Switch

Maverick R, Maverick R MAX

710010952



- Volume control is now possible using this switch independently of the touchscreen display.

ELECTRICAL & ELECTRONIC ACCESSORIES

10.25 in. Color Touchscreen Display Protector

Maverick R (with 10.25" Touch Display), Maverick R Max (with 10.25" Touch Display)

860202680



- Tempered glass – 0.3 mm thick.
- 9H hardness for tough protection.
- 100% bubble free adhesive.
- Anti-scratch, anti-glare and anti-fingerprint.
- Maintains 99.99% clarity.
- Easy to clean.
- Includes cleaning tools: wet wipe, dry wipe, dust absorber and soft cloth.

GPS Module with Group Ride

(Not illustrated)

Maverick R, Maverick R MAX

86860202990 (US)
860203151(EU)

- Enables live location sharing offline with friends and other vehicles around.
- Works without phone connection or cellular network, for a range of 1+ miles (1.6 km) depending on terrain.
- Embedded topographic maps and GPS function included.
- Module update has to be done in dealership.
- Included on all models with 10.25" Touch Display.
- Retrofit for 2024, 2025 & 2026 vehicles with 10.25" Touch Display.
- Requires 2 bolts M6x50 (250000749) for the retrofit on SSV.

Electronic Device Holder

Maverick R, Maverick R MAX

715007176



- Increases the storage capacity of the glovebox by 1 gal (4 L), with secure magnetic adjustable support for your electronic device.
- Robust injected fiber-reinforced-polypropylene construction allows for the right fit and easy installation.
- Magnet 10 times stronger than any electronic device's weight, ride through rough terrain confidently.
- 2 possible positions for your electronic device: Portrait & Landscape. Adjustable support with 2 positions: facing the passenger or towards the driver for an improved driving experience and immersion.
- Includes everything needed for installation on your favorite electronic devices: 2 pre-assembled Can-Am plates with 3M multi-surface adhesive.

Cellphone Holder

Maverick R, Maverick R MAX

715008786



- Water resistant door allows for perfect phone positioning.
- Features capacitive and resistive touch screen technology.
- Spring system in back plate automatically adjusts for thickness.
- Fits all cellphones within 7.2" (185 mm) x 3.3" (85 mm) x 0.6" (15 mm) dimensions.
- Works with almost all charger wires.
- Does not include cellphone or charging wires.

Required for installation:
- Electronic Device Holder (715007176) or LinQ Lite Device Holder (715009201) for the Cellphone Holder to be supported.

Auxiliary Battery Installation Kit

Maverick R, Maverick R MAX

715007837



- Allows the rider to add a second battery and/or replace the original battery (18 Ah or 30 Ah) for a dual battery setup. Recommended to power auxiliary electrical components such as sound systems or winches.
- Automatic rundown protection.
- Installs behind the seat for easy access.
- Equipped with an electronic module that prevents the auxiliary electrical components from draining the original battery.

Required for installation:
- Requires the purchase of a second battery and battery hardware (not included and sold separately).

WINCHES

CAN-AM HD WINCHES

NEW Can-Am HD 5500 Winch

Maverick R, Maverick R Max

715010192



- Pulling strength capability of 5,500 lb (2,494 kg).
- Includes 34.4' x 9⁄32" (10.5 m x 7.2 mm) steel cable.
- Heavy-duty 4-way roller fairlead.
- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- IP68 waterproofing prevents water and environmental intrusions.
- Weather-sealed corded remote and dash-mounted switch.
- CE & UKCA Compliant.
- Operate the winch remotely when you're not on the vehicle with the Wireless Winch Remote (715008286) (sold separately).

Required for installation:
- Winch Electrical Harness (715008850), Winch Roller Fairlead Spacer (715008922) and winch-compatible front bumper.

NEW Can-Am HD 5500-S Winch

Maverick R, Maverick R Max

715010193



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- EPDM Winch Cable Stopper included (715009921).
- Can-Am Winch Hook included (715011610).
- Sealed solenoid for all-weather protection.
- IP68 waterproofing prevents water and environmental intrusions.
- Weather-sealed corded remote and dash-mounted switch.
- Pulling strength capability of 5,500 lb (2,494 kg).
- 9⁄32" x 40' (7 mm x 12.2 m) synthetic rope.
- Corrosion-proof aluminum Hawse fairlead.
- Operate the winch remotely when you're not on the vehicle with the Wireless Winch Remote (715008286) (sold separately).
- CE & UKCA Compliant.

Required for installation:
- Winch Electrical Harness (715008850) and winch-compatible front bumper.

Can-Am HD 4500 Winch

Maverick R, Maverick R MAX

715011705



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Weather sealed corded remote and dash mounted switch.
- CE & UKCA Compliant.
- Pulling strength capability of 4,500 lb (2,041 kg).
- 43' of 15⁄64" (13 m of 6.3 mm) wire steel cable.
- Heavy-duty 4-way roller fairlead.

Required for installation:
- Winch Electrical Harness (715008850), Winch Roller Fairlead Spacer (715008922) and winch compatible front bumper.

Can-Am HD 4500-S Winch

Maverick R, Maverick R MAX

715011706



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Weather-sealed corded remote and dash mounted switch.
- Pulling strength capability of 4,500 lb (2,041 kg).
- 50' of ¼" (15.2 m of 6.35 mm) synthetic rope.
- Corrosion-proof aluminum Hawse fairlead.
- CE & UKCA Compliant.

Required for installation:
- Winch Electrical Harness (715008850) and winch compatible front bumper.

WINCH ACCESSORIES

Winch Cable Stopper

All Can-Am HD Winches | **715009921**



- Made of EPDM, a highly durable synthetic rubber.
- The Winch Cable Stopper isn't just for looks. It helps extend the life of the winch, rope, hook and fairlead.
- In addition, the split design makes it easy to install.

NEW Can-Am HD Winch Auto-Stop

Can-Am HD Winch | **715010042**



- The Auto Stop Mechanism pauses rope intake to avoid over-spooling and keep your synthetic rope protected for long-term use.
- Requires synthetic winch rope (NOT compatible with steel cable).

NEW Can-Am HD Hawse Fairlead

Can-Am HD Winch | **715010966**



- A must-have when upgrading your winch to a synthetic cable.
- Corrosion-proof die-cast aluminum Hawse fairlead.
- Finished with a black powder-coated surface.
- Must be used with synthetic cables only.

Can-Am HD Hawse Fairlead

Can-Am HD Winch | **715006426**



- A must when upgrading your winch with a synthetic cable, this corrosion-proof aluminum Hawse fairlead will prevent the cable from snapping in a corner of a roller fairlead and from wearing prematurely due to the rough surface of the worn roller guide.
- Must be used with synthetic cables only.

WARN Hawse Fairlead

WARN Winch | **715007785**



- Double-powder-coated construction.
- To be used with synthetic winch cables only.

Winch Roller Fairlead Spacer

Maverick R, Maverick R MAX | **715008922**



- Required when using a Winch and Roller Fairlead with a wire cable.
- Made of aluminum, with an anti-corrosion finish.

Synthetic Winch Cable

Can-Am HD Winch | **715006430**
WARN Winch | **715007783**



- 50' of ¼" (15.2 m of 6.35 mm) synthetic cable for Can-Am HD winches.
- Can-Am HD Hawse Fairlead (715006426) is required when upgrading to a synthetic cable to avoid premature cable damage and wear.
- WARN Hawse Fairlead (715007785) is required when upgrading to a synthetic cable to avoid damage and premature wear of the cable.

Wire Rope Replacement

Can-Am HD Winch | **705014978**
WARN Winch | **715006699**



- 43' of 15⁄64" (14.3 m of 6.3 mm) wire rope for Can-Am HD Winch.
- 55' of ¼" (16.8 m of 6.35 mm) wire rope for WARN winch kit.
- 4,500 lb (2,041 kg) pulling strength.

Synthetic Cable Extension

715001120



- Lightweight ¼" (6.35 mm) diameter, easy to handle and won't rattle in cargo box.
- Easily attaches to winch cable to provide additional 50' (15.2 m) of distance.
- 4,500 lb (2,041 kg) single line capacity.

Winch Electrical Harness
(Not illustrated)

Maverick R, Maverick R MAX

715008850

- Required for winch installation.

NEW Can-Am HD Winch Hook

Can-Am HD Winch

715011610 · Platinum Silver



- Heavy-duty, forged, and heat-treated steel hook for maximum strength.
- Unique and premium design with a Can-Am-stamped logo.
- Durable cast-aluminum latch with a functional 1" opening.
- Integrated pulling strap for quick and easy handling.
- Finished with a platinum-silver powder coating for long-lasting protection.

Wireless Winch Remote

Can-Am HD Winch

715008286



- On/Off and Winch In/Winch Out buttons with LED indicator light.
- Large Winch In/Winch Out buttons for easy activation with gloves.
- Ergonomic remote handle shape with a trigger-like holding protrusion.
- Quick and easy to install, thanks to a wiring harness with an integrated antenna and all necessary mounting hardware.
- Allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options.
- All components are IP67 sealing rated.
- The remote also floats in case it's dropped during a deep water recovery.
- Dash and handlebar mounting options.
- Compatible with all Can-Am HD winches.

Wired Remote Control

Can-Am HD Winch‡

715006504



- This kit allows winch owners to add the hand-held remote to vehicles with a stock winch.
- OEM stock winch is sold separately.
- EC compliant.

† *Harness (710001023) is required to use remote control on a vehicle with a factory installed winch.*
‡ *Remote Control (710007050) and connection socket are included.*

RECOVERY

NEW Can-Am Retractable Rope System

Maverick R, Maverick R MAX

715010190



- Tow a disabled vehicle easily.
- 11 ft. self-retracting tow rope for quick and convenient operation.
- 3,200 lb (1,450 kg) towing capacity.*
- Ready to use with an integrated soft shackle for simple hookup.
- Rope is easy to replace with no threading required.
- Lightweight design makes it easier to carry, thanks to its built-in handle.
- Weight: 14.7 lb (6.67 kg).
- Compact design fits all Can-Am off-road hitch receivers and most units with a 2" receiver.

**Never exceed vehicle max towing capacity.*

NEW Can-Am Winch Accessory Kit

Maverick R, Maverick R MAX

715010814



- Complete recovery kit featuring a Can-Am Soft Shackle (715010577), Recovery Ring (715010836) and Tree Saver Strap.
- Durable Tree Saver Strap—8' x 3" wide with folded eyes and an abrasion guard.
- Includes a carrying bag to keep all components organized.
- For synthetic rope only.

NEW Can-Am Kinetic Recovery Kit

Maverick R, Maverick R MAX

715010837



- Includes a Kinetic Rope (715010835) and two Soft Shackles (715010577).
- Comes with a practical roll-top carrying bag that offers plenty of space to add additional recovery accessories.
- Features drain hole to allow water to escape.

NEW Can-Am Soft Shackle

Maverick R, Maverick R MAX | **715010577**



- ⅜ in. (9.5 mm) x 12 in. (30.4 cm) loop UHMWPE soft shackle.
- 21,000 lb (9,525 kg) breaking strength.
- 4,200 lb (1,905 kg) working load limit.
- Lightweight, ultra-strong 12-strand UHMWPE braid offers steel-like strength with added flexibility.
- Provides a quick, strong connection thanks to the “dog bone” rigid piece, which easily locks the loop.
- Protective covering to reduce early damage.

NEW 2" Soft Shackle Hitch Receiver

Maverick R, Maverick R MAX | **715010784**



- Provides a reliable recovery solution that plugs directly into any 2" receiver.
- 8,000 lb (3,636 kg) working load limit.
- Forged aluminum construction with a durable viper-red powder-coated finish.
- Easy installation: slide the shackle mount into the receiver and secure it with a hitch pin (not included).
- Compatible with the Can-Am Soft Shackle (715010577) for a complete recovery setup.

NEW Can-Am Kinetic Recovery Rope (⅝" x 25')

Maverick R, Maverick R MAX | **715010835**



- 15,000 lb (6,803 kg) breaking strength.
- 3,000 lb (1,360 kg) working load limit.
- Product size: ⅝" x 25' (16 mm x 7.6 m).
- Our kinetic energy rope stretches up to 30%.
- Each rope is built from heavy-duty synthetic fiber engineered to withstand repeated use in the harshest off-road conditions. Reinforced protective sleeves add extra durability and help guard against wear in high-friction areas.
- Kinetic ropes provide superior pulling power by stretching up to 30% to store and release kinetic energy.
- This controlled stretch reduces shock on both vehicles, making recoveries smoother and safer than traditional tow straps.
- From mud to sand to snow, these ropes deliver the forward momentum needed to break free.

NEW Recovery Ring

Maverick R, Maverick R MAX | **715010836**



- Change the direction of your pull.
- Machined from premium aluminum alloy.
- Features a black hard-anodized, ultra-smooth, low-friction finish that delivers long-lasting durability in a sleek design.
- This recovery ring is perfectly sized to fit the Can-Am Soft Shackle (715010577) and works flawlessly with synthetic winch ropes below ½".
- Working load limit: 6,600 lb.
- Minimum breaking strength: 33,000 lb.
- For use with synthetic winch rope only and a soft shackle.

PERFORMANCE

NEW SMART Helmet Pumper System

Maverick R | Coming soon
Maverick R MAX | Coming soon



- Creates positive air pressure inside the helmet to prevent dust intrusion.
- Continuously circulates fresh, cool air to reduce heat buildup.
- Optimized housing paired with two high static-pressure fans delivers superior airflow and volume—outperforming any other helmet pumper.
- Includes two ultra-light, flexible, expandable breathing hoses stretching from 26" (68 cm) to 72" (1.8 m).
- MAX: Includes four ultra-light, flexible, expandable breathing hoses, two stretching from 26" (68 cm) to 72" (1.8 m) and two from 47" (1.2 m) to 128" (3.2 m).
- 3-stage high-flow filtration system for maximum performance and longer filter life: washable, splash-proof pre-filter. Washable foam second stage. Dry media final filter.
- Two mounting systems for versatile installation: direct bolt-on or half-clamp.
- SMART Mode: automatically adjusts fan speed based on vehicle speed/RPM when paired with an ACM.
- Without ACM, the system operates in ON/OFF mode only.
- Caps for unused outlets to increase airflow can be placed on the ends of the hoses after use and hung from the roof area using the rubber straps.
- Includes rubber straps to secure hoses (4 for 2-Up models, 10 for MAX models).

Required for installation:
- SMART: Accessory Control Module (715009121) & Rear ACM Wiring Harness (715009268).
- Not SMART: Helmet Pumper System Harness (715008905).

Not compatible with:
- Shoulder Storage Bag (715007371) and LinQ Lite Multi Holder (295100977).

NEW Helmet Pumper System Harness

Maverick R, Maverick R MAX | **715008905**



- Required for the installation of the SMART Helmet Pumper System if the ACM is not installed.

SMART Particle Separator

Maverick R, Maverick R MAX | **715007187**



- Filters up to 96% of the dust prior to air intake.
- Fan speed adjusts with vehicle speed/RPM when equipped with ACM (Accessory Control Module).
- Mounts directly to the stock air intake duct.
- IP68 fan.
- Keeps your air filter clean longer.
- Maintains engine performance.

Required for installation:
- Air Intake Tube (706600403) is currently required for installation.
- Requires Particle Separator Harness (715008890) when not equipped with the ACM.

Particle Separator Harness

(Not illustrated)

Maverick R, Maverick R MAX | **715008890**

- Electric harness required to hook up and operate the Engine Air Intake Particle Separator (715007187) for on/off function when ACM is not installed.

Lonestar Racing Fire Extinguisher Support

Maverick R, Maverick R MAX | **715007320**



- Quick-release support that lets riders slide the fire extinguisher out in a matter of seconds in an emergency.
- Made of billet anodized black aluminum.
- Fits 1.85" (4.7 cm) tubing.
- Can be fixed anywhere on the cage.
- Provides riders with the safety and security of knowing they have dependable emergency equipment on board.
- Comes with both billet mounts, quick-pull pin, mounting plate and two clamps.
- Fire extinguisher sold separately.
- "Lonestar Racing for Can-Am" branded.

Not compatible with:
- LinQ Pivoting Rack (715009465).

Performance Air Filter by Twin AIR†

Maverick R, Maverick R MAX | **715002895**



- The best choice for the harshest conditions.
- Multiple staged oiled filtering foam for superior dust retaining capacity with high airflow.
- Washable and reusable.

Digitally Encoded Security System (D.E.S.S.) Green Key

Maverick R, Maverick R MAX | **710005232**



- Top-security anti-theft protection for your vehicle.
- Encrypted chip technology restricts access to your vehicle's electronic ignition system.
- One vehicle/one code.
- A vibration/shock-resistant ball-and-socket design that ensures a reliable connection.
- 2 programmable modes:
  - Normal mode: configurable, limits vehicle speed to 70 km/h (44 mph) and may have torque reduction.
  - Performance mode: no restrictions.

COVERS

NEW Can-Am Trailering Cover

Maverick R | **715008761**
Maverick R MAX | **715008762**




- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- Inner soft liner protects windshield and colored panels from abrasion.
- All high abrasion areas are reinforced with a double canvas layer.
- Weather-resistant trailering cover protects your vehicle during storage and transportation.
- Opening for fuel cap on passenger side.
- Quick and easy installation.
- Designed to perfectly fit your vehicle with or without Can-Am accessories.

CAN-AM MAVERICK

CAN-AM MAVERICK

Comparative Chart	115
Maverick Accessory Packages	117
Accessories	118
Roofs	118
Windshields & Wind Protection	119
Mirrors	121
Doors	122
Seat Accessories	123
HMWPE Skid Plates	124
Bumpers & Protection	125
LinQ Accessories	128
Racks & Storage	133
ACM & SMART Accessories	135
Lights	138
Audio	143
Electrical & Electronic Accessories	144
Winches & Hitches	145
Recovery	147
Performance	149
Apache Track Systems	152
ProMount Plows	154
Cover & Trailering	157



		MAVERICK DS		MAVERICK X DS	MAVERICK X RS / X RS WITH SAS		MAVERICK X RC
COLOR OPTIONS		Granite Grey		Triple Black	Triple Black	Triple Black (INT)*** Dolomite Grey	Loft Green Satin
ENGINES		Turbo***	Turbo RR	Turbo RR	Turbo RR	Turbo RR with SAS	Turbo RR
	Type	135 hp (99.3 kW), Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled and high-performance air filter	200 hp (147,1 kW), Rotax® ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	200 hp (147,1 kW), Rotax® ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	200 hp (147,1 kW), Rotax® ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter		200 hp (147.1 kW), Rotax® ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)		Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)		Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Transmission	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow L / H / N / R / P		pDrive primary and Quick Response System X (QRS-X) CVT with high airflow L / H / N / R / P	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow L / H / N / R / P		pDrive primary and Quick Response System X (QRS-X) CVT with high airflow L / H / N / R / P
	Drive Train	Lockable front differential with exclusive Smart-Lok True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL		Lockable front differential with exclusive Smart-Lok True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL	Lockable front differential with exclusive Smart-Lok True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL	Lockable front differential with exclusive Smart-Lok True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL	Lockable front differential with exclusive Smart-Lok technology. True 4 modes traction system: 2WD / 4WD with front diff. lock / 4WD ROCK / 4WD TRAIL
	Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)		High torque Tri-Mode Dynamic Power Steering (DPS™)	High torque Tri-Mode Dynamic Power Steering (DPS™)		High torque Tri-Mode Dynamic Power Steering (DPS™)
SUSPENSIONS	Front Suspension	Arched Double A-arm with sway bar / 20 in. (50.8 cm) suspension travel	Double A-arm with sway bar / 20 in. (50.8 cm) suspension travel	Arched Double A-arm with sway bar / 20 in. (50.8 cm) suspension travel	Arched Double A-arm with sway bar / 22 in. (55.9 cm) suspension travel / Trophy truck inspired arms		Trophy truck inspired double arched A-arm with sway bar / 22 in. (55.9 cm) suspension travel
	Front Shocks	SHOWA HPG piggyback 2.5 (Dual Speed Compression, Dual-rate spring)		FOX† 2.5 PODIUM RC2† Piggyback with bypass, dual speed compression and rebound adjustments	FOX† 2.5 PODIUM RC2† Piggyback with bypass, dual speed compression and rebound adjustments	FOX† 2.5 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring DDA Valve (Dynamic Damping Adjustment)	FOX† 2.5 PODIUM RC2† Piggyback with bypass, dual speed compression and rebound adjustments
	Rear Suspension	4-link Torsional Trailing-arm X (TTX) with sway bar / 20 in. (50.8 cm) suspension travel		4-link Torsional Trailing-arm X (TTX) with sway bar / 20 in. (50.8 cm) suspension travel	4-link Torsional Trailing-arm X (TTX) with sway bar / 24 in. (61 cm) suspension travel		4-link Torsional Trailing-arm X (TTX) with sway bar and arched lower links / 24 in. (61 cm) suspension travel
	Rear Shocks	SHOWA HPG piggyback 2.5 (Dual Speed Compression, Dual-rate spring)		FOX† 2.5 PODIUM RC2† Piggyback with dual-speed compression, rebound adjustments and bottom-out control	FOX† 3.0 PODIUM RC2† with bypass, dual speed compression and re-bound adjustments	FOX† 3.0 PODIUM† with bypass and Smart-Shox Technology featuring DDA Valve (Dynamic Damping Adjustment)	FOX† 3.0 PODIUM RC2† with bypass, dual speed compression and rebound adjustments
TIRES / WHEELS	Front/Rear Tires	XPS Trac Force 30 x 10 x 14 in.		XPS Trac Force 30 x 10 x 14 in.	XPS Trac Force 32 x 10 x 15 in.		XPS Hammer King 32 x 10 x 15 in.
	Wheels	14 in. cast-aluminum		14 in. cast-aluminum beadlock	15 in. cast-aluminum beadlock		15 in. cast-aluminum beadlock
BRAKES	Front	Dual 262 mm disc brakes with hydraulic twin-piston calipers		Dual 262 mm disc brakes with hydraulic twin-piston calipers	Dual 262 mm disc brakes with hydraulic twin-piston calipers		Dual 262 mm disc brakes with hydraulic twin-piston calipers
	Rear	Dual 248 mm disc brakes with hydraulic twin-piston calipers		Dual 248 mm disc brakes with hydraulic twin-piston calipers	Dual 248 mm disc brakes with hydraulic twin-piston calipers		Dual 248 mm disc brakes with hydraulic twin-piston calipers
DIMENSIONS / CAPACITIES	Cage	Dual-phase 980 steel		Dual-phase 980 steel	Dual-phase 980 steel		Dual-phase 980 steel
	Estimated Dry Weight	727 kg	701.3 kg	715.9 kg	787 kg		845 kg
	L x W x H	132 x 64 x 65.4 in. (335.3 x 162.5 x 166.1 cm)		132 x 64 x 65.7 in. (335.3 x 162.5 x 166.9 cm)	132 x 72.7 x 68.5 in. (335.3 x 184.7 x 174 cm)		134.5 x 72.8 x 68.5 in. (341.6 x 184.9 x 174 cm)
	Wheelbase	102 in. (259.1 cm)		102 in. (259.1 cm)	102 in. (259.1 cm)		102 in. (259.1 cm)
	Ground Clearance	14 in. (35.6 cm)		14 in. (35.6 cm)	16 in. (40.6 cm)		16 in. (40.6 cm)
	Tailgate Load Capacity	91 kg with LinQ™ quick-attach		91 kg with LinQ™ quick-attach	91 kg with LinQ™ quick-attach		91 kg with LinQ™ quick-attach
	Storage Capacity	Total: 9.4 L		Total: 9.4 L	Total: 9.4 L		Total: 9.4 L
	Fuel Capacity	40 L		40 L	40 L		40 L
FEATURES	Gauge	4.5 in. digital display with keypad		4.5 in. digital display with keypad & 10.25 in. touchscreen display	4.5 in. digital display with keypad & 10.25 in. touchscreen display		4.5 in. wide digital display with keypad & 10.25 in. touchscreen display
	Magneto	650-W	850-W	850-W	850-W		850-W
	Instrumentation	DC outlet (10-A)		DC outlet (10-A)	DC outlet (10-A)		DC outlet (10-A)
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button		RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button		RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
	Lighting	Premium high-performance LED headlights LED tail lights	LED Headlight LED tail lights	LED Headlight LED Signature LED tail lights	LED Headlight LED Signature LED tail lights		LED Headlight LED Signature LED tail lights
	Winch	N/A		N/A	N/A		2,041 kg winch with synthetic rope
	Protection	Integrated front bumper Quarter-doors Full heavy-duty HMW plastic skid plate Rear tow hook		Integrated front bumper Full hard roof Premium half doors Window net 4-point harness with shoulder pads Full heavy-duty HMW plastic skid plate Rear tow hook	Integrated front bumper Quarter-doors Full hard roof 4-point harness with shoulder pads Full heavy-duty HMW plastic skid plate Rear tow hook		Front bumper Half-doors Aluminum roof Intrusion bar 4-point harness with shoulder pads UHMWPE rock sliders HMWPE skid plates: Full heavy duty with differential / Under bumper / Front and rear suspension arm Rear tow hook Trailling Arm protector

*Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry.
**Smart-Shox was developed in conjunction with Tractive Industries, a market leader in the suspension industry.
*** These models are available only in EMEA countries outside the European Union. All other models are available throughout the EMEA region. Availability and warranty conditions may vary by country. Please contact your local dealer for details.
Vehicles sold within the European Union include a 2-year BRP limited warranty; vehicles sold elsewhere in the EMEA region include a 1-year BRP limited warranty. BRP's limited warranty does not affect consumer guarantees.

		 MAVERICK MAX DS (INT)***	 MAVERICK MAX X DS (INT)***	 MAVERICK MAX X RS WITH SAS
COLOR OPTIONS		Granite Grey	Triple Black	Triple Black (INT)*** Dolomite Grey
ENGINES		Turbo	Turbo RR	Turbo RR
	Type	135 hp (99.3 kW), Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	200 hp (147.1 kW), Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	200 hp (147.1 kW), Rotax® ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Transmission	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow, L / H / N / R / P	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow, L / H / N / R / P	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow, L / H / N / R / P
	Drive Train	Lockable front differential with exclusive Smart-Lok* True 2WD/4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL	Lockable front differential with exclusive Smart-Lok* True 2WD/4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL	Lockable front differential with exclusive Smart-Lok True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL
	Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)	High torque Tri-Mode Dynamic Power Steering (DPS™)	High torque Tri-Mode Dynamic Power Steering (DPS™)
SUSPENSIONS	Front Suspension	Arched Double A-arm with sway bar / 20 in. (50.8 cm) suspension travel	Arched Double A-arm with sway bar / 20 in. (50.8 cm) suspension travel	Arched Double A-arm with sway bar / 22 in. (55.9 cm) suspension travel Trophy truck inspired arms
	Front Shocks	SHOWA HPG piggyback 2.5 (dual-speed Compression, Dual-rate spring)	FOX† 2.5 PODIUM RC2† Piggyback with dual-speed compression and rebound adjustments	FOX† 2.5 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring DDA Valve (Dynamic Damping Adjustment)
	Rear Suspension	4-link Torsional Trailing-arm X (TTX) with sway bar / 20 in. (50.8 cm) suspension travel	4-link Torsional Trailing-arm X (TTX) with sway bar / 20 in. (50.8 cm) suspension travel	4-link Torsional Trailing-arm X (TTX) with sway bar / 22 in. (55.9 cm) suspension travel
	Rear Shocks	SHOWA HPG piggyback 2.5 (dual-speed Compression, Dual-rate spring)	FOX† 2.5 PODIUM RC2† Piggyback with dual-speed compression, rebound adjustments and bottom-out control	FOX† 3.0 PODIUM† with bypass and Smart-Shox Technology featuring DDA Valve (Dynamic Damping Adjustment)
TIRES / WHEELS	Front/Rear Tires	XPS Trac Force 30 x 10 x 14 in.	XPS Trac Force 30 x 10 x 14 in.	XPS Trac Force 32 x 10 x 15 in.
	Wheels	14 in. cast-aluminum	14 in. cast-aluminum beadlock	15 in. cast-aluminum beadlock
BRAKES	Front	Dual 262 mm disc brakes with hydraulic twin-piston calipers	Dual 262 mm disc brakes with hydraulic twin-piston calipers	Dual 262 mm disc brakes with hydraulic twin-piston calipers
	Rear	Dual 248 mm disc brakes with hydraulic twin-piston calipers	Dual 248 mm disc brakes with hydraulic twin-piston calipers	Dual 248 mm disc brakes with hydraulic twin-piston calipers
DIMENSIONS / CAPACITIES	Cage	Dual-phase 980 steel	Dual-phase 980 steel	Dual-phase 980 steel
	Estimated Dry Weight	854 kg	848 kg	887.7 kg
	L x W x H	164 x 64 x 65.8 in. (416.6 x 162.5 x 167.1 cm)	164 x 64 x 66 in. (416.6 x 162.5 x 167.6 cm)	165 x 72.7 x 68.5 in. (419.1 x 184.7 x 174 cm)
	Wheelbase	135 in. (342.9 cm)	135 in. (342.9 cm)	135 in. (342.9 cm)
	Ground Clearance	13 in. (33 cm)	13 in. (33 cm)	16 in. (40.6 cm)
	Cargo Box Capacity	150 lb (68 kg) with LinQ™ quick-attach	150 lb (68 kg) with LinQ™ quick-attach	91 kg with LinQ™ quick-attach
	Storage Capacity	Total: 11.4 L	Total: 11.4 L	Total: 11.4 L
	Fuel Capacity	40 L	40 L	40 L
FEATURES	Gauge	4.5 in. digital display with keypad	4.5 in. digital display with keypad & 10.25 in. touchscreen display	4.5 in. digital display with keypad & 10.25 in. touchscreen display
	Magneto	650-W	850-W	850-W
	Instrumentation	DC outlet (10-A)	DC outlet (10-A)	DC outlet (10-A)
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
	Lighting	LED headlight LED tail lights	LED headlight LED signature LED tail lights	LED Headlight LED Signature LED tail lights
	Winch	N/A	N/A	N/A
	Protection	Integrated front bumper Full hard roof Premium half doors Window net Full heavy-duty HMW plastic skid plate Rear tow hook	Integrated front bumper Full hard roof Premium half doors Window net 4-point harness with shoulder pads Full heavy-duty HMW plastic skid plate Rear tow hook	Integrated front bumper Quarter-doors Full hard roof 4-point harness with shoulder pads Full heavy-duty HMW plastic skid plate Rear tow hook

*Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry.
**Smart-Shox was developed in conjunction with Tractive Industries, a market leader in the suspension industry.
*** These models are available only in EMEA countries outside the European Union. All other models are available throughout the EMEA region. Availability and warranty conditions may vary by country. Please contact your local dealer for details.
Vehicles sold within the European Union include a 2-year BRP limited warranty; vehicles sold elsewhere in the EMEA region include a 1-year BRP limited warranty. BRP's limited warranty does not affect consumer guarantees.

MAVERICK ACCESSORY PACKAGES

UPGRADE YOUR RIDE. CHOOSE YOUR EXPERIENCE.

For details on the exact SKUs required for installation, please contact your authorised dealer,
as additional components such as wiring harnesses, mounting brackets or vehicle specific hardware may be required.



MAVERICK ALL-IN

Essentials	LinQ Device Holder
	Can-Am Rockford Fosgate Audio Roof - Level 4
	Glass Windshield
	Rear Wind Screen
	Upper Soft Door Panels
	Side Mirrors
	Digitally Encoded Security System (D.E.S.S.) - 2nd Key
Protections	Front Pre-Runner Bumper*
	Rear Pre-Runner Bumper
	Rock Sliders
Winches & Recovery	Can-Am HD 4500-S Winch*
	Can-Am Retractable Rope System
	Can-Am Winch Accessory Kit
Cargo & Storage	Overhead Storage Bag
	Upper Door Storage Bags
	Shoulder Storage Bag
	LinQ Pivoting Rack
SMART (models with touchscreen display)	Accessory Control Module
	SMART Control Center for ACM
	SMART Integrated LED Roof Light
	SMART Windshield Wiper & Washer Kit

*May already be included in certain vehicle models
**Some accessories require additional installation hardware
***To complete the package we recommend the installation of Skid Plates

ROOFS

Sport Roof

Maverick (except X mr models)	**715005521**
Maverick MAX (except X mr models)	**715003750**



- Impact-resistant injected polypropylene.
- Excellent protection from the elements.
- Provides excellent downhill visibility.
- Windshield compatible.
- Easy, tool-less installation and removal with quick-release ¼ turn fasteners and Velcro straps.

Required for installation:
- Seal and Promoter (715004427) when combined with a full size windshield.

ProVent Roof Module Kit

Maverick, Maverick MAX — **715005279**



- Provides fresh air in the cab area.
- Optimal performance with full cab enclosure.
- 4 vents provide infinite adjustment of air flow for driver and passenger.
- Filter and pre-filter to limit dust intrusion.
- Easy cleaning of filter and pre-filter.
- Patent pending water management system to keep water out of cabin while maintaining air flow.
- Outer plug closes air intake completely for winter or heavy weather.
- Sport Roof requires ProVent Module Adapter Kit.

Required for installation:
- Sport Roof (715005521, 715003750) with ProVent Module Adapter Kit (715006199, 715006371) or Aluminum Roof (715004224, 715002900).

Not compatible with:
- Rood mounted LED bars, Adventure Roof Rack (715006225, 715003868), Lone Star Roof or Audio Roof.

ProVent Roof Module Adapter Kit for Sport Roof

(Not illustrated)

Maverick	**715006199**
Maverick MAX	**715006371**

- Adapter for fitting ProVent Roof Module Kit onto Maverick X3.
- Includes roof adapter and hardware.

Required for installation:
- ProVent Roof Module Kit (715005279).

Aluminum Roof

Maverick (except X mr models)

- **715004224** · Black
- **715002900** · Silver



- Formed aluminum roof 0.09" (2.3 mm) thick.
- Durable and lightweight.
- Sporty look.
- Windshield compatible.
- Easy and tool-less installation.

Tinted Sun Visor

Maverick, Maverick MAX (except X mr models) — **715007098**



- Tinted polycarbonate construction.
- Extra protection for driver and passenger from the sun.

Not compatible with: Aluminum Roof, Audio Roof or Full Windshields.

Lonestar Racing Aluminum Roof

Maverick produced after January 1, 2017 (except X mr models)	■ **715005507** · Black
Maverick MAX (except X mr models)	■ **715005515** · Black



- 0.083" (2.1 mm) thick aluminum roof.
- Durable and lightweight.
- Enhances the vehicle's racing appearance thanks to an authentic sporty look combined with unique graphics.
- Offers you protection from the elements with a personalized touch.
- Lower profile than other roofs.
- Compatible with Lonestar Racing Light Bar Racks.
- "Lonestar Racing for Can-Am" branded.
- Includes middle intrusion bars for installation.

Not compatible with:
- LinQ® Pivoting Rack, Light Support Bar and Full Windshields.

WINDSHIELDS & WIND PROTECTION

WINDSHIELDS

PowerFlip Windshield

Maverick, Maverick MAX

715007097



- The PowerFlip Windshield is equipped with electric cylinders that allow the rider to adjust the windshield opening at the touch of a button.
- Windshield is made of hardcoated polycarbonate with a rubber seal contour and a tinted top section.
- Allows you to quickly adapt to changing conditions by adjusting the windshield as you go.
- Can be fully opened for optimal visibility and ventilation, fully closed for maximum protection from the elements, and in between, you have an infinite number of opening possibilities depending on protection, visibility and air flow preferences.
- Compatible with Can-Am roofs.

Required for installation:
- Seal and Promoter (715004427) when combined with the Sport Roof, the Bimini Roof or the Audio Roof.

Windshield Wiper for PowerFlip Windshield

Maverick, Maverick MAX

715006310



- An ideal way to keep your windshield clear in rain or while riding through mud and water.
- Wiper from the top allows windshield pivoting. Includes single-speed wiper and washer-fluid dispenser.
- Wiper mechanism and washer-fluid dispenser perfectly concealed within the vehicle.

Required for installation:
- PowerFlip Windshield (sold separately).

Provent Windshield

Maverick, Maverick MAX

715005277



- High-impact-resistant Quantum hardcoated polycarbonate full windshield.
- Controllable vents to manage air flow.
- Optimal performance with full cab enclosure.
- Channels air into the cabin, defogs windshield, fully closes to eliminate air flow.
- One upper vent and one lower vent with pre-filters.
- Formed polycarbonate construction for enhanced rigidity.
- Protects driver and passenger from the elements.
- Quick and easy tool-less installation or removal.
- Upper vent channels air into the cabin.
- Lower vents defog windshield.
- Provides excellent optical clarity and better abrasion resistance.

Required for installation:
- Seal and Promoter (715004427) when combined with the Sport Roof, the Bimini Roof or the Audio Roof.

Not compatible with:
- Wiper kits and Wet Sounds Stealth 6 Ultra HD Can-Am Edition Sound Bar.

Glass Windshield

Maverick, Maverick MAX

715008859



- Curved and laminated glass full windshield.
- Seals firmly against the cage and protects rider and passenger from the elements.
- Provides the best optical clarity and abrasion resistance.
- Recommended to use with rear wind protection to maximize comfort for passenger.

Required for installation:
- Must be used with Windshield Wiper & Washer Kit to maintain clear visibility during severe riding conditions, such as mud riding.
- Requires Seal and Promoter (715004427) when combined with the Sport Roof, the Bimini Roof or the Audio Roof.

Glass Windshield with SMART Wiper & Washer Kit

Maverick, Maverick MAX

715008858



- Complete kit that includes a curved and laminated glass windshield with a single-speed wiper and washer fluid dispenser.
- Seals firmly against the cage and protects rider and passenger from the elements.
- An ideal way to keep your windshield clear in rain, or while riding through mud and water.
- Recommended to use with rear wind protection to maximize comfort for passenger.
- Smart and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM.

Required for installation:
- When installed with ACM: Must be used with SMART Mode Wiper Switch (710007998).
- When installed without ACM: Includes harness and switch for On/Off function.
- Required Seal and Promoter (715004427) when combined with the Sport Roof, the Bimini Roof or the Audio Roof.

Full Windshield

Maverick, Maverick MAX (2025 & prior)

715002907



- High-impact-resistant durable polycarbonate full windshield.
- Formed polycarbonate construction for enhanced rigidity.
- Formulated to be non-yellowing, non-crazing, non-cracking with excellent UV resistance and optical clarity.
- Protects driver and passenger from the elements.
- Quick and easy tool-less installation or removal.
- Recommended to use with rear wind protection to maximize comfort for passenger.

Required for installation:
- Requires Seal and Promoter (715004427) when combined with the Sport Roof, the Bimini Roof or the Audio Roof.

Full Windshield – Hardcoated

Maverick, Maverick MAX

715004417



- High-impact-resistant Quantum hardcoated polycarbonate full windshield.
- Formed polycarbonate construction for enhanced rigidity.
- Provides excellent optical clarity and better abrasion resistance.
- Protects driver and passenger from the elements.
- Quick and easy tool-less installation or removal.
- Recommended to use with rear wind protection to maximize comfort for passenger.
- Can be used with the SMART Windshield Wiper and Washer Kit (715004762).

Required for installation:
- Requires Seal and Promoter (715004427) when combined with the Sport Roof, the Bimini Roof or the Audio Roof.

Half Windshield

Maverick, Maverick MAX (2025 & prior)

☐ **715002909** · Clear

715004291 · Tinted



- High-impact-resistant durable polycarbonate half windshield.
- Formed polycarbonate construction for enhanced rigidity.
- Formulated to be non-yellowing, non-crazing, non-cracking with excellent UV resistance and optical clarity.
- Protects driver and passender from the elements.
- Features reverse angle lip to deflect air flow.
- Quick and easy tool-less installation or removal.

SMART Windshield Wiper & Washer Kit

Maverick, Maverick MAX Fit with Full Windshield Hardcoated (715004417) — **715004762**

Maverick, Maverick MAX Fit with Glass Windshield (715008859) — **715003282**



- An ideal way to keep your windshield clear in rain, or while riding through mud and water.
- Includes single-speed wiper and washer fluid dispenser.
- Wiper mechanism and washer fluid dispenser perfectly concealed within the vehicle.
- Smart and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM.

Required for installation:
- When installed with ACM: Must be used with SMART Mode Wiper Switch (710007998).
- When installed without ACM: Includes harness and switch for On/Off function.

Manual Wiper Kit

Maverick, Maverick MAX

715009424



- Single manual wiper that can be used to clear windshield of debris.
- Easy to install system that requires no electrical hookup.
- Large ergonomic handle provides a good grip over the entire sweeping surface.
- Compatible with glass and hardcoated windshields that use top mounted wipers.

NEW SMART Mode Wiper Switch

Maverick, Maverick MAX

710007998



- Required to operate the wiper (715004762, 715003282 or 715008858) for quick access to On/SMART/INT/Off functions.
- Short press: allows you to switch between 3 modes (On, SMART, Intermittent) when equipped with the ACM.
- Press and hold to activate the washer fluid function.

WIND PROTECTION

Rear Wind Screen

Maverick, Maverick MAX (except X mr models)

715006701



- Full rear mesh screen reduces windshield backdraft for added cabin comfort.
- Installs quickly and easily on roll cage.
- Large white Can-Am logo on black mesh.

Rear Polycarbonate Window

Maverick, Maverick MAX (except X mr models)

715006387



- High-impact-resistant polycarbonate window.
- Blocks windshield backdraft or dust and rain from entering for added cabin comfort.
- Quick and easy tool-less installation.
- Ready for MTX Audio System Rear Speakers.

Soft Rear Window

Maverick, Maverick MAX (except X mr models)

715006702



- Clear, flexible window made from transparent vinyl.
- Resists cold-cracking to -4°F (-20°C).
- Ideal for preventing backdraft of dust or rain in harsh environments.
- Quick tool-less installation.

MIRRORS

Aluminum Side Mirrors

Maverick, Maverick MAX

715007363



- Sleek design.
- High-quality black molded aluminum for extreme durability.
- The convex surface provides a wider field of view and better visibility around the unit.
- Can be installed at any height on the cage A-pillar for optimized rider vision.
- Possibility to install the Integrated SMART LED Side Mirror Lights (715007185).
- Adjustable ball-joint mirrors.
- Possibility to fold down the mirrors (fold-away mechanism).
- Sold in pairs.

Not compatible with:
- Glass Windshield and upper soft door panel.

Side Mirrors

Maverick, Maverick MAX

715007188



- Sleek design.
- High-impact resistant plastic mirrors.
- The convex surface provides a wider field of view and better visibility around the unit.
- Can be installed at any height on the cage A-pillar for optimized rider vision.
- Adjustable ball-joint mirrors.
- Possibility to fold down the mirrors (fold-away mechanism).
- Sold in pairs.

Not compatible with:
- Glass Windshield and upper soft door panel.

Side Mirrors

Maverick, Maverick MAX

715004236
- For stock quarter doors

715005315
- For aluminum doors



- Rugged cast aluminum mount with black nylon cover.
- Multi-position adjustable ball-joint mounted mirrors.
- Convex optics for a wide viewing angle.
- Spring-loaded pivots let mirrors fold back completely.
- Door mounted.
- Compatible with Upper Soft Door Panels.
- Sold in pairs.

Racing Side Mirrors

Maverick, Maverick MAX

715002898



- Race-inspired design features rugged black nylon % construction with coated cast-aluminum mount.
- Dual adjustment provides optimal field of view (FOV).
- Multi-position adjustable ball-joint mounted mirrors.
- Flat optics deliver improved distance perception.
- Spring-loaded pivots let mirrors fold back completely.
- Sold in pairs.

Not compatible with:
- Lonestar Racing Light Racks, Upper Soft Door Panels or Flip Audio Roof Kit (715007131).

Rally Side Mirrors

Maverick, Maverick MAX

715005262



- Sleek design with unique racing style.
- High-quality black molded aluminum for extreme durability.
- 4" (10 cm) convex surface provides a wider field of view and better visibility around the unit.
- Can be installed at any height on the cage A-pillar for optimized rider vision.
- Multi-position adjustable ball-joint-mounted mirrors.
- Spring-loaded pivots let mirrors fold back completely.
- Sold in pairs.

Not compatible with:
- Glass Windshield.

Rear Mirror & Camera Monitor

Maverick, Maverick MAX

715009410



- Fully waterproof rear-view mirror and monitor kit.
- See exactly what you need to see with the multiple camera feeds from the rear-view camera.
- This unit replaces the stock rear-view mirror (the screen is integrated into the unit's replacement rear-view mirror).
- The camera uses infrared light for night vision capabilities.

DOORS

Aluminum Half Doors

Maverick, Maverick MAX	**715007971** • Front
Maverick MAX	**715007972** • Rear




- Lightweight half doors made of formed 5/64" (2 mm) thick aluminum.
- Smooth finish.
- Engineered for maximum rigidity and durability.
- Designed for a perfect fit and seamless integration with the vehicle's lines.
- Contoured with a thick seal for better protection from the elements.
- Easy installation using the standard door frame.
- Includes the easy-to-operate Deluxe Door Handles.
- Compatible with the Upper Soft Door Panels, the Window Nets and Upper Door Storage Bags.
- Sold in pairs.

Not compatible with: the Lower Door Panel Storage Bags.

Deluxe Door Handles

Maverick, Maverick MAX (2026 and prior)	**715004758** • Front
Maverick MAX (2026 and prior)	**715004860** • Rear



- Convert the standard door straps into easy-to-access door handles.
- Include inside and outside handles for each door.
- Greatly facilitate door opening.
- Standard on accessory Aluminum Half Doors.
- Sold in pairs.

Lower Door Panels

	715002903 • Front
Maverick, Maverick MAX	**715003751** • Rear



- Robust injection-molded polypropylene construction designed to match vehicle.
- Extend stock doors at bottom to protect from the elements.
- A great-looking add-on.
- Easy and quick installation.
- Sold in pairs.

Window Nets

Maverick (except X mr models)	**715006693** • Front
Maverick MAX (except X mr models)	**715004694** • Front
Maverick MAX (except X mr models)	**715006700** • Rear



- Window mesh screen for added protection from wind.
- Can be easily lowered in seconds.
- Sold in pairs.

Not compatible with:
- Can-Am Audio Roof.

Upper Soft Door Panels

Maverick (except X mr models)	**715008091** • 2 doors
Maverick MAX (except X mr models) 2026 & prior	**715008092** • 4 doors



- Weather-resistant panels reinforced with aluminum frame offer good protection from the elements.
- Extend stock quarter doors at the top.
- Made of heavy-duty UV-resistant solution-dyed polyester canvas for excellent resistance to tears and abrasion.
- Zip-down windows made of laminated polished vinyl material for added ventilation.
- To be combined with the Lower Door Panels to obtain complete door kits for your vehicle.

Not compatible with:
- Racing Side Mirrors, Side Mirrors, Aluminum Side Mirror and Can-Am Audio Roof.

SEAT ACCESSORIES

4-Point Harness

Maverick, Maverick MAX

715008033 · Driver
715008034 · Passenger



- Exclusive controlled decelerator technology (patent pending) absorbs additional energy in case of accident.
- Designed to offer maximum riding comfort.
- Easy one-click latch and release.
- Patent pending.
- Not EC compliant.

Retractable 4-Point Harness

Maverick, Maverick MAX

715005021 · Driver
715005022 · Passenger



- Convenient harness allows you to move freely in your seat and at the same time fully benefit from the extra support given by the 4-point attachments.
- Makes it easier to buckle up and requires fewer adjustments when switching passenger or driver.
- Compatible with rear passengers' seats on MAX models.
- Standard on select Maverick models.

Required for installation:
- Retractor Protector (707900653) is required for installation on front seats of MAX models.

Retractor Protector

(Not illustrated)

Maverick MAX

707900653

- Protective pad required for the installation of the Retractable 4-Point Harness on front seat of MAX models.
- Protects the passengers from the retractor mechanism.
- Sold individually.

Seat Belt Shoulder Pads


Maverick, Maverick MAX

715002894



- Provide additional riding comfort by preventing seat belt from rubbing on neck and shoulder.
- Fit with stock 3-point seat belts and 4 point harness.
- Easy Velcro installation.
- Can-Am branded.
- Sold in pairs for driver and passenger.

HMWPE SKID PLATES



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of abrasion-resistant thermoformed ⅜" (10 mm) thick High Molecular Weight Polyethylene (HMWPE).

- Lighter than aluminum.
- Superior stress crack resistance.
- High-impact strength.

MAVERICK, MAVERICK MAX

HMWPE Skid Plates are standard on X rs models (2019 to 2021) and X rc models (2022 & up) only.	Maverick 64" models	Maverick MAX 64" models	Maverick, Maverick MAX 72" models (except Base models)	Maverick Base 72" models	Maverick MAX Base 72" models
HMWPE SKID PLATE PROTECTION KIT					
	715003713 (2025 & prior)	**715003747** (2025 & prior)	**715003718**	**715006767** (2025 & prior)	**715006769** (2025 & prior)
INDIVIDUAL HMWPE SKID PLATES					
① **HMWPE Front A-Arm and Trailing Arm Protectors**	**715002905**	**715002905**	**715003552**	**715003552**	**715003552**
② **HMWPE Front Skid Plate**	**715003933** (2025 & prior) **705013047** (2026 & up)	**715003933** (2025 & prior) **705013047** (2026 & up)	**715003933** (2025 & prior) **705013047** (2026 & up)	**715003933** (2025 & prior) **705013047** (2026 & up)	**715003933** (2025 & prior) **705013047** (2026 & up)
③ **HMWPE Central Skid Plate**	—	**715003731** (2025 & prior)	Standard on X rc models only	—	**715003731** (2025 & prior)
④ **HMWPE Underbelly Plate**	**715004904** (2025 & prior)	**715004904** (2025 & prior)	Standard on X rc models only	**715004904** (2025 & prior)	**715004904** (2025 & prior)

BUMPERS & PROTECTION

BUMPERS

Front Pre-Runner Bumper

Maverick, Maverick MAX

- **715002878** · Black
- **715003433** · Can-Am Red
- **715011655** · Orange Crush



- Made of 1.5" (3.8 cm) diameter steel tubing with a ⅛" (3 mm) aluminum plate for extra durability.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Added heavy-duty protection in extreme driving conditions.
- Integrated winch mounting plate and mount points for lights.

Rear Pre-Runner Bumper

Maverick, Maverick MAX

- **715002880** · Black
- **715003436** · Can-Am Red



- Extra-durable 1.5" (3.8 cm) diameter steel tubing with a ⅛" (3 mm) aluminum plate.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Protects vehicle bodywork and exhaust system.
- Rear Receiver Hitch compatible.
- Required for installation of the Rear Cage Extension.

Dune Front Bumper

Maverick, Maverick MAX

- **715002961** · Black
- **715003432** · Can-Am Red



- Made of 1.5" (3.8 cm) diameter aluminum tubing with a ⅛" (3 mm) aluminum plate.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Provides added protection without sacrificing the agility and performance advantages of a lighter weight design.
- Features a more pronounced attack angle and integrated mounting points for lights.
- Not winch compatible.

Dune Rear Bumper

Maverick, Maverick MAX 2021 & prior

- **715002962** · Black
- **715003437** · Can-Am Red

Maverick, Maverick MAX 2022 & up

- **715009242** · Black



- Made of 1.5" (3.8 cm) diameter aluminum tubing with a ⅛" (3 mm) aluminum plate.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Provides added protection without sacrificing the agility and performance advantages of a lighter weight design.
- Protects vehicle bodywork and exhaust system.
- Rear hitch compatible.

Not compatible with:
- Rear Cage Extension and Lonestar Racing Spare Tire Holder.

X rc/X mr Front Bumper

Maverick, Maverick MAX

- **715004788** · Black



- Made of 1.5" (3.8 cm) diameter steel tubing with a ⅛" (3 mm) aluminum plate.
- Inside and outside anti-corrosion coating with durable powder coat finish on steel tubing.
- Offers all the essential features required for technical driving: low front-end protection, support base for winch installation and integrated tow hook.
- Standard on Maverick X rc and X mr models.

Not compatible with:
- Winches with steel cable.

Lonestar Racing Front Bumper

Maverick, Maverick MAX
(except X mr, X and X rc models)

- **715005510** · Hyper Silver
- **715005509** · Black



- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish and a ⅛" (3 mm) thick aluminum plate for added vehicle-front protection in extreme driving conditions.
- Sleek styling enhances the vehicle's race-inspired look.

Not compatible with:
- Not winch compatible.
- Not compatible with 10" (25 cm) Baja Designs OnX6 LED Light Bar and SMART 10" (25 cm) LED Light Bar (715008745).
- Not compatible with: stock Smart-Shox.

Lonestar Racing Rear Bumper

Maverick, Maverick MAX 2021 & prior

- **715005512** · Hyper Silver
- **715005511** · Black
- **715004162** · Can-Am Red



- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Provides additional vehicle-rear bodywork and exhaust system protection in extreme driving conditions.
- Sleek styling enhances the vehicle's race-inspired look.
- Compatible with Lonestar Racing Spare Tire Holder.

Not compatible with:
- Not hitch compatible.

S3† Front Bumper

Maverick, Maverick MAX

- **715004867** · Black



- Made of 1.5" (3.8 cm) diameter steel tubing with a ⅛" (3 mm) aluminum plate for extra durability.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Added heavy-duty protection in extreme driving conditions.
- Integrated winch support plate and mount points for lights.
- Hook support anchor allows you to keep the winch hook within easy reach when riding in deep mud.
- "S3 for Can-Am" branded.
- Winch not included.

ROCK SLIDERS

Rock Sliders

Maverick (except X rc)

- **715002963** · Black
- **715003438** · Can-Am Red

Maverick MAX

- **715003730** · Black
- **715003888** · Can-Am Red



- Made of heavy-duty 1.5" (3.8 cm) diameter steel tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Protect vehicle's sides and undercarriage against large obstacles.
- Support plate adds rigidity and style.
- Sold in pairs.

Lonestar Racing Rock Sliders

Maverick (except X rc models)

- **715005514** · Hyper Silver
- **715008845** · Black
- **715008846** · Can-Am Red

Maverick MAX

- **715008847** · Black
- **715008848** · Can-Am Red



- Race-engineered to Lonestar Racing's trademark standards for toughness, these stylishly crafted accessories will also enhance your vehicle with visual impact.
- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Essential protection from large obstacles for your vehicle's sides.
- Sold in pairs.

Not compatible with:
- Maverick MAX is not compatible with the Rear Aluminum Half Doors (715007972).

INTRUSION BARS

Front Intrusion Bar

Maverick, Maverick MAX

- **715002889** · Black
- **715003435** · Can-Am Red



- Matches vehicle styling.
- Inside and outside anti-corrosion coating with durable powder coat finish steel intrusion bar.
- Tube design reduces obstructed lines of sight and blind spots for better visibility.

Not compatible with:
- Windshields or Lonestar Racing Aluminum Roof.

Lonestar Racing Front Intrusion Bar

Maverick, Maverick MAX

- **715003916** · Black



- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Enhances the racing look of the vehicle.
- Compatible with Lonestar Racing Aluminum Roof and Aluminum Roofs.

Not compatible with:
- Windshields.

Lonestar Racing Rear Intrusion Bar

Maverick (except X mr models), Maverick MAX

■ **715003918** • Black



- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Sleek styling enhances the vehicle's race-inspired look.
- Required for the installation of the Lonestar Racing Spare Tire Holder.

Not compatible with:
- LinQ mounted accessories or Pre-Filter in the cargo bed.

OTHER ACCESSORIES

Fender Flares

Maverick, Maverick MAX

715002973



- Extended fender flares made from injection-molded polypropylene.
- Keep mud and debris out of vehicle.
- Designed for quick and easy installation.
- Include front and rear extensions and mounting hardware.

Lonestar Racing Spare Tire Holder

Maverick, Maverick MAX 2021 & prior (except X mr models)

■ **715003922** • Black



- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Adjustable height to fit Can-Am tires up to 30 in.
- Requires Lonestar Racing Rear Bumper and Lonestar Racing Rear Intrusion Bar for installation.
- Cannot hold the Pro Armor Quickshot Wheel Jack and Off-Road Screw Jack.
- Wheel not included.

Not compatible with:
- S&B Particle Separator or LinQ accessories intended for the rear of the vehicle.

Lonestar Racing Number Plate Holder

Maverick, Maverick MAX

715003943



- Includes a pair of sturdy aluminum number plates that mount on either side of the vehicle rear.
- Numbered decals are available through SCS Unlimited.
- Styling enhances the vehicle's race-inspired look while adding a personal touch.
- Black background.

Not compatible with:
- LinQ Pivoting Rack.

S3 Rear Pull Plate

Maverick, Maverick MAX 2021 & prior

■ **715004870** • Black
■ **715005233** • Can-Am Red



- Offers a solid place to hook onto in case towing is needed.
- Allows you to attach most straps and hooks.
- "S3 for Can-Am" branded.

MAVERICK LINQ ACCESSORIES

ACCESSORY MOUNTING LOCATIONS AND REQUIREMENTS



LinQ 16" position



LinQ 36" position

No tools needed: Quickly install and remove accessories by hand. Sturdy mounting system that holds up to the roughest terrain.	Standard Cargo Bed	LinQ Pivoting Rack **715010786**	Adventure Roof Rack **715003868/715006225**
LinQ ACCESSORIES WITH 16" BASE	• LinQ anchors mounted 16 inches apart, center-to-center. • Lower loading capacity than the LinQ with 36" base accessories. • Can be used on Can-Am ATV and SxS vehicles, Can-Am Spyder and Ryker vehicles, Sea-Doo watercraft and Ski-Doo snowmobiles.		
LinQ Rigid Cooler 4.7 US Gal (18 L) 715010491	LinQ Anchor Adapter Kit **715004960**	LinQ Anchor Adapter Kit **715004960**	LinQ Base Installation Kit **715008125**
LinQ Cooler 5.3 US Gal (20 L) 295101257 • Gray			
LinQ Tool Kit 715006829			
LinQ Tool Box 715008111			
LinQ SR 5.5 Gal (21 L) Bag 860202449			
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)			
LinQ Roll-Top Bag 715008110			
LinQ 5.3 US Gal (20 L) Semi-Rigid Cooler 295101252			
LinQ ACCESSORIES WITH 36" BASE	• Mount on LinQ racks often used by Can-Am ORV vehicles. • Higher loading capacity than the LinQ with 16" base accessories. • Usage is limited to Can-Am ORV vehicles.		
LinQ 12 Gal (45 L) Cargo Box 715003879	No further requirements	No further requirements	No compatibility
LinQ 23 Gal (86 L) Trunk Box 715004923	No further requirements *Not compatible if the LinQ Pivoting Rack is installed.		
LinQ 32 Gal (121 L) Trunk Box 715001748			
LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018	No further requirements		
LinQ 8 Gal (30 L) Cooler Box 715004778 • Black			
LinQ Premium Storage Bag by OGIO† 715002923 • Black			
LinQ Heavy Duty Basket 715001215			
LinQ Low Profile Basket 715004282			
LinQ HOLDERS			
LinQ Gear Grips 715005340	No further requirements	No further requirements	Side wall installation LinQ Adapters **715003058**
LinQ Tool Holder 715007358			

LinQ ACCESSORIES WITH 16" BASE

LinQ Rigid Cooler 4.7 US Gal (18 L)

Maverick, Maverick MAX

715010491



- Versatile LinQ 16" configuration fits many vehicles.
- Durable rotomolded rigid construction.
- Molded-in handles for quick installation and removal.
- High quality insulation for optimal ice retention.
- Sealed lid for airtight, weather-tight closure.
- Ergonomic and secure latch system offers excellent sealing.
- 4.7 US gal (18 L) capacity.

See table for installation location and requirements.

Not compatible with:
- Not compatible below the LinQ Pivoting Rack (715010786 or 715008296).

LinQ Cooler 5.3 US Gal (20 L)

Maverick, Maverick MAX

295101257



- LinQ-mounted for fast, easy and secure storage.
- Locks in place with just a quarter turn.
- High-quality insulation for optimal ice retention.
- Keeps ice cold for 5 days.
- Rotomolded construction for exceptional rigidity and durability.
- Sealed lid for airtight, weather-tight closure.
- Rigid handles make transportation easy.
- Horizontal locking handles allow for installation of LinQ Lite accessories.
- Holds thirty-four 355 ml cans.
- 5.3 US gal (20 L) capacity.
- Exterior dimensions: 21" L x 15" W x 14" H (52 cm L x 38 cm W x 35 cm H).
- Interior dimensions: 15" L x 10" W x 9" H (39 cm L x 26 cm W x 23 cm H).

See table for installation location and requirements.

Not compatible with:
- Not compatible below the LinQ Pivoting Rack (715010786 or 715008296).

Note: Cannot be mounted on the LinQ Stackable Fuel Caddy.

NEW Ice Pack for LinQ Coolers

Maverick, Maverick MAX

295101513



- Acts as a cooling element to keep your cooler contents fresh.
- Slim profile design fits seamlessly inside the LinQ 5.3 US Gal (20 L) Cooler lid without sacrificing storage space.
- Comes with two swivel latches for easy on and off installation
- Dual-purpose functionality doubles as a compartment divider for better organization with LinQ 11.4 US Gal (43 L) Cooler.

Required for installation:
- LinQ 5.3 US Gal (20 L) Cooler (295101257).

LinQ Modular Box

Maverick, Maverick MAX

715005494 · (10 L)
715007112 · (20 L)
715006830 · (30 L)



- Allows stacking of other modular boxes to always have the right gear accessible.
- Always have the right box size to fit everything.
- Can be installed on any LinQ base with a 16" width.

See table for installation location and requirements.

Thermal Insert for LinQ Modular Box (10 L)

Maverick, Maverick MAX

219401110



- Insulated liner.
- Fits very well in the LinQ Modular Box (10 L).
- Can contain seven 355 ml cans.
- Keeps ice cold for one day.
- Interior dimensions: 9" L x 17" W x 2½" H.

LinQ Tool Box

Maverick, Maverick MAX

715008111



- High precision injected HDPE construction provides rigidity and durability.
- 5 gal (19 L) maximum capacity.
- Weather-resistant, sealed and lockable cover.
- Easy one-second on/off tool-less system.
- All the benefits of LinQ—simple, fast and secure.

See table for installation location and requirements.

LinQ Tool Kit

Maverick, Maverick MAX | **715006829**



Includes:

- Cutter pliers
- Long-nose pliers
- Locking pliers
- Ratchet wrench ⅜" drive
- 6" ratchet extension
- Integrated CVT belt storage location (belt not included)
- Long-socket 19 mm ⅜" drive – 6 pts
- Socket 18 mm ⅜" drive
- Long-socket 17 mm ⅜" drive – 6 pts
- Socket 15 mm ⅜" drive
- Socket 13 mm ⅜" drive
- Socket 10 mm ⅜" drive
- Socket 8 mm ⅜" drive
- Socket Torx T40 ⅜" drive
- Socket Torx T30 ⅜" drive
- Socket Torx T20 ⅜" drive
- Breaker bar ⅜" drive
- Combination Wrench set:
  - Wrench 19 mm
  - Wrench 18 mm
  - Wrench 15 mm
- Wrench 13 mm
- Wrench 10 mm
- Wrench 8 mm

See table for installation location and requirements.

LinQ 5.3 US Gal (20 L) Semi-Rigid Cooler

Maverick, Maverick MAX | **295101252**



- 5.3 US gal (20 L) of insulated, water-resistant capacity.
- Quick, easy and secure LinQ system installation.
- Attaches with one set of LinQ fasteners.
- Single-day-use soft cooler.
- Mesh pocket on top of the lid.
- Zippered pocket under the lid for quick and easy access.
- Removable interior for easy cleaning.
- Carry handles for easy transport.
- Can contain twelve 355 ml cans.
- Dimensions: 19" L x 13" W x 10" H.

See table for installation location and requirements.

SR 5.5 Gal (21 L) LinQ Bag

Maverick, Maverick MAX | **860202449**



- All the benefits of LinQ—simple, fast and secure.
- Semi-rigid expandable bag.
- 5.5 gal (21 L) capacity.
- Utilizes LinQ mounting system (Patent US 8777531 and US 8875830).
- Easy one-second on/off tool-less system.

See table for installation location and requirements.

LinQ Roll-Top Bag

Maverick, Maverick MAX | **715008110**



- Fully waterproof roll-top dry bag will securely store and confine your equipment.
- LinQ mounted using heavy-duty rigid plastic base.
- High capacity storage solution (40 L).
- Bottom foam liner for additional equipment protection.
- Integrated handle for easy transportation on/off the vehicle.
- Dimensions: 14" L x 19" W x adjustable H.

See table for installation location and requirements.

LinQ ACCESSORIES WITH 36" BASE

LinQ 12 Gal (45 L) Cargo Box

Maverick, Maverick MAX | **715003879**



- LinQ mounted for easy-on, easy-off installation.
- Holds cargo safely and securely while riding.

See table for installation location and requirements.

LinQ 23 Gal (86 L) Trunk Box

Maverick (except X mr models), Maverick MAX | **715004923**



- LinQ mounted for easy-on, easy-off installation.
- Holds cargo safely and securely while riding.

See table for installation location and requirements.

LinQ 32 Gal (121 L) Trunk Box

Maverick (except X mr models), Maverick MAX | **715001748** • (No rear taillight)



- Equipped with the LinQ system, the rear trunk box plugs in and out in seconds.
- 32 gal (121 L) load capacity with unobstructed space to maximize storage room and access to the trunk's interior.
- Made of injection-molded polyethylene, double walled in critical areas.
- The fully sealed lid protects your belongings from dust, moisture and the elements.
- No rear taillight.
- Trunk Box Panels available in many colors to match your vehicle (sold separately).

See table for installation location and requirements.

LinQ 32 Gal (121 L) Trunk Box Panels

Fit with LinQ 32 Gal (121 L) Trunk Box
EUROPEAN VERSION (EC compliant)

■ **715001397** · Black
□ **715002483** · White
■ **715006123** · Orange Crush



- Color panels to match the LinQ 32 Gal (121 L) Trunk Box to your vehicle.
- No rear taillight

LinQ 8 Gal (30 L) Cooler Box

Maverick, Maverick MAX

■ **715004778** · Black



- LinQ mounted for easy-on, easy-off installation.
- Rotomolded construction provides exceptional rigidity and durability.
- Premium-quality foam insulation for optimal ice retention.
- Integrated, fully removable compartment protects food.
- Integrated handle for easy transportation on/off the vehicle.
- Dimensions: 14" L x 19" W x adjustable H.

See table for installation location and requirements.

LinQ 11.5 Gal (43 L) Audio Cargo Box

Maverick, Maverick MAX

715003018



- An affordable and quick solution for adding music and storage to your next ride.
- The rear installation does not use up any cab space and allows easy listening at an average speed.
- Mounts on/off easily to hold/carry cargo safely and securely.
- Backlit control panel perfect for night riding.
- Water-resistant speakers.
- The Bluetooth† enabled receiver and 6.5" (16.5 cm) speakers are smartly concealed and integrated in the cover.
- Automatic shut-off function protects your battery by turning the system off after 10 minutes of inactivity.

See table for installation location and requirements.

LinQ Heavy-Duty Basket

Maverick, Maverick MAX

715001215



- Made of high-strength, low-alloy steel.
- LinQ mount for easy-on, easy-off installation.

See table for installation location and requirements.

LinQ Premium Storage Bag by OGIO

Maverick, Maverick MAX

■ **715002923** · Black



- Tool-less installation and removal thanks to the LinQ system.
- 17.2 gal (65 L) capacity semi-rigid cargo bag ideal for carrying anything you need on your vehicle.
- Buckle and elastic closure with a rubber seal that prevents dust from entering the bag.
- 3-section lid for partial or full access to your bag.
- Inside separators for optimal bag organization.

See table for installation location and requirements.

LinQ Low Profile Basket

Maverick, Maverick MAX

715004282



- Low profile, open basket increases cargo space.
- Perfect for easy access to tools, rope, winch and plow accessories.
- Multiple bungee cord and tie-down anchor points.
- Made of impact-resistant injected polypropylene.

See table for installation location and requirements.

LinQ HOLDERS

LinQ Lite Action Camera Holder

Maverick, Maverick MAX (2026 & up)

295101139



- LinQ Lite attachment system for cameras.
- Provides great vantage points to capture photos and videos.
- Offers 360-angle positioning for perfect filming and taking photos.
- Designed to hold devices securely.
- Fast, easy attachment and removal.

LinQ Lite Device Holder

Maverick, Maverick MAX (2026 & up) | **715009201**



- Made with strong magnets that you can trust while riding through rough terrain
- Includes everything needed for installation on your favorite electronic devices: 2 pre-assembled Can-Am plates with 3M multi-surface adhesive.
- 360° adjustment for an improved driving experience and immersion.
- Secure LinQ Lite attachment allows you to install/remove the holder in seconds.
- Robust plastic and aluminum construction allows for the right fit and easy installation.
- Compatible with the Cellphone Holder (715008786).
- To keep a good vision while driving, we recommend using this device for smartphones only.

LinQ Tool Holder

Maverick, Maverick MAX | **715007358**



- Ultra-versatile tool holder.
- Convenient swivel-latch allows tools to be stored in any orientation.
- Sold in pairs.

LinQ Gear Grips

Maverick, Maverick MAX | **715005340**



- Durable and flexible grips provide a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Make transporting your tools a snap by combining the LinQ Gear Grips with the LinQ system.
- 360° orientation.
- Sold in pairs.

LinQ MOUNTING

LinQ Anchor Adapter Kit

Maverick, Maverick MAX | **715004960**



- Allows the installation of LinQ accessories with 16" base on LinQ racks.
- Tool-less installation and removal.

LinQ Base Installation Kit

Maverick, Maverick MAX | **715008125**



- Allows installation of compatible LinQ accessories.
- Included: 2 LinQ Cargo bases and hardware.

LinQ Lock

Maverick, Maverick MAX | **860201968**



- Simple way to securely lock most LinQ accessories.
- Lock cover protects lock from the elements.
- Corrosion resistant.
- Pack of 1, includes 2 keys.

Not compatible with:
- LinQ Tool Holder, LinQ 4.2 US Gal (16 L) Cooler (219400964), LinQ Gun Case (715010936), LinQ Tool Box (715008111) and LinQ Gear Grips (715005340).

LinQ Replacement Part

Maverick, Maverick MAX | **715010798**



- Unique mounting fastener usable on any LinQ system accessory.
- Tool-less installation and removal.
- Sold in pairs.

LinQ Adapter

Maverick, Maverick MAX | **715003058**



- Allows the installation of the LinQ Tool Holder on the Adventure Roof Rack.
- Sold in pack of 4.

Cargo Box Net

Maverick, Maverick MAX | **715001371**



- Solid net designed to secure and ensure the compact confinement of your Adventure Roof Rack.

Spare Tire Ratchet Tie-Downs

Maverick, Maverick MAX | **280000955**



- 3-way ratcheting tie-down strap with loop ends.
- Designed to securely hold spare tires on accessories equipped with integrated spare tire attachment points.
- Adjustable to accommodate most common UTV tire sizes.
- Ratchet and junction ring made of durable zinc-plated steel.
- Required for spare tire attachment on Adventure Roof Rack.

RACKS & STORAGE

RACKS

LinQ Pivoting Rack

Maverick, Maverick MAX (except X mr models and X rc with Smart-Shox) | ■ **715010786** • Black



- LinQ latched rack allows for extra LinQ mounted accessories or for carrying a spare tire (tire not included).
- Includes custom tie-down strap for fast spare tire installation or removal (tire not included).
- Gas-cylinder pivot action, locks in the raised position.
- Trunk Boxes over 20 gal (74 L) do not fit on the vehicle when the rack is installed.
- Not compatible with Rear Intrusion Bars, Rear Cage Extension and Lonestar Racing Aluminum Roofs.

Not compatible with:
- Snorkel and rad relocator.

Adventure Roof Rack

Maverick (except X mr models) | **715006225**



- Ideal cargo solution for packing everything you need to live your Off-Road experience fully and completely.
- Built with lightweight 1.25" (3.2 cm) diameter steel tubing.
- Integrated mounting points for lights can hold up to eight pod-type LED lights (six front and two back) or a 40" (102 cm) LED bar (front).
- Features anchor points for spare-tire attachment.
- LinQ anchor on both sides.
- Spare Tire Tie-Downs sold separately.
- Add the Cargo Box Net to secure and confine your cargo in the rack.
- Loads up to 75 lb (34 kg).

Adventure Roof Rack

Maverick (except X mr models) | **715007186**
Maverick MAX (except X mr models) | **715008073**



- The ideal cargo solution. Pack all the gear you need to take on any off-road experience.
- Built using lightweight 1.25" (3.2 cm) diameter steel tubing.
- Supports loads of up to 75 lb (34 kg).
- This roof rack features a height adjustment setting to precisely accommodate a stock roof.
- Integrated mounting points for lights.
- Features anchor points for a spare tire attachment.
- LinQ anchor on both sides.
- The Spare Tire Tie-Downs sold separately.

Required for installation:
- Sport Roof or Aluminum Roof is required for installation.

STORAGE

Passenger Storage Seat Bag

Maverick, Maverick MAX

715008080



- This weather-resistant bag holds your gear safely and securely while you ride.
- Bag settling on the passenger's seat to increase the vehicle's cargo capacity.
- This bag features a 14.5 gal (55 L) storage capacity and is divided into two compartments.
- The top compartment is insulated to keep your beverages cold and includes two cup holders.
- Additional pocket inside for additional storage, such as a cell phone.
- The bottom compartment is accessible from both sides and serves as a large pocket for storing various items.
- The detachable pocket at the front of the bag can be used as a garbage bag.

Shoulder Storage Bag

Maverick (except X mr models), Maverick MAX (rear only)

715004277



- Bag attaches in unused space between the seats to increase your vehicle's cargo capacity.
- Installs between the rear seats only on MAX models.

Front Shoulder Storage Bag

Maverick MAX

715004888



- Opens on each side so that both front and rear passengers can access the bag's content.
- Installs between the driver's and passengers' seats on MAX models.

Overhead Storage Bag

Maverick, Maverick MAX

715004275



- Weather-resistant bag, holds your gear safely and securely while riding.
- Makes smart use of your overhead space to increase your vehicle's cargo capacity by 2.6 gal (10 L).
- Semi-rigid construction renders it flexible enough to fit odd-shaped loads.
- Touchscreen-compatible clear front pocket allows for easy access to your smartphone.

Not compatible with:
- Bimini Roof.

Upper Door Storage Bags

Maverick, Maverick MAX

715004276



- Weather-resistant, they'll hold your gear safely and securely while riding.
- Bags attach on stock quarter doors to increase your vehicle's cargo space.
- Each bag is designed as a 1.3 gal (5 L) capacity pocket also equipped with inner netting compartments.
- Semi-rigid construction renders them flexible enough to fit odd-shaped loads.
- Sold in pairs.

Lower Door Panel Storage Bags

Maverick, Maverick MAX

715004355



- Weather-resistant, they'll hold your gear safely and securely while riding.
- Bags attach on Lower Door Panels to increase your vehicle's cargo space.
- Each bag is designed as a 1.6 gal (6 L) capacity pocket also equipped with inner netting compartments.
- Semi-rigid construction renders them flexible enough to fit odd-shaped loads.
- Sold in pairs.
- Lower add-on doors required for installation.

Not compatible with:
- Aluminum Half Doors.

Soft Storage Bag

Maverick, Maverick MAX

715003759



- 11.8 gal (45 L) capacity soft cargo bag designed with vehicle's rear in mind to maximize potential storage.
- 3 sections.
- Weatherproof.

Storage 2.6 Gal (10 L) Bag

Maverick, Maverick MAX

269502121



- Roll-top dry bag for fully protecting your cargo from the elements.

ACM & SMART ACCESSORIES

ACCESSORY CONTROL MODULE (ACM)

Accessory Control Module

Maverick, Maverick MAX (with 10.25" Touch Display) | **715010097**



- Bringing the SMART to accessories using live vehicle ECU information to maximize your accessory experience.
- Connect your accessories to the 10.25" Touch Display.
- Easy accessory installation (plug and play).
- Creates an ecosystem that makes installing accessories quicker and easier.
- Includes ACM Front Harness to connect front-mounted SMART accessories to the Accessory Control Module (two auxiliary connectors available).

Rear ACM Harness

(Not illustrated)

Maverick, Maverick MAX (with 10.25" Touch Display) | **715009268**

- Required to connect rear-mounted accessories and rear chase lights to the ACM.
- Creates an ecosystem that makes installing accessories quicker and easier.
- Five auxiliary connectors are available.

SMART Control Center for ACM

Maverick, Maverick MAX (with 10.25" Touch Display) | **715010834**



- Control the accessories with the selection of different modes, the illuminated halo around the button indicates the active mode.
- Icons illuminate when accessories are activated.
- Make accessory control changes without having to take your eyes off the trail by choosing the accessory button required (quick access).
- All Front LED Off button to turn off all front lights with one click. Remembers the last programmed setups when this button is pressed again.
- 6 pre-programmed buttons (Light Bars, PowerFlip Windshield, All Front LED Off, Corner Lights) and 10 programmable buttons to customize according to the accessories installed.

Required for installation:
- Accessory Control Module (715010097).

SMART ACCESSORIES

NEW SMART 15" (38 cm) LED Light Bar

Maverick, Maverick MAX | **715008746**



- The perfect combination of powerful white and selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 24 white LEDs and 12 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 12,000 raw lumens and the selective yellow 5,280 raw lumens, delivering stunning lighting performance.
- Features a signature LED light that enhances the vehicle's appearance when not activated.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Color change by quickly flicking the switch.
- SMART options: Off, Low, High, color change and SMART Automatic Mode.
- SMART MODE: Intensity increases or decreases, and the Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).
- ECE R10 Certified.

See table for installation location and requirements

SMART Integrated LED Roof Light

Maverick, Maverick MAX (2020 & up) | **715010102**



- Mounted under the roof for a signature look.
- Windshield compatible except with the PowerFlip.
- Intensity varies (increases or decreases) according to the speed of the vehicle with the installation of the Accessory Control Module (ACM) (Spot/Flood ratio).
- Spot/Flood combo beam.
- 22,100 lumens.
- Off/Low/High (switch activated).
- Off/Low/High/SMART Automatic Mode (Accessory Control Module (ACM) activated).
- ECE R10 Certified.

Required for installation:
- Accessory Control Module (715010097) is required for SMART functionality.
- Integrated LED Roof Light Wiring Harness (715008209) is required for on/off function when ACM is not installed. Sold separately.

Not compatible with:
- PowerFlip Windshield (715007097), Front Intrusion Bar (715002889 & 715003435) and Lonestar Racing Front Intrusion Bar (715003916).

SMART 10" (25 cm) LED Light Bar

Maverick, Maverick MAX

715008745



- The perfect combination of powerful white and selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 16 white LEDs and 8 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 8,100 raw lumens and the selective yellow 2,640 raw lumens, delivering stunning lighting performance.
- Features a signature LED light that enhances the vehicle's appearance when not activated.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Color change by flicking the switch quickly.
- SMART options: Off, Low, High, color change and SMART Automatic Mode.
- SMART MODE: Intensity increases or decreases and Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).
- ECE R10 Certified.

See table for installation location and requirements.

SMART 40" (102 cm) LED Light Bar

Maverick, Maverick MAX

715008747



- The perfect combination of a powerful white or selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 64 white LEDs and 32 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 32,000 raw lumens, and the selective yellow 10,560 raw lumens, delivering stunning lighting performance.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Color change by flicking the switch quickly.
- SMART options: Off, Low, High, color change and SMART Automatic Mode.
- SMART MODE: Intensity increases or decreases and Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).
- ECE R10 Certified.

See table for installation location and requirements.

Required for installation:
- Accessory Control Module (715010097) is required for SMART functionality.

NEW SMART 40" (102 cm) LED Light Bar Mounts – Low

Maverick, Maverick MAX

715010843



- Allows you to install the SMART 40" (102 cm) LED Light Bar (715008747) directly on the vehicle cage or on the Sport Roof.
- Premium steel construction with a durable black powder-coated finish for long-lasting protection.
- Simple bolt-on design for quick, hassle-free installation.
- 3.75" (9.5 cm) overall height.

See table for compatibility, installation location and requirements.

Not compatible with:
- Can-Am JL Audio Roof (715006709, 715010099, 715010098 or 715007130).

SMART LED Chase Lights

Maverick, Maverick MAX

715007727



- Designed by Can-Am to make you visible to vehicles riding behind you, especially in dusty or harsh conditions.
- Four modes available:
  - Trail Mode: serves as a taillight and as a brake light.
  - Chasing Mode: displays amber light pattern and serves as a brake light.
  - Work Mode: White light to light up your cargo bed.
  - Reverse Mode (when connected with Accessory Control Module (ACM)): serves as a back up light.
- Modular to allow installation with rear roll cage mounted accessories.
- Plug-and-play installation with the Accessory Control Module (ACM).
- ECE R10 Certified.

Required for installation:
- Accessory Control Module (715010097) and Rear ACM Harness (715009268) are required for SMART functionality.
- Wiring harness required for a non-smart function when ACM is not installed. Sold separately.

NEW SMART Helmet Pumper System

Maverick — Coming soon

Maverick MAX — Coming soon



- Creates positive air pressure inside the helmet to prevent dust intrusion.
- Continuously circulates fresh, cool air to reduce heat buildup.
- Optimized housing paired with two high static-pressure fans delivers superior airflow and volume—outperforming any other helmet pumper.
- Includes two ultra-light, flexible, expandable breathing hoses stretching from 26" (68 cm) to 72" (1.8 m).
- MAX: Includes four ultra-light, flexible, expandable breathing hoses, two stretching from 26" (68 cm) to 72" (1.8 m) and two from 47" (1.2 m) to 128" (3.2 m).
- 3-stage high-flow filtration system for maximum performance and longer filter life: Washable, splash-proof pre-filter. Washable foam second stage. Dry media final filter.
- Two mounting systems for versatile installation: direct bolt-on or half-clamp.
- SMART Mode: automatically adjusts fan speed based on vehicle speed/RPM when paired with an ACM.
- Without ACM, the system operates in ON/OFF mode only.
- Caps for unused outlets to increase airflow can be placed on the ends of the hoses after use and hung from the ceiling using the rubber straps.
- Includes rubber straps to secure hoses (4 for 2-Up models, 10 for MAX models).

Required for installation:
- SMART: Rear ACM Wiring Harness (715009268)
- Not SMART: Helmet Pumper System Harness (715008905).

SMART Integrated LED Side Mirror Lights

Maverick, Maverick MAX

715007185



- Light up corners.
- Increase the width of the beams and illuminate the wheels for increased visibility.
- Wide flood beam.
- 3,000 lumens for each light.
- Left and right dynamic lighting with Accessory Control Module (ACM) install. Follow steering wheel input.
- ECE R10 Certified.

Required for installation:
- Accessory Control Module (715010097) is required for SMART functionality.
- Require Aluminum Side Mirrors (715007363).
- Electric Harness required (715008212) to hook up and operate the Integrated LED Side Mirror Lights for on/off function when ACM is not installed. Sold separately.

NEW SMART 40" (102 cm) LED Light Bar Harness

(Not illustrated)

Maverick, Maverick MAX

715010831

- Required for the installation of the SMART 40" (102 cm) LED Light Bar (715008747) if the ACM is not installed.

NEW Helmet Pumper System Harness

Maverick, Maverick MAX

715008905



- Required for the installation of the SMART Helmet Pumper System if the ACM is not installed.

LIGHTS

CAN-AM LIGHTS WITH ACM

SMART FUNCTIONALITY

① CHOOSE YOUR MOUNT POINT	② CHOOSE YOUR LIGHTS					
	SMART Integrated LED Roof Light **715010102**	SMART Integrated LED Side Mirror Lights **715007185**	SMART LED Chase Lights **715007727**	SMART 40" (102 cm) LED Light Bar **715008747**	SMART 10" (25 cm) LED Light Bar **715008745**	SMART 15" (38 cm) LED Light Bar **715008746**
Vehicle Integrated	Accessory Control Module **715010097**	Aluminum Side Mirrors **715007363** + Accessory Control Module **715010097**	Accessory Control Module **715010097** + Rear ACM Harness **715009268**	No compatibility	No compatibility	
Front Bumper (except X mr/X rc and Lonestar)	No compatibility				Accessory Control Module **715010097**	Accessory Control Module **715010097** (only on S3 Front Bumper **715004867**)
Sport Roof with Light Support Bar 715003529				Accessory Control Module **715010097**		
Audio Roof (no additional bracket needed)					No compatibility	
Adventure Roof Rack 715006225, 715003868, 715007186						
SMART 40" (102 cm) LED Light Bar Mounts – Low 715010843						

CAN-AM LIGHTS WITHOUT ACM

ON/OFF FUNCTIONALITY

① CHOOSE YOUR MOUNT POINT	② CHOOSE YOUR LIGHTS					
	SMART Integrated LED Roof Light **715010102**	SMART Integrated LED Side Mirror Lights **715007185**	SMART LED Chase Lights **715007727**	SMART 40" (102 cm) LED Light Bar **715008747**	SMART 10" (25 cm) LED Light Bar **715008745**	SMART 15" (38 cm) LED Light Bar **715008746**
Vehicle Integrated	Wiring Harness **715008209**	Aluminum Side Mirrors **715007363** + Wiring Harness **715008212**	Wiring Harness **715008210**	No compatibility	No compatibility	
Front Bumper (except X mr/X rc and Lonestar)	No compatibility				Lights Wiring Harness **715009886**	Lights Wiring Harness **715009886** (only on S3 Front Bumper **715004867**)
Sport Roof with Light Support Bar 715003529				Light Bar Harness **715010831**	No compatibility	
SMART 40" (102 cm) LED Light Bar Mounts – Low 715010843						
Audio Roof (no additional bracket needed)						


① CHOOSE YOUR MOUNT POINT	② CHOOSE YOUR LIGHTS									
	BAJA DESIGNS† LIGHTS					CAN-AM LIGHTS				
	10" (25 cm) LED Light Bar **710006819**	40" (102 cm) Baja Designs OnX6 Arc LED Light Bar **710006818**	XL Sport LED Lights (sold in pairs) **710006821**	Squadron Sport LED Lights (sold in pairs) **710006820**	XL80 LED Lights (sold in pairs) **710005041**	10" Double Stacked LED Bar **715010065**	15" Double Stacked LED Bar **715010066**	39" Double Stacked LED Bar **715004007**	4" Round LED Lights (sold in pairs)	3.5" Spot or Flood LED Lights (sold in pairs)
Front Pre-runner or Dune Bumpers	**715007049** (Power Cable)	No compatibility	**715008865** (Power Cable)		**715007049** (Power Cable)	**715003417** (Power Cable)	(Not compatible with Pre-runner Bumper) + **715003417** (Power Cable)	No compatibility	**715002935** (4" Round), **715009774** (3.5" Flood) or **715009775** (3.5" Spot) + **715003417** (Power Cable)	
Light Support Bar or Adventure Roof Rack	NA	**715008864** (Power Cable)	**715008865** (Power Cable)		**715007049** (Power Cable)	NA	**715003417** (Power Cable)	**715005822** (Light Mounting Kit)		
Lonestar Racing 40" (102 cm) LED Light Bar Rack		**715008864** (Power Cable)	NA	NA	NA		NA	NA	NA	NA
Lonestar Racing Light Rack		NA	**715008865** (Power Cable)		**715007049** (Power Cable)					
③ ORDER	**ORDER ALL PART NUMBERS IN INTERSECTING BOX** *Note: When installing more than one light kit, additional light power cable or mounting kit is required.									

*All lights are intended for off-road use only.

40" (102 cm) Baja Designs OnX6 Arc LED Light Bar

Maverick, Maverick MAX | **710006818**





- 252 W light bar producing 29,000 lumens.
- Equipped with 24 Cree XM-L2 LEDs.
- Driving/combo light pattern for smooth blend of light for both near field applications and distance.
- Designed for installation onto Light Support Bar equipped roofs.


See table for installation location and requirements.

Required for installation:
- Light Power Cable and Light Support Bar.

Baja Designs 10" (25 cm) OnX6 LED Light Bar

Maverick, Maverick MAX | **710006819**





- 108 W light bar producing 12,460 lumens.
- Equipped with 6 Cree XM-L2 LEDs.
- Driving/combo light pattern for smooth blend of light for both near field applications and distance.
- Dual intensity (high/low) settings.


See table for installation location and requirements.

Required for installation:
- Baja Designs Light Power Cable.

Baja Designs XL80 LED Lights

Maverick, Maverick MAX | **710005041**





- 80 W per spot producing 9,500 lumens.
- Equipped with 4 Cree XHP50 LEDs per spot.
- Dual intensity (high/low) settings.
- Driving/combo light pattern for smooth blend of light for both near field applications and distance.
- Sold in pairs.
- Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).

See table for installation location and requirements.


Required for installation:
- Baja Designs Light Power Cable.

Baja Designs Squadron Sport LED Lights

Maverick, Maverick MAX

710006820





- 26 W per spot producing 3,150 lumens.
- Equipped with 4 Cree XP-G2 LEDs per spot.
- Wide cornering light pattern designed specifically for cornering, dust and/or fog conditions.
- Sold in pairs.
- Dimensions: 3" x 3" (7.6 cm x 7.6 cm).

See table for installation location and requirements.


Required for installation:
- Baja Designs Light Power Cable.

Baja Designs XL Sport LED Lights

Maverick, Maverick MAX

710006821





- 26 W per spot producing 3,150 lumens.
- Equipped with 4 Cree XP-G2 LEDs per spot.
- High Speed Spot features a longer and narrower beam focus for illumination farther down.
- Sold in pairs.
- Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).

See table for installation location and requirements.

Required for installation:
- Baja Designs Light Power Cable.

Lights Power Cable

(Not illustrated)

Maverick, Maverick MAX

715003417
715007049
715008865
715008864


- Required for installation of Baja Designs LED lights onto roof or bumper.
- 10" (25 cm) Baja Designs OnX6 LED Bars and Baja Designs XL80 LED Lights (715007049).
- Baja Designs XL Sport LED Lights and Baja Designs Squadron Sport LED Lights (715008865).
- 40" (102 cm) Arc LED Light Bar ONX6 (715008864).

10" (25 cm) Double Stacked LED Light Bar (60 W)

Maverick, Maverick MAX

715010065





- Equipped with twelve 5 W Cree LEDs.
- 5,400 lumens.
- Packs a big punch for its size.
- Rugged and waterproof.
- Requires light power cable for installation.
- Lights up to more than 1,500 ft. (460 m) in front of the vehicle and around 65 ft. (20 m) wide on each side.
- ECE R10 Certified.


See table for installation location and requirements.

15" (38 cm) Double Stacked LED Light Bar (90 W)

Maverick, Maverick MAX

715010066





- Equipped with 18 5-W Cree LEDs.
- 8,400 lumens.
- Complements the Light Racks and most bumpers.
- Rugged and waterproof.
- Lights up to more than 1,900 ft. (580 m) in front of the vehicle and around 65 ft. (20 m) wide on each side.
- ECE R10 Certified.

See table for installation location and requirements.


39" (99 cm) Double Stacked LED Light Bar (270 W)

Maverick, Maverick MAX

715004007







- Equipped with 54 5-W Cree LEDs.
- 24,300 lumens.
- Lights up to more than 2,900 ft. (900 m) in front of the vehicle and around 115 ft. (35 m) wide on each side.
- Compatible with the Adventure Roof Rack.
- Not ECE Certified.

See table for installation location and requirements.

Required for installation:
- Light power cable.


4" (10 cm) Round LED Lights (2 x 25 W)

Maverick, Maverick MAX

715002935







- 25 W LED spotlights.
- 1,800 lumens.
- Rugged and waterproof.
- Includes basic wiring and switch.
- Can-Am branded grill.
- Sold in pairs.
- Not ECE Certified.

Required for installation:
- Light power cable.


3.5" (9 cm) LED Driving Lights (2 x 14 W)

Maverick, Maverick MAX

715010094







- 14 W LED lights producing 1,260 lumens each.
- Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds.
- Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing.
- Features two attachment points. If one attachment point fails due to a collision, rotate to the next channel point and remount the light.
- Sold in pairs.
- ECE R10 Certified.

See table for installation location and requirements.

Required for installation:
- Light power cable.


3.5" (9 cm) LED Flood Lights (2 x 14 W)

Maverick, Maverick MAX

715010093







- 14 W LED lights producing 1,260 lumens each.
- Flood lens for a wide light beam spread, ideal for working applications like plowing or cornering. Suitable for dusty or foggy riding conditions.
- Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing.
- Features two attachment points. If one attachment point fails due to a collision, rotate to the next channel point and remount the light.
- Sold in pairs.
- ECE R10 Certified.

See table for installation location and requirements.

Required for installation:
- Light power cable.

Can-Am LED Signature Lights

Maverick, Maverick MAX

715003673



- Add style with a more aggressive look.
- Use bright and energy efficient LEDs.
- Do not give additional lighting for driving.

Dome Light

Maverick, Maverick MAX

715009228



- Offers optimal visibility in the cab and integrates perfectly with the vehicle.
- 160 lumens of soft white light ensure clear visibility of the surroundings.
- Built-in on/off button on the light.
- Wiring included.
- Can be installed on cage, Sport Roof or All-Terrain Trunk Cover.

Not compatible with:
- Audio Roof.

Lonestar Racing 40" (102 cm) LED Light Bar Rack

Maverick, Maverick MAX

715003920



- Designed for use with 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar.
- Enhances the vehicle's race-inspired look.
- Compatible with Aluminum Roof, Lonestar Racing Aluminum Roof and Sport Roof.
- Lights sold separately.

Not compatible with:
- Racing Side Mirrors and PowerFlip Windshield.

Lonestar Racing Light Rack

Maverick, Maverick MAX

715003948



- Designed for use with Baja Designs XL80 LED Light and Baja Designs XL Sport LED Light.
- Accommodates up to two pairs of XL Lights.
- Compatible with Lonestar Racing Aluminum Roof, Aluminum Roof and Sport Roof.
- Lights sold separately.

Not compatible with:
- Racing Side Mirrors and PowerFlip Windshield.

Chase Lights

Maverick, Maverick MAX

715002887



- Designed by Can-Am to make you visible to vehicles riding behind you, especially in dusty or harsh conditions.
- Feature in-dash switches to activate one of the two modes and to choose among 11 different high-visibility colored light patterns (blue, red and yellow).
- Trail Mode: Serves as a taillight and as a brake light.
- Chasing Mode: Displays amber and blue light patterns and serves as a brake light (brake light function can be deactivated for racing applications).
- Modular to allow installation with rear roll cage mounted accessories.
- Plug-and-play installation.
- Verify your local regulations concerning the use of blue lighting.

LED Chase Lights

Maverick, Maverick MAX

715009887



- Designed by Can-Am to make you visible to vehicles riding behind you, especially in dusty or harsh conditions.
- High-visibility colored light patterns (red, yellow, white).
- Three modes available:
  - Trail Mode: serves as a taillight and as a brake light.
  - Chasing Mode: displays amber light pattern.
  - Work Mode: white light to light up your cargo bed.
- Modular to allow installation with rear roll cage mounted accessories.
- Plug-and-play installation.
- Can be installed with roof scoop but only with the lateral light.

Required for installation:
- Wiring Harness (715008210).

Light Support Bar

Maverick, Maverick MAX

715003529



- Sleekly styled rugged aluminum construction.
- Accommodates light bars and spotlights with or without any roof and windshield combination.
- Full vehicle width to allow the installation of any large LED light bar.
- Required for light installation on vehicle's roof.
- Lights sold separately.

Not compatible with:
- Lonestar Racing Aluminum Roof.

Mounting Kit for 39" (99 cm) LED Light Bar

(Not illustrated)

Maverick, Maverick MAX

715005822

- Required for installation of the 39" (99 cm) double stacked LED Light Bar.
- Includes wiring and support bracket.

Required for installation:
- Light Support Bar.

Lights Wiring Harness

Maverick, Maverick MAX

715009886



- Power cable for installation of the SMART 10" (25 cm) LED Light Bar (715008745).

Light Power Cable

(Not illustrated)

Maverick, Maverick MAX

715003417

- Required for installation of 10" (25 cm), 15" (38 cm) and Double Stacked LED Light Bars and 4" (10 cm) Round LED Lights.
- For bumper and roof mounting locations.

AUDIO

AUDIO

Can-Am Rockford Fosgate Audio Roof – Level 4

Maverick (with 10.25" Touch Display) (except X mr models)	**715010098**
Maverick (except X mr models)	**715007130**



- Full roof with sleek built-in audio.
- Fully sealed and waterproof.
- Easy to install: one wire connects the roof to the vehicle's electronics.
- Four 8" speakers, one 400 RMS and 800 peak watt amplifier calibrated by Rockford Fosgate Audio.
- Multi-colored RGB LED accent lighting around each speaker.
- 2.7" color display with Bluetooth and Pandora connectivity (715007130).
- Controlled by the 10.25" Touch Display (715010098).
- Flip Kit-compatible.
- Vol Up/Down Switch (710010952) can be added to control volume separately from the Touchscreen control (for 715010098 only).
- Requires Seal and Promoter (715004427) when combined with a full size windshield.

Not compatible with:
- Upper Soft Door Panels.

Can-Am Rockford Fosgate Audio Roof MAX – Level 4

Maverick MAX (with 10.25" Touch Display) (except X mr models)	**715010099**
Maverick MAX (except X mr models)	**715006709**



- Full roof with built-in audio.
- Fully sealed and waterproof.
- Easy to install, one wire connects the roof to the vehicle's electric system.
- Six 8" speakers, one 400 RMS and 800 peak watt amplifier calibrated by Rockford Fosgate Audio.
- Multi-colored RGB LED accent lighting around each speaker.
- 2.7" color Display with Bluetooth and Pandora connectivity (715006709).
- Controlled by the 10.25" Touch Display (715010099).
- Vol Up/Down Switch (710010952) can be added to control volume separately from the Touchscreen control (for 715010099 only).
- Requires Seal and Promoter (715004427) when combined with a full size windshield.

Not compatible with:
- Upper Soft Door Panels.

Can-Am Audio Roof Flip Kit

Maverick, Maverick MAX (except X mr models) — **715007131**



- Combines with Audio Roof (715010098, 715007130, 715010099, 715006709) for Flip option.

Not compatible with:
- Racing Side Mirrors (715002898).
- Adventure Roof Rack (715006225, 715007186).

MTX Central Speakers

Maverick MAX (without 10.25" Touch Display) — **715004748**



- Top mounted central speaker case holding two 6.5" (16.5 cm)/100 W speakers.
- Designed to be Can-Am-tough in the most demanding riding conditions.
- Perfect add-on to the Complete MTX Audio System for a 7-speaker system or as a stand-alone system by plugging the AUX input jack directly into your music device.

Not compatible with: Lonestar roofs.

Complete MTX Audio System

Maverick, Maverick MAX (without 10.25" Touch Display) — **715002873**



- Bluetooth 5† equipped 400 W RMS/800 W peak audio system by MTX.
- Designed to be Can-Am-tough in the most demanding riding conditions.
- Includes front-dashboard and rear-roll-cage mounted stereo speakers and head unit with an integrated 6.5" (16.5 cm) subwoofer.
- Add the Electronic Device Holder to securely hold your Bluetooth device ready to play your favorite tunes.

Can-Am Subwoofer

Maverick, Maverick MAX — **715004956**



- Powerful Rockford Fosgate Underseat 10" Subwoofer speaker box.
- Easy plug-and-play connections to Audio Roof system.
- Sturdy construction tough enough to withstand harsh environments and sealed against moisture and dirt.
- Requires 1 Amplifer Kit (715007227) for 1 or 2 subwoofers.
- Fits two per vehicle: under driver's or passenger's seat.

Can-Am Amplifier Kit

Maverick, Maverick MAX	**715007227**



- A powerful 400 W amplifier to feed up to two Underseat Subwoofers.
- Easy plug-and-play connections to Audio Roof system and subwoofer.
- Installation plate and wiring included.

NEW Vol Up/Down Switch

Maverick (with10.25" Touch Display), Maverick MAX (with10.25" Touch Display)	**710010952**



- Volume control is now possible using this switch independently of the touchscreen display.

ELECTRICAL & ELECTRONIC ACCESSORIES

ELECTRICAL

Seat Heater

Maverick, Maverick MAX	**715006112**



- 25 W seat heater delivers chill-free riding comfort.
- High/low temperature settings allow you to control the desired degree of warmth.
- This kit includes one carbon fiber seat heater, foam sheet and in-dash switch.
- Installs directly in the original seat cushion.

Required for installation:
- Heated Accessories Wiring Harness (710005757) is required for front seat installation.
- Heated Accessories Wiring Harness (715006004) is required for rear seat installation.

Heated Visor Outlet

Maverick, Maverick MAX	**715001246**



- Strategically positioned on vehicle to maintain your agility.
- Optional visor outlet that delivers fog-free riding.
- Quick and easy installation.
- Sold individually.
- Heated Visor not included.

Heated Accessories Wiring Harness
(Not illustrated)

Maverick, Maverick MAX	**710005757**
Maverick MAX	**715006004**

- Electric harness required to hook up and operate front heated seats, heated steering wheel and heated grab bar.
- Heated Accessories Wiring Harness (715006004) is required for rear seat installation.

Auxiliary Battery Installation Kit
(Not illustrated)

Maverick, Maverick MAX	**715006315**

- Allows you to add a second 18 Ah battery for a dual battery setup necessary to power auxiliary electrical components such as sound systems or winches.
- Equipped with an IP67-rated waterproof electronic module that will prevent your auxiliary electrical components from draining your starting battery.
- Kit includes an additional battery junction block, all necessary wiring and the battery holder.
- Both batteries are perfectly integrated, in stock location, behind the passenger's seat.
- Additional battery (410301203), plus battery hardware (250000282) sold separately.

ELECTRONIC

10.25 in. Color Touchscreen Display Protector

Maverick (with 10.25" Touch Display), Maverick MAX (with 10.25" Touch Display)	**860202680**



- Tempered glass – 0.3 mm thick.
- 9H hardness for tough protection.
- 100% bubble-free adhesive.
- Anti-scratch, anti-glare and anti-fingerprint.
- Maintains 99.99% clarity.
- Easy to clean.
- Includes cleaning tools: wet wipe, dry wipe, dust absorber and soft cloth.

Cellphone Holder

Maverick, Maverick MAX

715008786



- Water resistant door allows for perfect phone positioning.
- Features capacitive and resistive touch screen technology.
- Spring system in back plate automatically adjusts for thickness.
- Fits all cellphones within 7.2" (185 mm) x 3.3" (85 mm) x 0.6" (15 mm) dimensions.
- Works with almost all charger wires.
- Does not include cellphone or charging wires.

Required for installation:
- Electronic Device Holder (715002874) for the Cellphone Holder to be bolted on its door.
- LinQ Lite Device Holder (715009201) or Electronic Device Holder (715002874).

Electronic Device Holder

Maverick, Maverick MAX (without 10.25" Touch Display)

715002874



- A great in-ride entertainment system platform.
- Robust injected-polypropylene construction allows for right fit and easy installation.
- Adjustable unit safely holds most tablets and smartphones measuring between 5.1" (13 cm) and 10" (25.4 cm) (with protective case).
- Combines seamlessly with Complete MTX Audio System and Rugged Radios Intercom System.
- Allows the installation of Garmin Montana 680T GPS.
- Integrated storage (1 gal [3.8 L] capacity) with access to the dash 12 V outlet for device charging.

Lighted Whip Flag

Maverick, Maverick MAX

715002886



- A must for riding the dunes.
- 5 W Cree LED.
- 5 colored lenses to allow personalization.
- Glow-through whip, quickly removable and replaceable pole.
- Increases vehicle's visibility.
- Meets most dune-area requirements.
- Die cast aluminum base, acetal hand nut.
- Includes mounting brackets and wiring.
- 4' (1.2 m) flag mounts on top of the roll cage.
- Can be installed on both sides of a vehicle.

Digitally Encoded Security System (D.E.S.S.™) Green Key

Maverick (except 900 HO)

710005232



- Top-security anti-theft protection for your vehicle.
- Encrypted chip technology restricts access to your vehicle's electronic ignition system.
- One vehicle/one code.
- A vibration/shock-resistant ball-and-socket design that ensures a reliable connection.
- 2 programmable modes:
  - Normal mode: configurable vehicle speed limit between 50 km/h (31 mph) and 136 km/h (85mph) and may have engine torque reduction.
  - Performance mode: no restrictions.

WINCHES & HITCHES

CAN-AM HD WINCHES

Can-Am HD 4500 Winch

Maverick, Maverick MAX

715011705



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Weather sealed corded remote and dash mounted switch.
- CE & UKCA Compliant.
- Pulling strength capability of 4,500 lb (2,041 kg).
- 43' of 15⁄64" (13 m of 6.3 mm) wire steel cable.
- Heavy-duty 4-way roller fairlead.

Required for installation:
- Winch Electrical Harness (715003585) and winch compatible front bumper are required.

Can-Am HD 4500-S Winch

Maverick, Maverick MAX

715011706



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Weather-sealed corded remote and dash mounted switch.
- Pulling strength capability of 4,500 lb (2,041 kg).
- 50' of ¼" (15.2 m of 6.35 mm) synthetic rope.
- Corrosion-proof aluminum Hawse fairlead.
- CE & UKCA Compliant.

Required for installation:
- Winch Electrical Harness (715003585) and winch compatible front bumper are required.

WINCH ACCESSORIES

Winch Cable Stopper

All Can-Am HD Winches	**715009921**



- Made of EPDM, a highly durable synthetic rubber.
- The Winch Cable Stopper isn't just for looks. It helps extend the life of the winch, rope, hook, and fairlead.
- In addition, the split design makes it easy to install.

NEW Can-Am HD Winch Auto-Stop

Can-Am HD Winch	**715010042**



- The Auto Stop Mechanism pauses rope intake to avoid over-spooling and keep your synthetic rope protected for long-term use.
- Requires synthetic winch rope (NOT compatible with steel cable).

NEW Can-Am HD Hawse Fairlead

Can-Am HD Winch	**715010966**



- A must-have when upgrading your winch to a synthetic cable.
- Corrosion-proof die-cast aluminum Hawse fairlead.
- Finished with a black powder-coated surface.
- Must be used with synthetic cables only.

Can-Am HD Hawse Fairlead

Can-Am HD Winch	**715006426**



- A must when upgrading your winch with a synthetic cable, this corrosion-proof aluminum Hawse fairlead will prevent the cable from snapping in a corner of a roller fairlead and from wearing prematurely due to the rough surface of the worn roller guide.
- Must be used with synthetic cables only.

WARN Hawse Fairlead

WARN Winch	**715007785**



- Double-powder-coated construction.
- To be used with synthetic winch cables only.

Synthetic Winch Cable

Can-Am HD Winch	**715006430**
WARN Winch	**715007783**



- 50' of ¼" (15.2 m of 6.35 mm) synthetic cable for Can-Am HD winches.
- Can-Am HD Hawse Fairlead (715006426) is required when upgrading to a synthetic cable to avoid premature cable damage and wear.
- WARN Hawse Fairlead (715007785) is required when upgrading to a synthetic cable to avoid damage and premature wear of the cable.

Wire Rope Replacement

Can-Am HD Winch	**705014978**
WARN Winch	**715006699**



- 43' of 15⁄64" (14.3 m of 6.3 mm) wire rope for Can-Am HD Winch.
- 55' of ¼" (16.8 m of 6.35 mm) wire rope for WARN winch kit.
- 4,500 lb (2,041 kg) pulling strength.

Synthetic Cable Extension

715001120



- Lightweight ¼" (6.35 mm) diameter, easy to handle and won't rattle in cargo box.
- Easily attaches to winch cable to provide additional 50' (15.2 m) of distance.
- 4,500 lb (2,041 kg) single line capacity.

Winch Electrical Harness

(Not illustrated)

Maverick, Maverick MAX	**715003585**

- Required for winch installation.

NEW Can-Am HD Winch Hook

Can-Am HD Winch

715011610 • Platinum Silver



- Heavy-duty, forged and heat-treated steel hook for maximum strength.
- Unique and premium design with a Can-Am-stamped logo.
- Durable cast-aluminum latch with a functional 1" opening.
- Integrated pulling strap for quick and easy handling.
- Finished with a platinum-silver powder coating for long-lasting protection.

Wireless Winch Remote

With Can-Am HD Winch

715008286



- On/Off and Winch In/Winch Out buttons with LED indicator light.
- Large Winch In/Winch Out buttons for easy activation with gloves.
- Ergonomic remote handle shape with a trigger-like holding protrusion.
- Quick and easy to install, thanks to a wiring harness with an integrated antenna and all necessary mounting hardware.
- Allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options.
- All components are IP67 sealing rated.
- The remote also floats in case it's dropped during a deep water recovery.
- Dash and handlebar mounting options.
- Compatible with all Can-Am HD winches.

Wired Remote Control

Can-Am HD Winch‡

715006504



- This kit allows winch owners to add the hand-held remote to vehicles with a stock winch.
- OEM stock winch is sold separately.
- EC compliant.

† Harness (710001023) is required to use remote control on a vehicle with a factory installed winch.

‡ Remote control (710007050) and connection socket are included.

X rc/X mr Rear Tow Hook

Maverick, Maverick MAX 2021 & prior

715004450



- Offers a solid place to hook onto in case towing is needed.
- Allows you to attach most straps and hooks.
- Made of rugged 3⁄16" (5 mm) steel plate and 5⁄8" (16 mm) steel hook tube.
- Standard on Maverick X rc and X mr models.

HITCHES

Rear Hitch

Maverick, Maverick MAX 2021 & prior

■ **715002883** • Black

■ **715003938** • Can-Am Red



- Rugged lightweight steel construction.
- E-coated finish.
- Fixed mounting point for trailer ball to provide vehicle with towing capabilities.
- This hitch offers 1,300 lb (590 kg) of towing capacity.
- Hitch ball not included.

RECOVERY

NEW Can-Am Retractable Rope System

Maverick, Maverick MAX

715010190



- Tow a disabled vehicle easily.
- 11 ft. self-retracting tow rope for quick and convenient operation.
- 3,200 lbs (1,450 kg) towing capacity.*
- Ready to use with an integrated soft shackle for simple hookup.
- Rope is easy to replace with no threading required.
- Lightweight design makes it easier to carry, thanks to its built-in handle.
- Weight: 14.7 lbs (6.67 kg).
- Compact design fits all Can-Am off-road hitch receivers and most units with a 2" receiver.

**Never exceed vehicle max towing capacity.*

NEW Can-Am Winch Accessory Kit

Maverick, Maverick MAX

715010814



- Complete recovery kit featuring a Can-Am Soft Shackle (715010577), Recovery Ring (715010836) and Tree Saver Strap.
- Durable Tree Saver Strap—8' x 3" wide with folded eyes and an abrasion guard.
- Includes a carrying bag to keep all components organized.
- For synthetic rope only.

NEW Can-Am Soft Shackle

Maverick, Maverick MAX | **715010577**



- ⅜ in. (9.5 mm) x 12 in. (30.4 cm) loop UHMWPE soft shackle.
- 21,000 lbs (9,525 kg) breaking strength.
- 4,200 lb. (1,905 kg) working load limit.
- Lightweight, ultra-strong 12-strand UHMWPE braid offers steel-like strength with added flexibility.
- Provides a quick, strong connection thanks to the “dog bone” rigid piece, which easily locks the loop.
- Protective covering to reduce early damage.

NEW Can-Am Kinetic Recovery Kit

Maverick, Maverick MAX | **715010837**



- Includes a Kinetic Rope (715010835) and two Soft Shackles (715010577).
- Comes with a practical roll-top carrying bag that offers plenty of space to add additional recovery accessories.
- Features drain hole to allow water to escape.

NEW 2" Soft Shackle Hitch Receiver

Maverick, Maverick MAX | **715010784**



- Provides a reliable recovery solution that plugs directly into any 2" receiver.
- 8,000 lbs (3,636 kg) working load limit.
- Forged aluminum construction with a durable viper-red powder-coated finish.
- Easy installation: slide the shackle mount into the receiver and secure it with a hitch pin (not included).
- Compatible with the Can-Am Soft Shackle (715010577) for a complete recovery setup.

NEW Can-Am Kinetic Recovery Rope (⅝" x 25')

Maverick, Maverick MAX | **715010835**



- 15,000 lbs (6,803 kg) breaking strength.
- 3,000 lbs (1,360 kg) working load limit.
- Product size: ⅝" x 25' (16 mm x 7.6 m).
- Our kinetic energy rope stretches up to 30%.
- Each rope is built from heavy-duty synthetic fiber engineered to withstand repeated use in the harshest off-road conditions. Reinforced protective sleeves add extra durability and help guard against wear in high-friction areas.
- Kinetic ropes provide superior pulling power by stretching up to 30% to store and release kinetic energy.
- This controlled stretch reduces shock on both vehicles, making recoveries smoother and safer than traditional tow straps.
- From mud to sand to snow, these ropes deliver the forward momentum needed to break free.

NEW Recovery Ring

Maverick, Maverick MAX | **715010836**



- Change the direction of your pull.
- Machined from premium aluminum alloy.
- Features a black hard-anodized, ultra-smooth, low-friction finish that delivers long-lasting durability in a sleek design.
- This recovery ring is perfectly sized to fit the Can-Am Soft Shackle (715010577) and works flawlessly with synthetic winch ropes below ½".
- Working load limit: 6,600 lbs.
- Minimum breaking strength: 33,000 lbs.
- For use with synthetic winch rope only and a soft shackle.

PERFORMANCE

NEW SMART Helmet Pumper System

Maverick	Coming soon
Maverick MAX	Coming soon



- Creates positive air pressure inside the helmet to prevent dust intrusion.
- Continuously circulates fresh, cool air to reduce heat buildup.
- Optimized housing paired with two high static-pressure fans delivers superior airflow and volume—outperforming any other helmet pumper.
- Includes two ultra-light, flexible, expandable breathing hoses stretching from 26" (68 cm) to 72" (1.8 m).
- MAX: Includes four ultra-light, flexible, expandable breathing hoses, two stretching from 26" (68 cm) to 72" (1.8 m) and two from 47" (1.2 m) to 128" (3.2 m).
- 3-stage high-flow filtration system for maximum performance and longer filter life: washable, splash-proof pre-filter. Washable foam second stage. Dry media final filter.
- Two mounting systems for versatile installation: direct bolt-on or half-clamp.
- SMART Mode: automatically adjusts fan speed based on vehicle speed/RPM when paired with an ACM.
- Without ACM, the system operates in ON/OFF mode only.
- Caps for unused outlets to increase airflow can be placed on the ends of the hoses after use and hung from the roof area using the rubber straps.
- Includes rubber straps to secure hoses (4 for 2-Up models, 10 for MAX models).

Required for installation:
- SMART: Accessory Control Module (715009121) & Rear ACM Wiring Harness (715009268).
- Not SMART: Helmet Pumper System Harness (715008905).

NEW Helmet Pumper System Harness

Maverick, Maverick MAX — Coming soon



- Required for the installation of the SMART Helmet Pumper System if the ACM is not installed.

Mud Smart Mode Module

(Not illustrated)

Maverick, Maverick MAX with Smart-Lok Differential (except Turbo RR models 2021 & up) — **715005282**

- This module allows you to add the Mud Smart Mode to vehicles with the Smart-Lok Differential Kit sold as an accessory or to change to the Mud Smart Mode on vehicles equipped with a standard Smart-Lok.
- The Mud Mode has been specially designed to deliver superior traction in the deepest mud holes.
- When high engine torque and/or slippage is detected, Smart-Lok will fully lock the front end.
- The system will stay locked until throttle release.
- Only one Smart Mode Module can be installed at a time.

Rock Smart Mode Module

(Not illustrated)

Maverick, Maverick MAX with Smart-Lok Differential (except Turbo RR models 2021 & up) — **715005283**

- This module allows you to add the Rock Smart Mode to vehicles with the Smart-Lok Differential Kit sold as an accessory or to change to the Rock Smart Mode on vehicles equipped with a standard Smart-Lok.
- The Rock Mode has been specially designed to help cross challenging rocks.
- When high engine torque is detected at low vehicle speed, Smart-Lok will progressively lock the front end and will stay engaged until throttle release to prevent wheel slippage and provide optimal traction.
- The progressive engagement allows for easier steering when maneuvering the vehicle.
- Only one Smart Mode Module can be installed at a time.

Trail Activ Smart Mode Module

(Not illustrated)

Maverick, Maverick MAX with Smart-Lok Differential (except Turbo RR models 2021 & up) — **715005284**

- This module allows you to add the Trail Activ Smart Mode to vehicles with the Smart-Lok Differential Kit sold as an accessory or to change to the Trail Activ Smart Mode on vehicles equipped with a standard Smart-Lok.
- The Trail Activ mode has been designed for aggressive riding, delivering the ultimate cornering precision.
- When high engine torque and/or an increase in vehicle speed is detected, Smart-Lok will progressively engage the front end and maintain it engaged until throttle release or vehicle speed reduction.
- The progressive engagement allows for smoother and lower steering effort.
- Only one Smart Mode Module can be installed at a time.

Lonestar Racing Mud Flaps with Brackets

Maverick, Maverick MAX — **715004865**



- These bolt-on mud flaps make a great addition.
- Durable chromoly brackets.
- Protect trailing arms, rotors and CVs from rocks and debris.
- Sold in pairs.

Not compatible with:
- HMWPE Front A-Arm and Trailing Arm Protector (715002905 and 715003552).

WARNING: Any modifications or addition of accessories may affect the handling of your vehicle. It is important to take the time to get familiar with the vehicle once modifications are made to understand how to adapt your driving behavior accordingly. Do not tamper with unauthorized modifications or install equipment not specifically certified by BRP for the vehicle. These modifications have not been tested by BRP and they may increase the risk of injury or loss of control, or render the vehicle illegal to ride. Ask your authorized BRP dealer for suitable available accessories for your vehicle.

Lonestar Racing Heavy-Duty Shift Plate & Knob

Maverick, Maverick MAX | **715004866**



- The shift plate is made from durable stainless steel and bolts into place for a secure fit.
- The kit comes with a billet aluminum Lonestar Racing shift knob.
- Offers improved durability for the performance-oriented driver.

Lonestar Racing Outer Toe Link Boxed Gussets Roller Fairlead

Maverick, Maverick MAX 2021 & prior | **715004868**



- Protects and strengthens the middle radius rod links from rough riding conditions.
- Includes high-grade steel bolts.

Lonestar Racing Quick Release Clutch Cover Pins

Maverick, Maverick MAX | **715005045**



- This kit will allow you to take off your clutch cover in seconds to access the belt tool-lessly.
- Includes 4 stainless steel "quick release" pins with clips and tethers.
- Replaces all clutch cover screws.
- This product affects the clutch cover sealing.
  It is highly recommended to use this product under dry riding conditions only.

Lonestar Racing Heavy-Duty Rear Boxed Radius Rod Support Plate

Maverick, Maverick MAX 2021 & prior | **715005046**



- Double-layered radius rod support plate made of high-grade steel.
- Reinforces your rod mounting location on the frame while adding a mean racing look to your vehicle.
- Easy to install.

Yoshimura† Slip-on Exhaust

Maverick, Maverick MAX | **715002882**



- Developed in collaboration with Yoshimura.
- Made from 304-grade stainless steel with brushed aluminum tip.
- Better sounding, better looking and 19% lighter than stock muffler.
- USDF/USDA approved spark arrester.
- Fuel injection system tuning not required.
- ROHVA and EPA compliant.

Performance Air Filter by Twin AIR†

Maverick, Maverick MAX | **715002895**



- The best choice for the harshest conditions.
- Multiple staged oiled filtering foam for superior dust retaining capacity with high airflow.
- Washable and reusable.

Snorkel Kit

Maverick, Maverick MAX (2019 and prior) | **715003733**

Maverick, Maverick MAX (2020 & up) | **715007110**



- Raises point of engine and CVT air intakes so vehicle can be semi-submersed in water or mud without the engine taking in water.
- Sealed Air Box 707800780 (sold separately) is required for installation on models manufactured before January 1, 2018.
- Standard on Maverick X mr models.
- No fit on all models equipped with remote shock reservoir mounted on C-pillar.

Not compatible with:
- S&B Particle Separator, LinQ Pivoting Rack, Lonestar Racing Rear Intrusion Bar or any rear panels or windows.

WARNING: Any modifications or addition of accessories may affect the handling of your vehicle. It is important to take the time to get familiar with the vehicle once modifications are made to understand how to adapt your driving behavior accordingly. Do not tamper with unauthorized modifications or install equipment not specifically certified by BRP for the vehicle. These modifications have not been tested by BRP and they may increase the risk of injury or loss of control, or render the vehicle illegal to ride. Ask your authorized BRP dealer for suitable available accessories for your vehicle.

Radiator Relocator

Maverick, Maverick MAX

715004937



- Relocates stock radiator to rear of cage.
- Protects it from debris and rocks.
- Prevents cooling performance loss in muddy conditions.
- Reduces hot air in the cabin.
- Easy to clean.
- Includes support hardware and hoses.
- Radiator (709200703) is required for installation on 2017 models.

Not compatible with:
- Not compatible with any bed accessories, Rear Cage mounted accessories, Complete MTX Audio system and Upper Soft Doors (except LinQ 8 gal [30 L] Cooler Box).
- Not compatible with full windshield.

Magneto Kit (850 W)

Maverick, Maverick MAX (2021 & up)

715011724



- Increases the magneto output to 850 W.
- Includes rotor, stator and regulator.

Snorkel Pre-Filter

Maverick, Maverick MAX (with Snorkel Kit)

715005599



- Pre-filter specifically for snorkels.
- Adds extra protection to your engine in harsh riding conditions.
- Helps keep air filter cleaner.
- Filter blocks particles larger than 0.005" (0.13 mm).
- Necessary to maintain vehicle warranty when tracks are installed.

EMERGENCY ACCESSORIES

Lonestar Racing Fire Extinguisher Support

Maverick, Maverick MAX

715007320



- Quick-release support that lets riders slide the fire extinguisher out in a matter of seconds in an emergency.
- Made of billet anodized black aluminum.
- Fits 1.85" (4.7 cm) tubing.
- Can be fixed anywhere on the cage.
- Provides riders with the safety and security of knowing they have dependable emergency equipment on board.
- Comes with both billet mounts, quick-pull pin, mounting plate and two clamps.
- Fire extinguisher sold separately.
- “Lonestar Racing for Can-Am” branded.

WARNING: Any modifications or addition of accessories may affect the handling of your vehicle. It is important to take the time to get familiar with the vehicle once modifications are made to understand how to adapt your driving behavior accordingly. Do not tamper with unauthorized modifications or install equipment not specifically certified by BRP for the vehicle. These modifications have not been tested by BRP and they may increase the risk of injury or loss of control, or render the vehicle illegal to ride. Ask your authorized BRP dealer for suitable available accessories for your vehicle.

APACHE TRACK SYSTEMS

APACHE XC LT — LIMITED WARRANTY*

Apache XC LT Track System

Maverick, Maverick MAX — **715007719**



- Long Track version.
- Brand-new track design to optimize driving off-road and in deep snow conditions.
- Reduction in steering effort thanks to the tandem 4 wheels.
- Vibrations are reduced due to the alignment of the wheels with the rolling band of the track and the shaft damper mounted tandem.
- Better steering precision because of this wheel and track alignment due to good ground contact.
- 1.25" (3.175 cm) lugs in the front and in the back for better traction and lateral stability.
- Track width: front 12.5" and rear 15".
- Adds 3" (7.62 cm) of ground clearance versus 27" tires.
- Additional shaft dampers, tandem dampers, track design and wheel layout significantly reduce NVH (noise vibration harshness).
- Central guide for optimized track alignment and reduced occurrences of detracking.
- Optimized track layout with increased angle of attack for better obstacle crossing and snow performance.
- Stamped and welded steel frame for improved strength and durability.
- Easy maintenance with replaceable hub and wheel bearings.
- Main hub is oil bath with 3 bearings inside for consistent lubrication.
- Mounting kit sold separately.

See table for installation location and requirements.

Apache XC LT Mounting Kit

Maverick, Maverick MAX (64" models)	**715008873**
Maverick, Maverick MAX (72" models)	**715008614**



- Required for the installation of the Apache XC LT Track System.
- DPS module and Engine Pre-filter not included.

WINTER TRACKS — LIMITED WARRANTY*

Apache Backcountry LT Track System

Maverick, Maverick MAX — **715004734**



- Tracks designed to deliver the best snow performance on the market with unmatched flotation level and traction on snow surface.
- Large contact patch, 37% bigger than the Apache 360 LT.
- Impressive added ground clearance of 7" (18 cm) helps keep the vehicle over the snow.
- Lightweight snowmobile-inspired rail design.
- Aggressive track design with 2" (5 cm) lug height for maximum traction on snow.
- Fine-tune your track system using extra Idler Wheels, Sliders with Vespel Inserts and Rail Ice Scratcher.
- For winter use only.
- Track installation will affect vehicle width and length.

See table for installation location and requirements.

Apache Backcountry LT Mounting Kit

(Not illustrated)

Maverick, Maverick MAX

715004397 · 64" models
715004394 · 72" models

- Required for installation of the Apache Backcountry Track LT System.
- DPS™ Module and Pre-filter are required and sold separately.

APACHE ACCESSORIES

Rail Ice Scratchers


Apache Backcountry LT Track System — **860201728**



- Provide additional lubrication in hard and icy conditions.
- Rail mounted, small, light.
- Design expands on coil concept to allow reversing without damage.
- Easily stored when not in use.
- Extends slider life.

Apache Backcountry LT Wheel Kit

Apache Backcountry LT Track System — **715006293**



- Additional wheel kit for Backcountry LT rear tracks.
- Reduces drag and rolling resistance in hard snow conditions or when transporting heavier loads.
- Extends slider life in hard snow conditions.
- Includes two wheels, cross shaft and mounting hardware per kit to service one track corner.
- Up to two kits per rear track can be installed.

Sliders with Vespel† Inserts

Apache Backcountry LT Track Systems	**503194815**



- Use DuPont Vespel inserts for less friction.
- Longer life.
- Can be cut to desired length.
- 8 needed per vehicle.
- Sold individually.

Track DPS Module
(Not illustrated)

Maverick, Maverick MAX (Turbo RR Engine only)	**715006266**
Maverick, Maverick MAX (2022 & prior except Turbo RR Engine)	**715007338**

- Innovative DPS module that ensures speedometer accuracy and optimized steering assist, making for perfect track control and riding ease.
- Required to install the Apache Track Systems.

See table for fit, compatibility and requirements.

Engine & CVT Air Intake Pre-Filter

Maverick, Maverick MAX (except X mr models)	**715005600**



- Adds extra protection to your engine in harsh riding conditions.
- Helps keep air filter cleaner.
- Filter blocks particles larger than 0.007" (0.19 mm).
- Easy installation.
- Necessary to maintain vehicle warranty when tracks are installed.

Not compatible with:
- S&B Particle Separator.

Required to install the Apache Backcountry LT and Apache 360 LT Track Systems.

APACHE TRACK SYSTEMS FITTING GUIDE

APACHE BACKCOUNTRY LT

Model Year / Model		Track	Track Mount	Track DPS Module	Pre-filter without Snorkel	Pre-filter with Snorkel
2017 & Up	Maverick, Maverick X3 MAX (64" Models)	**715004734**	**715004397**	**715007338** Maverick, Maverick Max 2022 & prior (except Turbo RR Engine) OR **715006266** Maverick, Maverick Max 2023 and up, and 2022 & prior with Turbo RR engines	**715005600** (except X mr)	**715005599**
2017 & Up	Maverick, Maverick X3 MAX (72" Models)		**715004394**			

APACHE XC LT

Model Year / Model		Track	Track Mount	Track DPS Module	Pre-filter without Snorkel	Pre-filter with Snorkel
2017 & Up	Maverick, Maverick X3 MAX (64" Models)	**715007719**	**715008873**	**715007338** Maverick, Maverick Max 2022 & prior (except Turbo RR Engine) OR **715006266** All Maverick, Maverick X3 Max 2023 and up, and 2022 & prior with Turbo RR engines	**715005600** (except X mr)	**715005599**
2017 & Up	Maverick, Maverick X3 MAX (72" Models)		**715008614**			

*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

PROMOUNT PLOWS

ProMount PLOW KITS – REFERENCE CHARTS

	72" Black Steel	72" Flex2
Plow Kit	**715008176**	**715008175**
Blade	**715009877**	**715009868**
Push Frame	**715008116**	**715008116**
Mounting Plate	**715008197**	**715008197**

CAN-AM ProMount STEEL PLOW KITS

Can-Am ProMount Steel 72" (183 cm) Plow Kit

Maverick, Maverick MAX

■ **715008176** · Black



- These kits include:
  - Can-Am ProMount Steel Blade
  - Push Frame with Quick-Attach System
  - Can-Am ProMount Mounting Plate

CAN-AM ProMount STEEL BLADES

Can-Am ProMount Steel 72" (183 cm) Blade

Fits ProMount Push Frame

■ **715009877** · Black



- Plow blade made from 12-gauge steel.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Clears 66" (168 cm) when plow is fully angled.
- Blade height of 17" (43 cm).
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

CAN-AM ProMount ANGLE PLOWS

Can-Am ProMount 72" (183 cm) Steel Oneway State Blade

Fits ProMount Push Frame

715009879



- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 26" (67 cm) high and tapers down to 16" (41 cm).
- One-way “winged” state plow designed to throw snow higher.
- Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

CAN-AM ProMount FLEX2 PLOW KIT

Can-Am ProMount Flex2 72" (183 cm) Blade

Maverick, Maverick MAX

715008175



- These kits include:
  - Can-Am ProMount Flex2 Blade
  - Push Frame with Quick-Attach System
  - Can-Am ProMount Mounting Plate

CAN-AM ProMount FLEX2 BLADES

Can-Am ProMount Flex2 72" (183 cm) Blade

Fits ProMount Push Frame

715009868




- Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when accidental impact occurs.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Clears 66" (168 cm) when plow is fully angled.
- Blade height of 17" (43 cm).
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

CAN-AM ProMount PLOW ACCESSORIES

Can-Am ProMount Edge Markers

Fits ProMount Plow Blades

715004206



- Help locate the edges of your plow.
- Height: 24" (60 cm).
- Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Can-Am ProMount 72" (183 cm) Plastic Wear Blade

Fits ProMount Plow Blades

715004483



- Ideal to prevent marks on your driveway.
- Compatible with Can-Am ProMount 72" (183 cm) Blades.

Can-Am ProMount Drift Cutters

Fits ProMount Plow Blades

715006258



- Help keep snow in the plow.
- Dimensions: 17" x 13" (43.2 cm x 33 cm).
- Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Back Drag Blade

(Not illustrated)

Fits ProMount Plows (60" and more)

715007794

- ¼ thick steel swivel scraper.
- Lifts up when the vehicle is moving forward so as not to affect the scraping.
- Increased capacity to pull snow.
- More aggressive scraping in reverse mode.
- Lifts the scraper off the ground so that it scrapes evenly.
- Adjustable in length for compatibility with 60", 66" and 72" blades.
- Compatible with ProMount blades (Flex and Steel).

Not compatible with:
- Backcountry Track Kit.

Curved Wear Blade

(Not illustrated)

Maverick, Maverick MAX

715007793 · 72" (183 cm)

- Wear blade designed with a folded back bottom lip.
- The increased surface allows for less digging while plowing uneven surfaces.
- Ideal for snow covered gravel, grass, paver stone and other soft surfaces.

CAN-AM ProMount CUSTOM SOLUTIONS

Can-Am ProMount Push Frame with Quick-Attach System

Maverick, Maverick MAX

715008116



- Heavy-duty steel tubes designed to withstand the roughest use.
- Mid-mount carriage provides ultimate push strength and traction.
- Designed for maximum plow lift height.
- Features a self aligning quick-attach system, an easy foot release pedal and an ergonomic handle for plow angle adjustment.
- Plow Limit Switch recommended to extend winch cable lifespan.
- Blade swivels left or right, 5 positions.
- Large pin designed for easy blade rotation to eliminate dirt and snow buildup at pivot point.
- Plow Roller Fairlead included.

Required for installation:
- Can-Am ProMount Mounting Plate and a winch.

Can-Am ProMount Push Frame Extension

Maverick, Maverick MAX

715006257



- 12" (30 cm) push frame extension required when plow is installed with Apache Track systems.

Can-Am ProMount Mounting Plate

Maverick, Maverick MAX

715008197



- Required to install the Can-Am ProMount Push Frame with Quick-Attach System.
- Mounting plate precision designed to stay on year round without compromising ground clearance.
- Comes with the Plow Roller Fairlead.

Can-Am ProMount Plow Angling System

Maverick, Maverick MAX

715009133



- Improved operation speed for quicker plow angle adjustments.
- Converts your plow system into an easy-to-control unit from the driver's seat.
- Allows you to have full up/down and left/right plow control at your fingertips with the supplied joystick.
- Using one hand to control all plow motions allows you to easily concentrate and manage your plowing tasks.
- Winch and plow sold separately.

Required for installation:
- Can-Am ProMount Pushframe (715008116).

Not compatible with:
- Apache Backcountry LT Track System.

Plow Quick Adjust Blade Shoes

ProMount steel & Flex2 Blades 60" (all years), 66"& 72" (2025 & prior)

715009751



- Zinc-plated steel construction for corrosion resistance.
- Easy and quick tool-free adjustment.
- Pre-set adjustment for different heights.
- Larger shoe diameter for greater ground contact.
- Improved shoe design for better flotation.

ProMount Plow Limit Switch

Maverick, Maverick MAX

715006259



- For controlling the cable tension when over-raising your plow system.
- Prevents winch, plow push frame and vehicle damage.
- Sensor relocated for optimal lift height.

.

Plow Roller Fairlead

Maverick, Maverick MAX

715001223
- Cylindrical Roller Fairlead



- Larger diameter lower roller reduces wear on wire rope for plow application.
- Can be used with all ProMount plows.

COVER & TRAILERING

Trailering Cover
(Not illustrated)

Maverick	**715005813**
Maverick MAX	**715005814**

- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- Inner soft liner protects windshield and colored panels from abrasion.
- All high-abrasion areas are reinforced with a double canvas layer.
- Weather-resistant trailering cover protects your vehicle during storage and transportation.
- Opening for fuel cap and cabin access on passenger side.
- Quick and easy installation.
- Designed to perfectly fit your vehicle with or without Can-Am accessories.

Bolt-On† Retractable Ratcheting Tie-Downs

Maverick, Maverick MAX — **295101072**



- Perfect for transporting your powersport vehicle or securing loads.
- Mount easily: bolt on any flat surface (e.g., truck bed or frame).
- 1" x 6' (2.5 cm x 1.8 m) tie-down strap with heavy-duty stitching that delivers a 500 lb (226 kg) working load strength and 1,500 lb (680 kg) break strength.
- Convenient retractable push button automatically slackens, spools and stores away strap, while the ratchet mechanism tightens the strap snugly to secure your vehicle or load into place.
- Rubber ratcheting handle provides firm grip, and the hook is vinyl coated to protect whatever surface it hooks into.
- Sold in pairs.

Ratchet Tie-Downs

715008309 · Black/Gray



- 400 lb (181 kg) safe working load.
- 1" x 10' (2.5 cm x 3 m) strap with Sea-Doo, Ski-Doo and Can-Am logos.
- Deluxe ratchet with rubber handle.
- Coated S hooks.
- Pack of 2.

Heavy-Duty Ratchet Tie-Down

715008308



- 1,000 lb (454 kg) safe working load.
- 1.5 in. x 6 in. (38 mm x 1.8 mm) strap with BRP brands.
- Deluxe ratchet with rubber handle.
- Black-coated clip hooks.
- 12" (300 mm) webbing included.
- Pack of two.

CAN-AM COMMANDER, MAVERICK TRAIL & MAVERICK SPORT

CAN-AM COMMANDER, MAVERICK TRAIL & MAVERICK SPORT

Commander Comparative Charts	160
Maverick Trail & Maverick Sport Comparative Charts	160
Commander and Maverick Trail & Sport Accessory Packages	162
Accessories	163
Roofs	163
Soft Cab Enclosure	163
Windshields & Wind Protection	164
Mirrors	166
Doors	167
Seat Accessories	168
Commander Skid Plates	169
Maverick Trail & Maverick Sport Skid Plates	170
Bumpers & Guards	171
LinQ Accessories	174
Cargo & Storage	182
Racks & Holders	183
Lights	186
Audio	191
Electrical & Electronic Accessories	192
Winches & Hitches	194
Recovery	196
Performance	198
Apache Track Systems	200
ProMount Plows	203
Covers	205

All accessories compatible with the Commander are for 2021 and up only.



		COMMANDER XT (INT)**	COMMANDER MAX XT (INT)**	MAVERICK TRAIL T
COLOR OPTIONS		Timeless Black Metallic	Dusty Navy Satin	Catalyst Grey
ENGINES	Type	1000R	1000R	700
		100 hp, Rotax® 976 cc, V-twin, liquid cooled	100 hp, Rotax® 976 cc, V-twin, liquid cooled	52 hp (38.8 kW) / 56.9 Nm, Rotax® ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid cooled, catalytic converter
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Transmission	Quick Response System (QRS) CVT with high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P	Quick Response System (QRS) CVT with high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P	pDrive primary CVT with engine braking and Electronic Drive Belt Protection L / H / N / R / P
	Drive Train	Selectable Turf Mode / 2WD / 4WD auto-locking QE front differential	Selectable Turf Mode / 2WD / 4WD TRAIL / 4WD TRAIL ACTIV with exclusive Smart-Lok* was developed in conjunction with TEAM Industries, a market leader in the drive train industry	Selectable 2WD / 4WD with Visco-Lok† auto-locking front differential
	Driving Assistance	CVT Engine Braking SPORT / ECO™ modes	CVT Engine Braking SPORT / ECO™ modes	Electronic Hill Descent Control SPORT / ECO™ modes
	Power Steering	Dynamic Power Steering (DPS)	Dynamic Power Steering (DPS)	
SUSPENSIONS	Front Suspension	Arched double A-arm with sway bar / 15 in. (38.1 cm) travel	Arched double A-arm with sway bar / 14 in. (35.6 cm) suspension travel	Double A-arm with sway bar / 10 in. (25.4 cm) suspension travel
	Front Shocks	Twin tube gas charged shocks	FOX† 2.5 PODIUM Piggyback with QS3† compression adjustment	Twin tube gas charged shocks
	Rear Suspension	Arched TTA with sway bar / 15 in. (38.1 cm) travel	Arched TTA with sway bar / 14 in. (35.6 cm) suspension travel	TTA with sway bar / 10.5 in. (26.7 cm) suspension travel
	Rear Shocks	Twin tube gas charged shocks	FOX† 2.5 PODIUM Piggyback with QS3† compression adjustment	Twin tube gas charged shocks
TIRES / WHEELS	Front/Rear Tires	XPS Trail King 28 x 9/11 x 14 in.	XPS Trac Force 30 x 10 x 15 in.	Carlisle ACT 26 x 8/9 x 12 in.
	Wheels	14 in. cast-aluminum	15 in. cast-aluminum beadlock	12 in. steel
BRAKES	Front & Rear	Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers
DIMENSIONS / CAPACITIES	Estimated Dry Weight	768.8 kg	920.2 kg	569.7 kg
	Chassis / Cage	Profiled cage ROPS approved	Profiled cage ROPS approved	Profiled cage ROPS approved
	L x W x H	130 x 64 x 74 in. (330.2 x 162.6 x 188 cm)	160.4 x 64 x 76.7 in. (407.4 x 162.6 x 194.8 cm)	118 x 52 x 69.2 in. (300.5 x 132.1 x 175.77 cm)
	Wheelbase	90.6 in. (230.1 cm)	120.6 in. (306.3 cm)	90.6 in. (230.1 cm)
	Ground Clearance	13 in. (33 cm)	13.5 in. (34.3 in)	10 in. (25.4 cm)
	Cargo Box Dimension	29.5 x 45.2 x 10.6 in. (75.1 x 114.7 x 27 cm)	29.5 x 45.2 x 10.6 in. (75.1 x 114.7 x 27 cm)	
	Cargo Box Capacity	600 lb (272.2 kg)	600 lb (272.2 kg)	136 kg
	Towing Capacity	2,000 lb (907.2 kg)	2,000 lb (907.2 kg)	680 kg
	Payload Capacity	1,030 lb (467.2 kg)	1,280 lb (580.6 kg)	
	Storage Capacity	Total: 27.6 L	Total: 32.1 L	Total: 20.2 L
	Fuel Capacity	38 L	38 L	38 L
	Person Capacity			2
FEATURES	Gauge	7.6 in. wide digital display with keypad	7.6 in. wide digital display with keypad	7.6 in. wide digital display with keypad
	Instrumentation	DC outlet (10-A)	DC outlet (10-A)	DC outlet (10-A)
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start / Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start / Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
	Magneto	650-W	650-W	650-W
	Lighting	Front lighting output 110-W LED signature LED tail lights	LED headlight LED signature LED tail lights	Front lighting output 110-W LED headlights and premium tail lights
	Winch	4,500 lb (2,041 kg) winch with synthetic cable	4,500 lb (2,041 kg) winch with synthetic cable	
	Steering Wheel	Adjustable tilt steering	Adjustable tilt steering	Tilt steering adjustment
	Protection	Premium half doors Full heavy-duty HMW plastic skid plate Mudguards XT Front bumper Full hard roof Lower front mudflap	Premium half doors Full heavy-duty HMW plastic skid plate Mudguards XT Front bumper Full roof	Integrated front steel bumper Full skid plate Mudgards
	Hitch Type	2 in. hitch receiver	2 in. hitch receiver	2 in. hitch receiver with rear hitch, tow ball and trailer connection

† Visco-Lok is a trademark of GKN Viscodrive GmbH.
*Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry.
** These models are available only in EMEA countries outside the European Union. All other models are available throughout the EMEA region. Availability and warranty conditions may vary by country. Please contact your local dealer for details.
Vehicles sold within the European Union include a 2-year BRP limited warranty; vehicles sold elsewhere in the EMEA region include a 1-year BRP limited warranty. BRP's limited warranty does not affect consumer guarantees.



		MAVERICK TRAIL DPS T ABS		MAVERICK SPORT DPS T ABS	MAVERICK SPORT MAX DPS T ABS
COLOR OPTIONS		Granite Grey		Granite Grey	Granite Grey
ENGINES		700	1000	1000R	1000R
	Type	52 hp (38.8 kW) / 56.9 Nm, Rotax® ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid cooled, catalytic converter	75 hp (55,9 kW) / 55,6 Nm, Rotax® 976 cc, V-twin, liquid cooled, catalytic converter	100 hp (73.6 kW), Rotax® 976 cc, V-twin, liquid cooled, catalytic converter	100 hp (73.6 kW), Rotax® 976 cc, V-twin, liquid cooled, catalytic converter
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)		Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
	Transmission	pDrive primary CVT with engine braking and Electronic Drive Belt Protection L / H / N / R / P	Quick Response System (QRS) CVT with high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P	Quick Response System (QRS) CVT with high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P	Quick Response System (QRS) CVT with high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P
	Drive Train	Selectable Turf Mode / 2WD / 4WD with open front differential with ABS system		Selectable Turf Mode / 2WD / 4WD with open front differential with ABS system	Selectable Turf Mode / 2WD / 4WD with open front differential with ABS system
	Driving Assistance	Electronic Hill Descent Control SPORT / ECO™ modes		Electronic Hill Descent Control SPORT / ECO™ modes	Electronic Hill Descent Control SPORT / ECO™ modes
	Power Steering	Dynamic Power Steering (DPS)		Dynamic Power Steering (DPS)	Dynamic Power Steering (DPS)
SUSPENSIONS	Front Suspension	Double A-arm with sway bar / 10 in. (25.4 cm) suspension travel		Double A-arm with sway bar / 11.5 in. (29.2 cm) suspension travel	Double A-arm with sway bar / 11.5 in. (29.2 cm) suspension travel
	Front Shocks	Twin tube gas charged shocks		SHOWA 2.0	SHOWA 2.0
	Rear Suspension	TTA with sway bar / 10.5 in. (26.7 cm) suspension travel		TTA with sway bar / 12 in. (30.5 cm) suspension travel	TTA with sway bar / 12 in. (30.5 cm) suspension travel
	Rear Shocks	Twin tube gas charged shocks		SHOWA 2.0	SHOWA 2.0
TIRES / WHEELS	Front/Rear Tires	Carlisle ACT 26 x 8/9 x 12 in.		Maxxis Liberty† 28 x 10 x 14 in.	Maxxis Liberty† 28 x 10 x 14 in.
	Wheels	12 in. cast-aluminum		14 in. cast-aluminum	14 in. cast-aluminum
BRAKES	Front & Rear	Dual 220 mm disc brakes with hydraulic twin-piston calipers		Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers
DIMENSIONS / CAPACITIES	Estimated Dry Weight	576.5 kg		646.3 kg	769.7 kg
	Chassis / Cage	Profiled cage ROPS approved		Profiled cage. ROPS approved	Profiled cage. ROPS approved
	L x W x H	118 x 52 x 69.2 in. (300.5 x 132.1 x 175.77 cm)		119 x 59.6 x 71.1 in. (302.2 x 151.38 x 180.6 cm)	149 x 59.3 x 73.9 in. (378.4 x 150.62 x 187.7 cm)
	Wheelbase	90.6 in. (230.1 cm)		90.6 in. (230.1 cm)	120.6 in. (306.3 cm)
	Ground Clearance	10 in. (25.4 cm)		12 in. (30.5 cm)	12 in. (30.5 cm)
	Cargo Box Dimension				
	Cargo Box Capacity	136 kg		136 kg	136 kg
	Towing Capacity	680 kg		680 kg	680 kg
	Payload Capacity				
	Storage Capacity	Total: 20.2 L		Total: 20.2 L	Total: 24.7 L
	Fuel Capacity	38 L		38 L	38 L
	Person Capacity	2		2	4
FEATURES	Gauge	7.6 in. wide digital display with keypad		7.6 in. wide digital display with keypad	7.6 in. wide digital display with keypad
	Instrumentation	DC outlet (10-A)		DC outlet (10-A)	DC outlet (10-A)
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button		RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
	Magneto	650-W		650-W	650-W
	Lighting	Front lighting output 110-W LED headlights and premium tail lights		Front lighting output 110-W LED headlights and premium tail lights	Front lighting output 110-W LED headlights and premium tail lights
	Winch				
	Steering Wheel	Tilt steering adjustment		Tilt steering adjustment	Tilt steering adjustment
	Protection	Integrated front steel bumper T-Net (driver), Regular Net (passager front) Full skid plate Mudgards		Integrated front steel bumper T-Net (driver), Regular Net (passager front) Full skid plate Mudgards	Integrated front steel bumper T-Net (driver), Regular Net (passager front) and half doors (rear only) Full skid plate Mudgards
	Hitch Type	2 in. hitch receiver with rear hitch, tow ball and trailer connection		2 in. hitch receiver with rear hitch, tow ball and trailer connection	2 in. hitch receiver with rear hitch, tow ball and trailer connection

*Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry.
Some models are available only in EMEA countries outside the European Union. All other models are available throughout the EMEA region. Availability and warranty conditions may vary by country. Please contact your local dealer for details.
Vehicles sold within the European Union include a 2-year BRP limited warranty; vehicles sold elsewhere in the EMEA region include a 1-year BRP limited warranty. BRP's limited warranty does not affect consumer guarantees.

COMMANDER AND MAVERICK TRAIL & SPORT ACCESSORY PACKAGES

UPGRADE YOUR RIDE. CHOOSE YOUR EXPERIENCE.

For details on the exact SKUs required for installation, please contact your authorised dealer, as additional components such as wiring harnesses, mounting brackets or vehicle specific hardware may be required.





COMMANDER ALL-IN

Essentials	Glass Windshield with Wiper
	Sport Roof*
	Overhead Switch Panel
	Rear Polycarbonate Window
	Side Mirrors
	Electronic Device Holder
	Complete Wet Sounds Audio System
	Can-Am Subwoofer
Protections	X mr Front Bumper*
	Rear Bumpers
	Rock Sliders
Winches & Recovery	Can-Am HD 4500-S Winch*
	Can-Am Retractable Rope System
	Can-Am Winch Accessory Kit
Cargo & Storage	Shoulder Storage Bag
	Removable Central Storage Bag
	All-Terrain Trunk Cover
Lights	SMART 15” (38 cm) LED Light Bar
Winter	Upper Soft Door Panels – Front
	Upper Soft Door Panels – Rear
	Defrost, Heat and Ventilation System
	Heated Grab Bar Cover
	Seat Heater

*May already be included in certain vehicle models
**Some accessories require additional installation hardware
***To complete the package we recommend the installation of a Skid Plate Protection Kit

MAVERICK TRAIL/SPORT ALL-IN

Essentials	Glass Windshield with Wiper**
	Sport Roof*
	Overhead Switch Panel
	Rear Polycarbonate Window
	Side mirrors*
	Electronic Device Holder
	Complete Wet Sounds Audio System
	Can-Am Subwoofer
	Digitally Encoded Security System (D.E.S.S.) - 2nd Key
Protections	Front Trail Bumper
	Rear Trail Bumper
	License Plate Holder
	Rock Sliders
Winches & Recovery	Can-Am HD 4500-S Winch*
	Can-Am Retractable Rope System
	Can-Am Winch Accessory Kit
Cargo & Storage	Shoulder Storage Bag
	All-Terrain Trunk Cover
	LinQ Pivoting Rack
Lights	SMART 10” (25 cm) LED Light Bar
Winter	Sport Half Doors*
	Door Trims*
	Upper Soft Door Panels – Front
	Upper Soft Door Panels – Rear
	Defrost, Heat and Ventilation System
	Heated Grab Bar Cover
	Seat Heater

*May already be included in certain vehicle models
**Requires rework to fit ABS units
***Some accessories require additional installation hardware
****To complete the package we recommend the installation of a Skid Plate Protection Kit

ROOFS

Sport Roof

Commander	**715007271**
Commander MAX, Maverick Sport MAX	**715007272**
Maverick Trail, Maverick Sport	**715006218**



- Robust injection-molded polypropylene construction.
- Excellent protection from the elements.
- Allows installation of lights on top of the roof.
- Compatible with all windshields.

ProVent Roof Module Kit

Commander, Maverick Trail, Maverick Sport — **715005279**



- Provides fresh air in the cab area.
- Optimal performance with full cab enclosure.
- 4 vents provide infinite adjustment of air flow for driver and passenger.
- Filter and pre-filter to limit dust intrusion.
- Easy cleaning of filter and pre-filter.
- Patent pending water management system to keep water out of cabin while maintaining air flow.
- Outer plug closes air intake completely for winter or heavy weather.

Required for installation:
- ProVent Roof Module Adapter Kit for Sport Roof.

Not compatible with:
- Roof mounted LED bars, roof racks, roof liners, Bimini Roof, DragonFire Roof or Lonestar Racing Roof.

ProVent Roof Module Adapter Kit for Sport Roof

(Not illustrated)

Commander, Maverick Trail, Maverick Sport — **715005213**

- Adapter for fitting ProVent Roof Module Kit onto Commander, Maverick Sport or Maverick Trail Sport Roof.
- Includes roof adapter and hardware.

Required for installation:
- ProVent Roof Module Kit (715005279).

Bimini† Roof with Sun Visor

Commander, Maverick Trail, Maverick Sport‡	**715003661**
Commander MAX, Maverick Sport MAX	**715004792**



- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- Soft top comes with a hard visor that allows for storage of rolled-up soft top and mounting auxiliary lights.
- Commander: Also compatible with the Adventure Rack (715006809).

‡Not compatible with Glass Windshield with wiper.

Lonestar Racing† Aluminum Roof

Commander, Maverick Trail, Maverick Sport‡ — ■ **715005137** · Black



- Race-true low profile look with integrated front visor for eye-popping performance and protection.
- 0.083" (2.1 mm) thick aluminum roof for durable and lightweight protection from the elements.

Not compatible with:
- Full Windshields, Rigid Rear Window, Can-Am Intrusion Bars and Overhead Switch Panel.

SOFT CAB ENCLOSURE

Soft Cab Enclosure *

Maverick Trail — **715003618**



Includes:
- Sport Roof
- Full Windshield – Hardcoated
- Upper Soft Door Panels
- Soft Rear Panel
- Door Seal Kit

Required for installation:
- Trail Half Doors.

Not compatible with:
- Sport Half Doors.

* *Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

Soft Cab Enclosure *

Commander, Maverick Trail, Maverick Sport (except X mr models)	**715004724**
Commander MAX, Maverick Sport MAX (except X mr models)	**715004725**



- Can be installed on the Maverick Trail equipped with the Sport Half Doors or on Maverick Sport models.

Includes:

- Sport Roof
- Full Windshield – Hardcoated
- Upper Soft Door Panels
- Soft Rear Panel

WINDSHIELDS & WIND PROTECTION

WINDSHIELDS

Glass Windshield *

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX — **715003653**



- Curved and laminated glass full windshield in metal frame.
- Provides excellent optical clarity.
- Seals firmly against the cage and protects rider and passenger from the elements.

Required for installation:
- Must be used with rear wind protection.
- Must be used with windshield wiper to maintain clear visibility during severe riding conditions, such as mud riding.

Not compatible with:
- Vehicle with ABS.

Glass Windshield with Wiper *

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX — **715003652**



- Curved and laminated glass full windshield in metal frame.
- Provides excellent optical clarity.
- Seals firmly against the cage and protects rider and passenger from the elements.
- Single-speed wiper with washer fluid dispenser.

Required for installation:
- Requires the Overhead Switch Panel (715003669) for installation.
- Must be used with rear wind protection.

Not compatible with:
- Vehicle with ABS.

Half Windshield *

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX (2025 & prior)

☐ **715003657** · Clear

715005280 · Tinted



- Formed polycarbonate construction for enhanced rigidity.
- Formulated to be non-yellowing, non-crazing, non-cracking with excellent UV resistance and optical clarity.
- Protects driver and passenger from the elements.
- Features reverse angle lip to deflect air flow.
- Quick and easy tool-less installation or removal.

Full Windshield *

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX (2025 & prior) — **715003655**



- High-impact-resistant durable polycarbonate full windshield.
- Formed polycarbonate construction for enhanced rigidity.
- Formulated to be non-yellowing, non-crazing, non-cracking with excellent UV resistance and optical clarity.
- Seals firmly against the cage and protects rider and passenger from the elements.
- Quick and easy tool-less installation or removal.

Required for installation:
- Rear Wind Protection

Full Windshield – Hardcoated *

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX — **715003656**



- High-impact-resistant Quantum† hardcoated polycarbonate full windshield.
- Formed polycarbonate construction for enhanced rigidity.
- Provides excellent optical clarity and better abrasion resistance.
- Seals firmly against the cage and protects rider and passenger from the elements.
- Quick and easy tool-less installation or removal.

Required for installation:
- Rear Wind Protection

* *Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

ProVent Windshield *

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715005210



- High-impact-resistant Quantum† hardcoated polycarbonate full windshield.
- Controllable vents to manage air flow.
- Channels air into the cabin, defogs windshield, fully closes to eliminate air flow.
- One upper vent and one lower vent with pre-filters.
- Provides excellent optical clarity and better abrasion resistance.
- Protects driver and passenger from the elements.
- Quick and easy tool-less installation or removal.

Required for installation:
- Rear Wind Protection

Non compatible with:
- Wiper kits and Wet Sounds Stealth 6 Ultra HD Can-Am Edition Sound Bar.
- Defrost, Heat and Ventilation System.

PowerFlip Windshield *

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715003658



- The PowerFlip Windshield is equipped with electric cylinders that allow the rider to adjust the windshield opening at the touch of a button.
- Windshield is made of hardcoated polycarbonate with a rubber seal contour and a tinted top section.
- Allows you to quickly adapt to changing conditions by adjusting the windshield as you go.
- Can be fully opened for optimal visibility and ventilation, fully closed for maximum protection from the elements, and in between, you have an infinite number of openings.

Required for installation:
- Rear Wind Protection.

Windshield Wiper and Washer Kit *

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715003654



- An ideal way to keep your windshield clear in rain, or while riding through mud and water.
- Includes single-speed wiper, washer fluid dispenser and windshield frame mount.

Required for installation:
- Overhead Switch Panel (715003669) and Glass Windshield (715003653).

Not compatible with:
- ABS equipped vehicles.

Manual Wiper Kit *

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715009423



- Single manual wiper that can be used to clear windshield of debris.
- Easy to install system that requires no electrical hookup.
- Large ergonomic handle provides a good grip over the entire sweeping surface.
- Compatible with glass and hardcoated windshields that use top mounted wipers.

WIND PROTECTION

Side Wind Deflectors

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715008632



- Clear polycarbonate air deflectors mount on each side of the cage.
- Can be adjusted at three different positions for cabin air flow control when full windshield is installed:
  1) Outside deflection to reduce cabin air flow and turbulence.
  2) Inside deflection to increase air flow in the cabin.
  3) Windshield ventilation to reduce fog.
- Compatible with all windshields.
- Sold in pairs.

Not compatible with: full doors.

Rear Polycarbonate Window

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX (except X mr models)

715010803



- High-impact-resistant polycarbonate window.
- Blocks windshield backdraft or dust and rain from entering for added cabin comfort.

Required for installation:
- Sport Roof.

Not compatible with:
- Bimini Roof with Sun Visor, DragonFire Aluminum Roof or Lonestar Racing Aluminum Roof.
- Not compatible on a Commander Max with a Sport Roof Max and Rear Adventure Rack.

* *Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

Rear Wind Screen

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX (except X mr models)

715003664



- Full rear mesh screen reduces windshield backdraft for added cabin comfort.
- Installs quickly and easily on roll cage.
- Large Can-Am branding.

Soft Rear Panel

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX (except X mr models)

715005887



- Plastic reinforced and weather-resistant rear panel offers good protection from the elements.
- Made of heavy-duty UV-resistant solution-dyed polyester canvas for excellent resistance to tears and abrasion.
- Clear window made of laminated polished vinyl material.
- Resists cold cracking.
- Installs quickly and easily on roll cage.

MIRRORS

Side Mirrors *

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715003639



- Rugged black nylon % construction with coated cast-aluminum mount.
- Dual adjustment (horizontal and vertical) will suit any rider.
- Convex optics delivers optimal field of view (FOV).
- Spring-loaded pivots let mirrors fold back completely.
- Sold in pairs.

Panoramic Center Mirror

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715003638



- Wide-angle convex mirror.
- Offers enhanced visibility.
- Can be used with or without roof or windshield and with cab enclosure.

Sport Panoramic Center Mirror

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715004924



- Convex mirror for wide rearward visibility.
- Ball-joint design with tightening knob for steady multi-angle adjustment.
- Can be used with or without roof or windshield.
- Not for road use.

Rear View Mirror and Camera Monitor

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715009410



- Fully waterproof rear-view mirror and monitor kit.
- See exactly what you need to see with the multiple camera feeds from the rear-view camera.
- This unit replaces the stock rear-view mirror (the screen is integrated in the unit's replacement rear-view mirror).
- The camera uses infrared light for night vision capabilities.

* *Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

DOORS

Trail Half Doors *

Maverick Trail	**715004418**



- Half doors made of molded polypropylene to match vehicle's styling.
- Steel frame for high level of rigidity.
- A must-have for additional cabin comfort.
- Keep the vehicle narrow in tight trail riding conditions.
- Door Trim is required to complete your door kit (sold separately).
- Standard on 1000 Base and 1000 DPS™ models.
- Sold in pairs.

Door Trim

		Left	Right
Maverick Trail	Can-Am Red	**705012419**	**705012420**
	Timeless Black	**705015607**	**705015613**
	Octane Blue	**705016447**	**705016449**



- Matching colored panel for Trail Half Doors.
- Required to complete the Trail Half Doors (sold separately).

Sport Half Doors *

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	**715006217**



- Half doors made of molded polypropylene to match vehicle's styling.
- A must-have for additional cabin comfort.
- Features rounded shape to increase cabin space.
- Standard on all Commander & Maverick Sport models.
- Can be installed on Maverick Trail models for additional cabin space.
- Door Trim is required to complete your door kit (sold separately).
- Sold in pairs.

Door Trim

		Left	Right
Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	Can-Am Red	**705015464**	**705015465**
	Timeless Black	**705015608**	**705015615**
	Octane Blue	**705016448**	**705016450**



- Matching colored panel for the Sport Half Doors.
- Required to complete the Sport Half Doors (sold separately).
- Sold in pairs.

Upper Soft Door Panels *

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX (except X mr models)	**715004718** • Front
Commander MAX, Maverick Sport MAX (except X mr models)	**715004726** • Rear



- Upper canvas portion of the doors with sturdy steel frame.
- Seals firmly against the cage and protects rider and passenger from the elements.
- Converts half door into full door for a complete cab enclosure.
- Zippered window made of laminated polished vinyl material for added ventilation.
- Easy to remove on hot and sunny days.
- Sport Roof required for installation.
- Can be installed on the Maverick Trail equipped with the Sport Half Doors (715006217) or with the standard half doors on Maverick Sport models.

†Not compatible with Trail Half Doors or with the standard half doors on Maverick Trail models.

Upper Soft Door Panels
(Not illustrated)

Maverick Trail	**715003620**

- Can only be installed with Trail Half Doors or with the standard half doors on Maverick Trail models.

Required for installation:
- Sport Roof required for installation.

Not compatible with:
- Sport Half Doors or with the standard half doors on Maverick Sport models.

* *Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

Door Seal Kit
(Not illustrated)

Maverick Trail

715004773

- Improves door sealing from the elements and provides additional cabin comfort.
- Included in the Soft Cab Enclosure Kit (715003618).
- Compatible with the Trail Half Doors or with the stock doors on the Maverick Trail.

Not compatible with: Sport Half Doors.

Door Knee Pads with Storage

Maverick Trail

715003635



- Padded door cushion with integrated pocket for storage.
- Protect driver's and passenger's legs from direct contact with the doors while riding.
- Increase cabin comfort.
- Require Trail Half Door on 800 Base and 800 DPS models (715004418).
- Offer storage space for small items.
- Sold in pairs.

Not compatible with: Sport Half Doors.

Door Storage with Padding

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715004914



- Weather-resistant door storage bags with integrated padding.
- Holds your gear safely and securely and also protects driver's and passenger's legs from direct contact with the doors while riding.
- Each bag is designed as a 0.5 gal (2 L) capacity pocket also equipped with inner netting compartments.
- Semi-rigid construction renders them flexible enough to fit odd-shaped loads.
- Easy to install.
- Sold in pairs.
- Bags attach on stock doors of the Maverick Sport or on the Maverick Trail equipped with the Sport Half Doors (715006217).

Not compatible with: stock doors on the Maverick Trail or the Trail Half Doors.

SEAT ACCESSORIES

4-Point Harness

Commander, Maverick Trail, Maverick Sport,

715008035 · Driver
715008036 · Passenger



- Exclusive controlled decelerator technology (patent pending) absorbs additional energy in case of an accident.
- Designed to offer maximum riding comfort.
- Easy one-click latch and release.
- Not EC compliant.
- ROHVA compliant.

Seat Belt Shoulder Pads


Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715002894



- Provide additional riding comfort by preventing seat belt from rubbing on neck and shoulder.
- Fit with stock 3-point seat belts and 4 point harness.
- Easy Velcro installation.
- Can-Am branded.
- Sold in pairs for driver and passenger.

COMMANDER SKID PLATES




Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain.

- Made of abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE).
- Lighter than aluminum.
- Superior stress crack resistance.
- High impact strength.
- Ultra-sturdy 3/8" (10 mm) thickness.

Offer your Commander the full protection kit or get parts individually	COMMANDER, COMMANDER MAX DPS & XT 700	COMMANDER, COMMANDER MAX XT 1000, XT-P & X mr
HMWPE SKID PLATE PROTECTION KIT		
Includes: - HMWPE Front Skid Plate. - HMWPE Front A-Arm Protectors. - HMWPE Rear Skid Plate. - HMWPE Rear A-Arm Protectors. - HMWPE Underbelly Plates. - HMWPE Central Skid Plate.	**715006349** (except MAX) (2025 & prior) **715006351** (MAX only) (2025 & prior)	**715006350** (except MAX) (2025 & prior) **715007303** (MAX only) (2025 & prior)
INDIVIDUAL HMWPE SKID PLATES		
(1) **HMWPE Front Skid Plate**	**715008279**	**715008279**
(2) **HMWPE Front A-Arm Protectors**	**715008276**	**715008277**
(3) **HMWPE Underbelly Plates** Keep the rollover clearance.	**715006273** (2025 & prior)	**715006273** (2025 & prior)
(4) **HMWPE Rear Skid Plate**	**715007302**	**715007302**
(5) **HMWPE Rear A-Arm Protectors**	**715004271**	**715006341**
(6) **HMWPE Central Skid Plate** Provides center protection for MAX models.	**715004272** (MAX only) (2025 & prior)	**715004272** (MAX only) (2025 & prior)

MAVERICK TRAIL & MAVERICK SPORT SKID PLATES



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain.

- Made of abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE).
- Lighter than aluminum.
- Superior stress crack resistance.
- High impact strength.
- Ultra-sturdy 3/8" (10 mm) thickness.

Offer your Maverick the full protection kit or get parts individually	MAVERICK SPORT & MAVERICK SPORT MAX					MAVERICK TRAIL
	2019 Base & DPS	2019 X mr	2020 & Up Base & DPS	2020 & Up X mr & X xc	Any Year X rc	
HMWPE SKID PLATE PROTECTION KIT						
Includes: - HMWPE Front Skid Plate. - HMWPE Front A-Arm Protectors. - HMWPE Rear Skid Plate. - HMWPE Rear A-Arm Protectors. - HMWPE Underbelly Plates. - HMWPE Central Skid Plate.	**715006348** (except Max) **715006352** (Max only)	**715006353**	**715006349** (except Max) **715006351** (Max only)	**715006350**	—	**715006346** (2019 & prior) **715006347** (2020 & up)
INDIVIDUAL HMWPE SKID PLATES						
① **HMWPE Front Skid Plate**	**715008279**	**715008279**	**715008279**	**715008279**	(Standard on X rc models)	**715008279**
② **HMWPE Front A-Arm Protectors**	**715008276**	**715008277**	**715008276**	**715008277**	(Standard on X rc models)	**715008278**
③ **HMWPE Underbelly Plates** Keep the rollover clearance.	**715006339**	**715006339**	**715006273**	**715006273**	**715006339** (2019) **715006273** (2020 & up)	**715006339** (2019 & prior) **715006273** (2020 & up)
④ **HMWPE Rear Skid Plate**	**715007302**	**715007302**	**715007302**	**715007302**	**715007302**	**715007302**
⑤ **HMWPE Rear A-Arm Protectors**	**715004271**	**715006341**	**715004271**	**715006341**	(Standard on X rc models)	**715003699**
⑥ **HMWPE Central Skid Plate** Provides center protection for MAX models.	**715004272** (MAX only 2020-2025)	—	**715004272** (MAX only 2020-2025)	—	—	—

BUMPERS & GUARDS

COMMANDER BUMPERS

X mr Front Bumper

Commander, Commander MAX

715007248 · Black



- Heavy-duty 1.5" (3.8 cm) diameter steel-tube construction.
- Inside and outside anti-corrosion coating with durable finish.
- Provides additional front body protection.
- Integrated winch support plate for winch relocation at a higher position for easier access in muddy conditions or for auxiliary lights.
- Allows the installation of front corner protectors.
- Winch not included.

Front Bumper

Commander, Commander MAX

715007631



- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder-coat finish.
- Includes integrated mount points for seamless light installation.
- Compatible with synthetic and steel rope winches and Hawse fairlead.
- Not EC compliant.

Front Corner Protectors

Commander, Commander MAX

715006807



- Heavy-duty 1.5" (3.8 cm) diameter steel tubing.
- Inside and outside anti-corrosion coating with durable powder-coat finish.
- Provide additional protection for vehicle's front corners.
- Require stock XT, XT-P or X mr bumper.
- Sold in pairs.
- Not EC compliant.

Rear Bumpers

Commander, Commander MAX

715006808



- Rear bumper made of heavy-duty 1.5" (3.8 cm) diameter steel tubing.
- Protect vehicle bodywork and exhaust system.
- Inside and outside anti-corrosion coating with durable powder-coat finish.
- Compatible with Mud Flaps.
- Not EC compliant.

Mud Flaps

Commander, Commander MAX

715003041



- Keep mud and debris out of cargo area and protect trailer or vehicles behind you.
- Add aesthetic appeal to your vehicle.
- Made of EPDM rubber.
- Require Rear Bumper for installation.
- Sold in pairs.

MAVERICK TRAIL & MAVERICK SPORT BUMPERS

Front Trail Bumper

Maverick Trail, Maverick Sport, Maverick Sport MAX

715003680 · Black

715003681 · Sunburst Yellow



- Front bumper made of heavy-duty 1.5" (3.8 cm) diameter steel tubing.
- Completes the stock bumper for more front coverage and essential vehicle protection for trail riders.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Includes integrated mount points for seamless light installation.

Rear Trail Bumper

Maverick Trail, Maverick Sport, Maverick Sport MAX

■ **715007109** • Black



- Rear bumper made of heavy-duty 1.5" (3.8 cm) diameter steel tubing.
- Protects vehicle bodywork and exhaust system.
- Inside and outside anti-corrosion coating with durable powder coat finish.

Front Corner Protectors

Maverick Trail, Maverick Sport, Maverick Sport MAX

■ **715004912** • Black



- Heavy-duty 1.5" (3.8 cm) diameter steel tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Provide additional protection for vehicle's front corners.
- Sold in pairs.

Required for installation:
- Require Front Trail Bumper (715003680 / 715003681) for installation.

Rancher Rear Bumper *

Maverick Trail, Maverick Sport, Maverick Sport MAX

715004304



- Heavy-duty protection made of 1.5" (3.8 cm) diameter steel tubing, perfect for farm, ranch and forestry applications.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Offers full rear coverage with integrated taillight protectors.

ROCK SLIDERS

Rock Sliders

Commander, Maverick Trail, Maverick Sport (except X rc) (2025 & prior)

Commander MAX, Maverick Sport MAX (2025 & prior)

■ **715003689** • Black

■ **715004754** • Black



- Made of heavy-duty 1.5" (3.8 cm) diameter steel tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Protect vehicle's rocker panels and undercarriage against large obstacles.
- Sold in pairs.

INTRUSION BARS

Front Intrusion Bar

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715003872



- Steel intrusion bar matches perfectly with vehicle's styling.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Provides additional protection by preventing large objects from entering the driver/passenger area.
- Tube design reduces obstructed lines of sight and blind spots for better visibility.

Not compatible with:
- Windshields and Soft Door Panels.

Lonestar Racing Rear Intrusion Bar

Maverick Trail, Maverick Sport

■ **715005134** • Black



- Race-engineered to Lonestar Racing's trademark standards for toughness, these stylishly crafted accessories will also enhance your vehicle with visual impact.
- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Provides additional protection for driver and passenger.

Not compatible with:
- Sport Roof, rear panels and windows, All-Terrain Trunk Cover.
- X mr models or the Snorkel Kit.
- S&B particle separator.

* *Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

FENDER FLARES

Fender Flares

Commander, Commander MAX

715006814



- Fender flares made from injection-molded polypropylene.
- Keep mud and debris out of vehicle.
- Designed for quick and easy installation.
- Front and rear extensions and mounting hardware included.
- Increase vehicle's overall width by 3" (8 cm) when installed on Commander and Commander MAX models.

2" (51 mm) Fender Flares

Maverick Trail

715004958



- Extended fender flares made from injection-molded polypropylene.
- Keep mud and debris out of vehicle.
- Designed for quick and easy installation.
- Include front and rear extensions, mounting hardware and Fender Flare Rear Extensions (715004404).
- Increase vehicle's overall width by 3.5" (8.9 cm).

3" (76 mm) Fender Flares

Maverick Trail, Maverick Sport, Maverick Sport MAX

715004959



- Fender flares made from injection-molded polypropylene.
- Keep mud and debris out of vehicle.
- Designed for quick and easy installation.
- Include front and rear extensions and mounting hardware.
- Increase vehicle's overall width by 6" (15.3 cm) when installed on Maverick Trail models.

Fender Flare Rear Extensions

Maverick Trail, Maverick Sport, Maverick Sport MAX

715004462



- Block terrain debris from kicking up onto you as you ride or damaging your vehicle thanks to these extra-large Fender Flare Extensions, which also include Rear Extensions (715004404) for added protection from mud/snow, especially when riding with track kits.
- Made from injection-molded polypropylene for best fit and finish.
- Include front and rear extensions.
- For Maverick Trail, must be used with 3" (76 mm) Fender Flares (715004959).
- Standard on Maverick Sport X mr models.

Not compatible with: 2" (51 mm) Fender Flares.

OTHERS

License Plate Holder

Maverick Trail, Maverick Sport, Maverick Sport MAX

715007006



- Supports your license plate on the Rear Trail Bumper.
- Plate lights can be relocated on bumper to light up license plate.
- CE compliant.

Required for installation:
- Rear Trail Bumper (715007109).

COMMANDER LINQ ACCESSORIES

ACCESSORY MOUNTING LOCATIONS AND REQUIREMENTS

No tools needed: Quickly install and remove accessories by hand. Sturdy mounting system that holds up to the roughest terrain.	Vehicle Standard Cargo Box	LinQ® Cargo Rack **715006815**	Adventure Roof Rack **715004095**
LinQ ACCESSORIES WITH 16" BASE	LinQ anchors mounted 16 inches apart, center-to-center. Lower loading capacity than the LinQ with 36" base accessories. Can be used on Can-Am ATV and SxS vehicles, Can-Am Spyder and Ryker vehicles, Sea-Doo watercraft and Ski-Doo snowmobiles.		
LinQ 5 US Gal (20 L) Fuel Caddy 715007822	LinQ Base Installation Kit **715008125**	No compatibility	No compatibility
LinQ Rigid Cooler 4.7 US Gal (18 L) 715010491		LinQ Base Installation Kit **715008125**	LinQ Base Installation Kit **715008125**
LinQ Cooler 5.3 US Gal (20 L) 295101257 • Gray			
LinQ 11.4 US Gal (43 L) Cooler 715007825 • Black 715009276 • Gray		No compatibility	No compatibility
LinQ Tool Kit 715006829		LinQ Base Installation Kit **715008125**	LinQ Base Installation Kit **715008125**
LinQ Tool Box 715008111			
LinQ SR 5.5 Gal (21 L) Bag 860202449			
LinQ 4.5 Gal (17 L) Sport Bag 860202447			
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)			
LinQ Roll-Top Bag 715008110			
LinQ 26 US Gal (100 L) Explorer Bag 295101016			
LinQ 5.3 US Gal (20 L) Semi-Rigid Cooler 295101252			
LinQ ACCESSORIES WITH 36" BASE	Mount on LinQ racks often used by Can-Am ORV vehicles. Higher loading capacity than the LinQ with 16" base accessories. Usage is limited to Can-Am ORV vehicles.		
LinQ 12 Gal (45 L) Cargo Box 715003879	No compatibility	No further requirements	No compatibility
LinQ 23 Gal (86 L) Trunk Box 715004923			
LinQ Cooler 715004778 • Black			
LinQ OGIO† Bag 715002923 • Black			
LinQ Heavy Duty Basket 715001215			
LinQ Low Profile Basket 715004282			
LinQ HOLDERS			
LinQ Gear Grips 715005340	No further requirements	No further requirements	Side wall installation LinQ Adapters **715003058**
LinQ Tool Holder 715007358			

MAVERICK TRAIL & MAVERICK SPORT LINQ ACCESSORIES

ACCESSORY MOUNTING LOCATIONS AND REQUIREMENTS

No tools needed: Quickly install and remove accessories by hand. Sturdy mounting system that holds up to the roughest terrain.	Vehicle Standard Cargo Box	LinQ Cargo Rack **715003702**	Adventure Roof Rack **715004095**	LinQ Pivoting Rack **715010787**	All-Terrain Trunk Cover **715003701**
LinQ ACCESSORIES WITH 16" BASE	LinQ anchors mounted 16 inches apart, center-to-center. Lower loading capacity than the LinQ with 36" base accessories. Can be used on Can-Am ATV and SxS vehicles, Can-Am Spyder and Ryker vehicles, Sea-Doo watercraft and Ski-Doo snowmobiles.				
LinQ Rigid Cooler 4.7 US Gal (18 L) 715010491	LinQ Base Installation Kit **715008125**	LinQ Base Installation Kit **715008125**	LinQ Base Installation Kit **715008125**	No compatibility	No compatibility
LinQ Cooler 5.3 US Gal (20 L) 295101257 • Gray					
LinQ LinQ 11.4 US Gal (43 L) Cooler 715007825 • Black 715009276 • Gray	Need to remove unused toe-in of the cooler to fit properly (refer to instruction sheet)	No compatibility	No compatibility		
LinQ Tool Kit 715006829	No further requirements				
LinQ Tool Box 715008111	LinQ Base Installation Kit **715008125**	No compatibility	LinQ Base Installation Kit **715008125**	LinQ Anchor Adapter Kit **715004960**	LinQ Base Installation Kit **715008125**
LinQ SR 5.5 Gal (21 L) Bag 860202449					
LinQ 4.5 Gal (17 L) Sport Bag 860202447					
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)	No further requirements				
LinQ Roll-Top Bag 715008110	LinQ Base Installation Kit **715008125**	No compatibility	LinQ Base Installation Kit **715008125**	LinQ Anchor Adapter Kit **715004960**	LinQ Base Installation Kit **715008125**
LinQ 26 US Gal (100 L) Explorer Bag 295101016				No compatibility	
LinQ 5.3 US Gal (20 L) Semi-Rigid Cooler 295101252					
LinQ ACCESSORIES WITH 36" BASE	Mount on LinQ racks often used by Can-Am ORV vehicles. Higher loading capacity than the LinQ with 16" base accessories. Usage is limited to Can-Am ORV vehicles.				
LinQ 12 Gal (45 L) Cargo Box 715003879	No compatibility	No further requirements	No compatibility	No further requirements	No compatibility
LinQ 23 Gal (86 L) Trunk Box 715004923					
LinQ 32 Gal (121 L) Trunk Box 715001747		No compatibility			
LinQ Audio Box 715003018		No further requirements			
LinQ Cooler 715004778 • Black		No compatibility			
LinQ OGIO Bag 715002923 • Black		No further requirements			
LinQ Heavy Duty Basket 715001215					
LinQ Low Profile Basket 715004282					
LinQ HOLDERS					
LinQ Gear Grips 715005340	No further requirements (when installed on side walls)	No compatibility	Side wall installation LinQ Adapters **715003058**	No further requirements	LinQ Base Installation Kit **715008125**
LinQ Tool Holder 715007358					

LinQ ACCESSORIES WITH 16" BASE

LinQ 3.7 US Gal (14.5 L) Fuel Caddy

Commander, Commander MAX

860202246



- Quickly and easy, secure installation with the LinQ accessory system.
- No-spill spout designed for easy pouring.
- 3.7 US gal (14.5 L) capacity.
- Dimensions: 13" L x 19" W x 9" H.
- Note: Fuel caddies cannot be stacked.
- Check local regulations regarding fuel transportation.

See table for installation location and requirements.

NEW LinQ Oil Caddy – 1 Gallon

Commander, Commander MAX

860202445



- 3.78-liter (1 US gallon) capacity.
- Can be used on top of LinQ Stackable Fuel Caddy (860202246).

LinQ 5 US Gal (20 L) Fuel Caddy

Commander, Commander MAX

715007822



- Quick, easy and secure LinQ system installation.
- Spill-free spout for easy use.
- 5 US gal (20 L) capacity.
- Meets new Flame Mitigation Device (FMD) standard.
- Dimensions: 12” L x 19” W x 12” H.
- Check local regulations regarding fuel transportation.

LinQ Rigid Cooler 4.7 US Gal (18 L)

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715010491



- Versatile LinQ 16" configuration fits many vehicles.
- Durable rotomolded rigid construction.
- Molded-in handles for quick installation and removal.
- High quality insulation for optimal ice retention.
- Sealed lid for airtight, weather-tight closure.
- Ergonomic and secure latch system offers excellent sealing.
- 4.7 US gal (18 L) capacity.

LinQ Cooler 5.3 US Gal (20 L)

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

295101257



- LinQ-mounted for fast, easy and secure storage.
- Locks in place with just a quarter turn.
- High-quality insulation for optimal ice retention.
- Keeps ice cold for 5 days.
- Rotomolded construction for exceptional rigidity and durability.
- Sealed lid for airtight, weather-tight closure.
- Rigid handles make transportation easy.
- Horizontal locking handles allow for installation of LinQ Lite accessories.
- Marinized hardware suited for saltwater applications.
- Holds thirty-four 355 ml cans.
- 5.3 US gal (20 L) capacity.
- Exterior dimensions: 21" L x 15" W x 14" H (52 cm L x 38 cm W x 35 cm H)
- Interior dimensions: 15" L x 10" W x 9" H (39 cm L x 26 cm W x 23 cm H)

See table for installation location and requirements.

Note: Cannot be mounted on the LinQ Stackable Fuel Caddy.

LinQ 11.4 US Gal (43 L) Cooler

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

■ **715007825** · Black
■ **715009276** · Gray



- Versatile LinQ 16" configuration fits many vehicles.
- High quality injection-molded impact resistant polypropylene outer shell for exceptional durability.
- High quality insulation for optimal ice retention.
- Thicker insulation on bottom to isolate vehicle heat.
- 11.4 US gal (43 L) capacity.
- LinQ-mounted for fast, easy, secure storage.
- Locks in place with only a quarter turn.
- Rigid handles make transportation easy.
- Horizontal locking handles allow installation of LinQ Lite accessories.
- Dry-basket included to protect items.
- Drain plug at the bottom to evacuate water.
- New ergonomic and secure latch system offers excellent sealing.
- Possibility to lock the cooler with a padlock.
- LinQ Cargo Base Kit (715008125) required for installation.

See table for installation location and requirements.

NEW Ice Pack for LinQ Coolers

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	295101513



- Acts as a cooling element to keep your cooler contents fresh.
- Slim profile design fits seamlessly inside the LinQ 5.3 US Gal (20 L) Cooler lid without sacrificing storage space.
- Comes with two swivel latches for easy on and off installation
- Dual-purpose functionality doubles as a compartment divider for better organization with LinQ 11.4 US Gal (43 L) Cooler.

Required for installation:
- LinQ 5.3 US Gal (20 L) Cooler (295101257) or LinQ 11.4 US Gal (43 L) Cooler (715007825 or 715009276)

LinQ Modular Box

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	**715005494** · (10 L) **715007112** · (20 L) **715006830** · (30 L)



- Allows stacking of other modular boxes to always have the right gear accessible.
- Always have the right box size to fit everything.
- Can be installed on any LinQ base with a 16" width.

See table for installation location and requirements.

Thermal Insert for LinQ Modular Box (10 L)

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	219401110



- Insulated liner.
- Fits very well in the LinQ Modular Box (10 L).
- Can contain seven 355 ml cans.
- Keeps ice cold for one day.
- Interior dimensions: 9" L x 17" W x 2½" H.

LinQ Tool Box

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715008111



- High precision injected HDPE construction provides rigidity and durability.
- 5 gal (19 L) maximum capacity.
- Weather-resistant, sealed and lockable cover.
- Easy one-second on/off tool-less system.
- All the benefits of LinQ—simple, fast and secure.

See table for installation location and requirements.

LinQ Tool Kit

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715006829



Includes:
- Cutter pliers
- Long-nose pliers
- Locking pliers
- Ratchet wrench ⅜" drive
- 6" ratchet extension
- Integrated CVT belt storage location (belt not included)
- Long-socket 19 mm ⅜" drive – 6 pts
- Socket 18 mm ⅜" drive
- Long-socket 17 mm ⅜" drive – 6 pts
- Socket 15 mm ⅜" drive
- Socket 13 mm ⅜" drive
- Socket 10 mm ⅜" drive
- Socket 8 mm ⅜" drive
- Socket Torx T40 ⅜" drive
- Socket Torx T30 ⅜" drive
- Socket Torx T20 ⅜" drive
- Breaker bar ⅜" drive
- Combination Wrench set:
  - Wrench 19 mm
  - Wrench 18 mm
  - Wrench 15 mm
  - Wrench 13 mm
  - Wrench 10 mm
  - Wrench 8 mm

See table for installation location and requirements.

LinQ 5.3 US Gal (20 L) Semi-Rigid Cooler

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	295101252



- 5.3 US gal (20 L) of insulated, water-resistant capacity.
- Quick, easy and secure LinQ system installation.
- Attaches with one set of LinQ fasteners.
- Single-day-use soft cooler.
- Mesh pocket on top of the lid.
- Zippered pocket under the lid for quick and easy access.
- Removable interior for easy cleaning.
- Carry handles for easy transport.
- Can contain twelve 355 ml cans.
- Dimensions: 19" L x 13" W x 10" H.

SR 5.5 Gal (21 L) LinQ Bag

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

860202449



- All the benefits of LinQ—simple, fast and secure.
- Semi-rigid expandable bag.
- 5.5 gal (21 L) capacity.
- Utilizes LinQ mounting system (Patent US 8777531 and US 8875830).
- Easy one-second on/off tool-less system.

See table for installation location and requirements.

LinQ Roll-Top Bag

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715008110



- Fully waterproof roll-top dry bag will securely store and confine your equipment.
- LinQ mounted using heavy-duty rigid plastic base.
- High capacity storage solution (40 L).
- Bottom foam liner for additional equipment protection.
- Integrated handle for easy transportation on/off the vehicle.
- Dimensions: 14" L x 19" W x adjustable H.

See table for installation location and requirements.

LinQ Explorer Bag

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

295101016



- 26 gal (100 L) of watertight storage.
- Installs in seconds with tool-less LinQ accessory system.
- Dedicated essentials compartment for registration, license, insurance and more.
- Exclusive D.E.S.S. key storage.
- External quick-access pocket for small items like keys and wallets.
- Turns into a backpack when you get off your machine.
- Collapsible if not fully packed with straps on both sides.
- Dimensions: 26" L x 18" W x 14" H.
- Not compatible with LinQ Pivoting Rack (715010787).

LinQ ACCESSORIES WITH 36" BASE

LinQ Premium Storage Bag by OGIO

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

■ **715002923** · Black



- Tool-less installation and removal thanks to the LinQ system.
- 17.2 gal (65 L) capacity semi-rigid cargo bag ideal for carrying anything you need on your vehicle.
- Buckle and elastic closure with a rubber seal that prevents dust from entering the bag.
- 3-section lid for partial or full access to your bag.
- Inside separators for optimal bag organization.

See table for installation location and requirements.

LinQ 12 Gal (45 L) Cargo Box

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715003879



- LinQ mounted for easy-on, easy-off installation.
- Holds cargo safely and securely while riding.

See table for installation location and requirements.

LinQ 23 Gal (86 L) Trunk Box

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715004923



- LinQ mounted for easy-on, easy-off installation.
- Holds cargo safely and securely while riding.

See table for installation location and requirements.

LinQ 11.5 Gal (43 L) Audio Cargo Box

Maverick Trail, Maverick Sport, Maverick Sport MAX

715003018



- An affordable and quick solution for adding music and storage to your next ride.
- The rear installation does not use up any cab space and allows easy listening at an average speed.
- Mounts on/off easily to hold/carry cargo safely and securely.
- Backlit control panel perfect for night riding.
- Water-resistant speakers.
- The Bluetooth† enabled receiver and 6.5" (16.5 cm) speakers are smartly concealed and integrated in the cover.
- Automatic shut-off function protects your battery by turning the system off after 10 minutes of inactivity.

See table for installation location and requirements.

LinQ 8 Gal (30 L) Cooler Box

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

■ **715004778** • Black



- LinQ mounted for easy-on, easy-off installation.
- Rotomolded construction provides exceptional rigidity and durability.
- Premium-quality foam insulation for optimal ice retention.
- Integrated, fully removable compartment protects food.
- Robust rubber latches keep the cover tightly closed.
- Weather-resistant.
- Convenient drain plug.

See table for installation location and requirements.

LinQ 32 Gal (121 L) Trunk Box

Maverick Trail, Maverick Sport, Maverick Sport MAX

715001747 • Black
(Rear taillight included)

European Version (EC compliant)

715001748
(No rear taillight)




- Equipped with the LinQ system, the rear trunk box plugs in and out in seconds.
- 32 gal (121 L) load capacity with unobstructed space to maximize storage room and access to the trunk's interior.
- Made of injection-molded polyethylene, double walled in critical areas.
- The fully sealed lid protects your belongings from dust, moisture and the elements.
- Trunk Box Panels available in many colors to match your vehicle (sold separately).

See table for installation location and requirements.

LinQ 32 Gal (121 L) Trunk Box Panels

Maverick Trail, Maverick Sport, Maverick Sport MAX



- Color panels to match the LinQ 32 gal (121 L) to your vehicle (715001747 / 715001748).

■ **715001391** • Black
□ **715002481** • White
■ **715002984** • Octane Blue
■ **715002985** • Manta Green
■ **715002986** • Can-Am Red
■ **715006120** • Squadron Green
■ **715007074** • Tundra Green

European Version (EC compliant).
No rear taillight.

■ **715001397** • Black
□ **715002483** • White
■ **715006123** • Orange Crush

LinQ Heavy-Duty Basket

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715001215



- Made of high-strength, low-alloy steel.
- LinQ mount for easy-on, easy-off installation.

See table for installation location and requirements.

LinQ Low Profile Basket

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715004282



- Low profile, open basket increases cargo space.
- Perfect for easy access to tools, rope, winch and plow accessories.
- Multiple bungee cord and tie-down anchor points.
- Made of impact-resistant injected polypropylene.

See table for installation location and requirements.

LinQ CARGO & RACK

LinQ Cargo Rack

Commander, Commander MAX

715006815



- Strong, durable steel rack ⅞".
- Easy and tool-less installation with LinQ system.
- Allows the installation of LinQ accessories.
- Allows multi-level storage on cargo bed.
- Helps keep cargo securely in place.
- Multiple bungee cord and tie-down points.
- Kit includes LinQ Base 36".
- 15" clearance under the rack for other cargo.

Not compatible with:
- Not compatible with Tonneau Cover (715006816).
- Not compatible with the LinQ Gun Case (715010936).

LinQ Pivoting Rack

Maverick Trail, Maverick Sport, Maverick Sport MAX

715010787



- LinQ latched rack allows for extra LinQ mounted accessories or the addition of ATV LinQ rack extensions.
- Includes custom tie-down strap for fast spare tire installation or removal (tire not included).
- Gas-cylinder pivot action, locks in the raised position.
- Compatible with the All-Terrain Trunk Cover.

Not compatible with:
- Gear Rail (715003703), Lonestar Racing and DragonFire tire carrier, Lonestar Racing Number Plate, Rear Intrusion Bars and LinQ Cargo Rack.

LinQ Rack Extension

Maverick Trail, Maverick Sport, Maverick Sport MAX

715003771



- Made of strong and durable die-cast-aluminum.
- Helps to keep cargo securely in place.
- Easy and tool-less installation thanks to the LinQ system.

LinQ Cargo Rack

Maverick Trail, Maverick Sport, Maverick Sport MAX

715003702



- Made of durable die-cast aluminum and strong aluminum tubing frame.
- Allows the installation of LinQ Trunk Boxes on top and the addition of more LinQ accessories in cargo box.
- Easy and tool-less installation thanks to the LinQ system.

LinQ Tool and Gun Holder

Commander, Commander MAX

715005466



- 2-in-1 holding rack can be used both on the job or on the hunt.
- Includes 5 locations to securely hold tools and guns using rubber grips and retention straps at the top and a rubber mat with gunstock shaped molding at the bottom.
- Easy to remove, install or reposition using our simple and secure LinQ system.
- Can be attached at multiple positions along the cargo bed walls, facing inside or outside the bed.
- Can be attached on the inside of the cargo, behind the cab.

Not compatible with:
- Headache Rack.

NEW LinQ Gun Case

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715010936



- Weatherproof sealed Gun Case.
- The practical design lets riders store shotguns and rifles up to 50" (127 cm), even with most optic configurations.
- Adapts to different weapon shapes and features with foam cushions that can be repositioned.
- Includes a soft liner with a bright yellow inner lining for high visibility with a front end reinforced for increased durability and a top handle for easy carrying and transport.
- Liner stays securely in place with a rear loop that attaches inside the case, ideal for angled use.
- The Gun Case is LinQ-mounted for efficient and secure storage, and is locked in place with only a quarter turn.

Required for installation:
- LinQ Gun Case Mounting Kit (715006444) required for Maverick Trail, Maverick Sport and Maverick Sport MAX.

Not compatible with:
- LinQ Cargo Rack (715006815).

NEW Bag for LinQ Gun Case

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715010189




- Durable, weather-resistant exterior.
- Fits rifles up to 50" (127 cm) in length.
- Top handle for easy carrying and transport.
- Bright yellow inner lining for high visibility.
- Front end reinforced for increased durability.
- Features a rear loop for attaching the bag inside the LinQ Gun Case (715009240).
- Compatible with previous LinQ Gun Case (715009240) and required Hardware Kit (715011740).

LinQ Gun Case Mounting Kit

Maverick Sport, Maverick Sport MAX, Maverick Trail

715006444



- Required to install the Can-Am Gun Case on a Maverick Sport, Maverick Sport MAX and Maverick Trail.
- Allows you to install up to two LinQ gun cases.

LinQ HOLDERS

LinQ Tool Holder

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715007358



- Ultra-versatile tool holder.
- Convenient swivel-latch allows tools to be stored in any orientation.
- Sold in pairs.

LinQ Gear Grips

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715005340




- Durable and flexible grips provide a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Make transporting your tools a snap by combining the Gear Grips with the LinQ system.
- 360° orientation.
- Sold in pairs.

LinQ Adapter

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715003058



- Sold in pack of 4.

LinQ Base Installation Kit

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715008125



- Unique mounting fastener usable on any LinQ system accessory.
- Included: 2 cargo LinQ bases and hardware.

LinQ Lock

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

860201968



- Simple way to securely lock most LinQ accessories.
- Lock cover protects lock from the elements.
- Corrosion resistant.
- Pack of 1, includes 2 keys.

Not compatible with:
- LinQ Tool Holder, LinQ Working Light, LinQ 4.2 US Gal (16 L) Cooler (219400964), LinQ Gun Case (715010936), LinQ Tool Box (715008111) or LinQ Gear Grips (715005340).

LinQ Replacement Part

Maverick Trail, Maverick Sport, Maverick Sport MAX

715010798



- Unique mounting fastener usable on any LinQ system accessory.
- Tool-less installation and removal.
- Sold in pairs.

LinQ Anchor Adapter kit

Maverick Trail, Maverick Sport, Maverick Sport MAX

715004960



- Allows the installation of LinQ accessories with 16" base on LinQ racks.
- Tool-less installation and removal.
- LinQ pivoting rack is required for installation.

CARGO & STORAGE

CARGO

NEW All-Terrain Trunk Cover

Commander, Commander MAX (except X mr models)	**715006819**



- Transforms your rear cargo area into a fully enclosed and weather-resistant car-like trunk box.
- Support rod secures the lid in the open position.
- Secured with 2 lockable latches using the same key.
- Height of 18" (457 mm) when the tailgate is open to a width of 24" (609 mm).
- 95.1 US gal (360 L) capacity.
- Rotomolded construction provides exceptional rigidity.
- LinQ accessories can be installed on or inside the trunk cover with the LinQ Base Installation Kit.

Not compatible with:
- Deluxe Headache Rack (715006823), Cargo Bed Rails (715006824), Tonneau Cover (715006816), LinQ Cargo Rack (715006815), Rear Adventure Rack (715006809), Adventure Rack Enclosure (715006818), LinQ Tool & Gun Holder (715005466), LinQ Gun Case (715009240 & 715010936) or any Fuel Caddies.

Integrated Tailgate Extension

Commander, Commander MAX	**715006810**



- Integrated design that lets the extension fold away inside the tailgate when not needed.
- Steel construction for rugged durability.
- Not EC compliant.

Tonneau Cover

Commander, Commander MAX	**715006816**



- Fitted to cover all of the items in your cargo box.
- Prevents splash from entering the cargo box.
- Rolls up to the front.
- Easily removable for quick access.
- Not compatible with accessories that exceed the bed height.

All-Terrain Trunk Cover

Maverick Trail, Maverick Sport (except X mr), Maverick Sport MAX	**715003701**



- Transforms your rear cargo area into a fully enclosed and weather-resistant car-like trunk box.
- Gas spring assisted opening.
- Integrated mounting location inside the trunk cover for Dome Light (715009228) (sold separately).
- Rotomolded construction provides exceptional rigidity.
- LinQ accessories can be installed on or inside the trunk cover.
- LinQ Base Installation Kit required for installation on the trunk cover.

STORAGE

Soft Storage Bag

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	**715003759**



- 11.8 gal (45 L) capacity soft cargo bag designed with vehicle's rear in mind to maximize potential storage.
- 3-section bag.
- Transport gear in a weatherproof bag.

Storage 2.6 Gal (10 L) Bag

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	**269502121**



- Roll-top dry bag for fully protecting your cargo from the elements.

Overhead Storage Bags

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715005018



- Weather-resistant bags, hold your gear safely and securely while riding.
- Include 2 overhead soft bags mounted on a tubular frame that sits between cage and roof.
- 2.4 gal (9 L) total capacity.

Required for installation:
- Bimini Roof with Sun Visor or Sport Roof.

Not compatible with:
- The Complete Wet Sounds Audio System.

Shoulder Storage Bag

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715005019



- Weather-resistant semi-rigid bag holds your gear safely and securely while riding.
- Bag attaches in unused space between the seats to increase your vehicle's cargo capacity.
- 2.8 gal (10.5 L) capacity.

Removable Central Storage Bag

Commander MAX, Maverick Sport MAX	715004794



- Weather-resistant bag holds your gear safely and securely while riding.
- Both front and rear passengers can access the bag's contents.
- Designed as a 1.3 gal (5.2 L) capacity pocket, also equipped with inner netting compartments and side pockets.
- Can be removed in seconds and includes shoulder strap for transportation.
- Perfect to bring your gear on and off your vehicle.

Passenger Storage Seat Bag

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715008080



- This weather-resistant bag holds your gear safely and securely while you ride.
- Bag settling on the passenger's seat to increase the vehicle's cargo capacity.
- This bag features a 14.5 gal (55 L) storage capacity and is divided into two compartments.
- The top compartment is insulated to keep your beverages cold and includes two cup holders.
- Additional pocket inside for additional storage, such as a cell phone.
- The bottom compartment is accessible from both sides and serves as a large pocket for storing various items.
- The detachable pocket at the front of the bag can be used as a garbage bag.

RACKS & HOLDERS

Adventure Roof Rack

Commander, Commander MAX, Maverick Sport MAX	715004095



- Ideal cargo solution for packing everything you need to live your off-road experience fully and completely.
- Built with heavy-duty 1.5" (3.8 cm) and 1.25" (3.2 cm) diameter steel tubing.
- Loads of up to 75 lb (34 kg).
- LinQ support plates allow for installation of accessories with 16" base.
- Integrated mounting points for the installation of the 39" (99 cm) Double Stacked LED Bar (front).
- Features anchor points for spare tire attachment.
- Spare Tire Tie-Downs sold separately.
- Add the Cargo Box Net to secure and confine your cargo in the rack.
- Commander: Compatible with Rear Adventure Rack (715006809).

Required for installation:
- Sport Roof.

Not compatible with:
- Bimini or Audio Roof.

Rear Adventure Rack

Commander, Commander MAX	715006809



- Made of heavy-duty steel.
- Increases the cargo versatility of the vehicle.
- Allows a Commander 2-up to fit a MAX Sport Roof or Bimini Roof on top to protect the cargo area.
- Allows a Commander 2-up to fit MAX Adventure Roof Rack to increase cargo capacity.

Not compatible with:
- Other bed installed accessories.

Adventure Rack Enclosure

Commander (except X mr models)	**715006818**
Commander MAX (except X mr models)	**715008246**



- Works with Rear Adventure Rack.
- Rear-panel zip-type windows with roll-down feature.
- Covers all accessories mounted inside of the Rear Adventure Rack.
- Compatible only with Sport Roof.
- Compatible with Track Kit and Pre-filter only in Pickup configuration.
- Track Kit and Pre-filter are not compatible with the SUV configuration.

Not compatible with:
- Snorkel kits or X mr models.

Cargo Bed Rails


Commander, Commander MAX — **715006824**



- Add an integrated tie-down area to your cargo box.
- Added cargo box protection.
- Inside and outside anti-corrosion coating with durable powder-coat finish.
- Heavy-duty 1" (2.5 cm) diameter steel tube construction.
- Adds height to the bed side wall and serves as a tie-down point.
- Sold in pairs.

Deluxe Headache Rack

Commander, Commander MAX (except X mr models) — **715006823**



- Protects cab from cargo load.
- Compatible with cargo bed rails.

Not compatible with:
- Snorkel Kit (715003705).

Spare Tire Carrier

Maverick Trail, Maverick Sport, Maverick Sport MAX — **715004471**



- Holds spare tire in place.
- Designed for fast tire removal.
- Can hold tires up to 30” in diameter (tire is not included).
- Rear bumper mounted, does not encumber the cargo area.
- Made of heavy-duty 1.5" (3.8 cm) diameter steel tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.

Required for installation:
- Rear Trail Bumper (715007109) or Rear Rancher Bumper (715004304).

Cargo Box Net

Commander, Commander MAX, Maverick Sport MAX — **715001371**



- Solid net designed to secure and ensure the compact confinement of your Adventure Roof Rack.

Gear Rail

Maverick Trail, Maverick Sport, Maverick Sport MAX — **715003703**



- Sturdy gear rail design with C-clamps attached on the roll cage.
- Offers mounting points for the Stronghold Auto-Latch Mount or for the Universal Saw Press by Kolpin.
- Can hold up to two gun boots.

Not compatible with:
- Gun Boot 6.0 Impact by Kolpin (715001419).

Universal Saw Press by Kolpin

Maverick Trail, Maverick Sport, Maverick Sport MAX — **715001423**



- Specially crafted for transporting your chainsaw securely and safely aboard your side-by-side vehicle.
- Heavy-duty, black powder-coated metal bracket designed to attach any chainsaw model with up to a 20" (51 cm) bar.
- Rubber pads provide cushion and tight fit.
- Hinged design for quick removal.
- Holds saw in vertical position or 45˚ angle in either direction.
- Protective sheath included.

Required for installation:
- Requires Gear Rail (715003703).

Spare Tire Ratchet Tie-Downs

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX — **280000955**



- 3-way ratcheting tie-down strap with loop ends.
- Designed to securely hold spare tires on accessories equipped with integrated spare tire attachment points.
- Adjustable to accommodate most common UTV tire sizes.
- Ratchet and junction ring made of durable zinc-plated steel.
- Required for spare tire attachment on Adventure Roof Rack and LinQ Pivoting Rack.

Heavy-Duty Ratchet Tie-Down

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715008308



- 1,000 lb (454 kg) safe working load.
- 1.5 in. x 6 in. (38 mm x 1.8 mm) strap with BRP brands.
- Deluxe ratchet with rubber handle.
- Black-coated clip hooks.
- 12" (300 mm) webbing included.
- Pack of two.

Bolt-On† Retractable Ratcheting Tie-Downs

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

295101072



- Perfect for transporting your powersport vehicle or securing loads.
- Mounts easily: Bolts on any flat surface (e.g., truck bed or frame).
- 1" x 6' (2.5 cm x 1.8 m) tie-down strap with heavy-duty stitching that delivers a 500 lb (226 kg) working load strength and 1,500 lb (680 kg) break strength.
- Convenient retractable push button automatically slackens, spools and stores away strap, while the ratchet mechanism tightens the strap snugly to secure your vehicle or load into place.
- Rubber ratcheting handle provides firm grip, and the hook is vinyl coated to protect whatever surface it hooks into.
- Sold in pairs.

Ratchet Tie-Downs

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715008309 • Black/Gray



- 400 lb (181 kg) safe working load.
- 1" x 10' (2.5 cm x 3 m) strap with Sea-Doo, Ski-Doo and Can-Am logos.
- Deluxe ratchet with rubber handle.
- Coated S hooks.
- Pack of 2.

LIGHTS

CAN-AM LIGHTS

① CHOOSE YOUR MOUNT POINT	② CHOOSE YOUR LIGHTS							
	10" Double Stacked LED Bar **715010065**	15" Double Stacked LED Bar **715010066**	39" Double Stacked LED Bar **715004007**	4" Round LED Lights (sold in pairs) **715002935**	3.5" Spot or Flood LED Lights (sold in pairs) **715009774** /**715009775**	SMART 40" (102 cm) LED Light Bar **715008747**	SMART 10" (25 cm) LED Light Bar **715008745**	SMART 15" (38 cm) LED Light Bar **715008746**
XT & X mr Front Bumper 715007428 (Stock on XT, XT-P and X mr)	**715003670** (Power Cable)	**715003670** (Power Cable)	No compatibility	**715003670** (Power Cable)		No compatibility	**715009886** (Lights Wiring Harness)	**715009886** (Lights Wiring Harness)
S3† Front Bumper 715005121 & **Trail Bumper** 715003680, 715003681		No compatibility						No compatibility
Commander Front Bumper 715007631	No compatibility	**715003670** (Power Cable)					No compatibility	
Sport Roof & Bimini Roof	**715003670** (Power Cable) + **715003669** (Overhead Switch Panel)	**715003669** (Overhead Switch Panel)	**715005822** (Mounting Kit) *Optional Overhead Switch Panel **715003669**	**715003669** (Overhead Switch Panel)		**715011297** (LED Light Bar Mounting Kit) + **715003669** (Overhead Switch Panel) + **715009930** (LED Light Bar Harness)	**715011297** (LED Light Bar Mounting Kit) + **715003669** (Overhead Switch Panel) + **715009886** (Lights Wiring Harness)	
Top Roll Cage	No compatibility	No compatibility	**715005822** (Mounting Kit)	No compatibility	No compatibility	No compatibility	No compatibility	
Sport Roof Back Position			No compatibility		**715004910** (Power Cable) + **715003669** (Overhead Switch Panel)			

BAJA DESIGNS† LIGHTS

① CHOOSE YOUR MOUNT POINT	② CHOOSE YOUR LIGHTS			
	10" (25 cm) LED Light Bar **710006819**	XL Sport LED Lights (sold in pairs) **710006821**	Squadron Sport LED Lights (sold in pairs) **710006820**	XL80 LED Lights (sold in pairs) **710005041**
XT & X mr Front Bumper 715007248 (Stock on XT, XT-P and X mr)	**710006819** (X mr Only) + **715007049** (Power Cable)	**715008865** (Power Cable)	**715008865** (Power Cable)	**715007049** (Power Cable)
S3† Front Bumper 715005121 & **Trail Bumper** 715003680, 715003681	No compatibility			
Commander Front Bumper 715007631	**715007049** (Power Cable)			
Sport Roof & Bimini Roof	**715007049** (Power Cable) *Optional Overhead Switch Panel **715003669**	**715008865** (Power Cable) *Optional Overhead Switch Panel **715003669**	**715008865** (Power Cable) *Optional Overhead Switch Panel **715003669**	**715007049** (Power Cable) *Optional Overhead Switch Panel **715003669**
Top Roll Cage	No compatibility	No compatibility	No compatibility	No compatibility
Sport Roof Back Position				
③ ORDER	**ORDER ALL PART NUMBERS IN INTERSECTING BOX** *Note: When installing more than one light kit, additional light power cable or mounting kit is required.			

*All lights are intended for off-road use only.

NEW SMART 15" (38 cm) LED Light Bar

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715011661



- The perfect combination of powerful white and selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 24 white LEDs and 12 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 12,000 raw lumens and the selective yellow 5,280 raw lumens, delivering stunning lighting performance.
- Features a signature LED light that enhances the vehicle's appearance when not activated.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Color change by quickly flicking the switch.
- SMART options: Off, Low, High, color change and SMART Automatic Mode.
- SMART MODE: Intensity increases or decreases, and the Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).
- ECE R10 Certified.

See table for installation location and requirements

Required for installation:
- Wiring Harness (715009886).

SMART 10" (25 cm) LED Light Bar

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715011660



- The perfect combination of powerful white and selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 16 white LEDs and 8 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 8,100 raw lumens and the selective yellow 2,640 raw lumens, delivering stunning lighting performance.
- Features a signature LED light that enhances the vehicle's appearance when not activated.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Color change by flicking the switch quickly.
- ECE R10 Certified.

See table for installation location and requirements.

Required for installation:
- Lights Wiring Harness (715009886) is required for installation. Sold separately.

SMART 40" (102 cm) LED Light Bar

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715011662



- The perfect combination of powerful white or selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 64 white LEDs and 32 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 32,000 raw lumens and the selective yellow 10,560 raw lumens, delivering stunning lighting performance.
- Features a signature LED light that enhances the vehicle's appearance when not activated.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Color change by flicking the switch quickly.
- ECE R10 Certified.

See table for installation location and requirements.


Required for installation:
- Wiring Harness (715009930) is required for installation. Sold separately.

10" (25 cm) Double Stacked LED Light Bar (60 W)

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715010065





- Equipped with twelve 5 W Cree LEDs.
- 5,400 lumens.
- Packs a big punch for its size.
- Rugged and waterproof.
- Can be installed in stock XT and XT-P bumpers.
- Requires light power cable for installation.
- Lights up to more than 1,500 ft. (460 m) in front of the vehicle and around 65 ft. (20 m) wide on each side.
- ECE R10 Certifiedt.


See table for installation location and requirements.

15" (38 cm) Double Stacked LED Light Bar (90 W)

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max

715010066





- Equipped with 18 5-W Cree LEDs.
- 8,400 lumens.
- Complements the Light Racks and most bumpers.
- Rugged and waterproof.
- Lights up to more than 1,900 ft. (580 m) in front of the vehicle and around 65 ft. (20 m) wide on each side.
- ECE R10 Certified.

See table for installation location and requirements.


39" (99 cm) Double Stacked LED Light Bar (270 W)

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max

715004007



24,300 lumens



- Equipped with 54 5-W Cree LEDs.
- 24,300 lumens.
- Lights up to more than 2,900 ft. (900 m) in front of the vehicle and around 115 ft. (35 m) wide on each side.
- Compatible on the Adventure Roof Rack.
- Not ECE Certified.

See table for installation location and requirements.


Baja Designs 10" (25 cm) OnX6 LED Light Bar

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max

710006819



12,460 lumens



- 108 W light bar producing 12,460 lumens.
- Equipped with 6 Cree XM-L2 LEDs.
- Driving/combo light pattern for smooth blend of light for both near field applications and distance.
- Dual intensity (high/low) settings.

See table for installation location and requirements.

Required for installation:
- Requires Baja Designs Light Power Cable.


Baja Designs XL80 LED Lights

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max

710005041



9,500 lumens



- 80 W per spot producing 9,500 lumens.
- Equipped with 4 Cree XHP50 LEDs per spot.
- Dual intensity (high/low) settings.
- Driving/combo light pattern for smooth blend of light for both near field applications and distance.
- Sold in pairs.
- Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).

See table for installation location and requirements.

Required for installation: Requires Baja Designs Light Power Cable.


Baja Designs Squadron Sport LED Lights

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max

710006820



3,150 lumens



- 26 W per spot producing 3,150 lumens.
- Equipped with 4 Cree XP-G2 LEDs per spot.
- Wide cornering light pattern designed specifically for cornering, dust and/or fog conditions.
- Require Baja Designs Light Power Cable.
- Sold in pairs.
- Dimensions: 3" x 3" (7.6 cm x 7.6 cm).

See table for installation location and requirements.


Baja Designs XL Sport LED Lights

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max

710006821



3,150 lumens



- 26 W per spot producing 3,150 lumens.
- Equipped with 4 Cree XP-G2 LEDs per spot.
- High Speed Spot features a longer and narrower beam focus for illumination farther down.
- Sold in pairs.
- Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).

See table for installation location and requirements.


Required for installation:
- Requires Baja Designs Light Power Cable.

4" (10 cm) Round LED Lights (2 x 25 W)

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max

715002935





- 25 W LED spotlights.
- 1,800 lumens.
- Rugged and waterproof.
- Includes basic wiring and switch.
- Can-Am branded grill.
- Sold in pairs.
- Not ECE Certified.

See table for installation location and requirements.


Required for installation:
- Requires light power cable.

3.5" (9 cm) LED Driving Lights (2 x 14 W)

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max

715010094





- 14 W LED lights producing 1,260 lumens each.
- Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds.
- Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing.
- Features two attachment points. If one attachment point fails due to a collision, rotate to the next channel point and remount the light.
- Sold in pairs.
- ECE R10 Certified.


See table for installation location and requirements.

3.5" (9 cm) LED Flood Lights (2 x 14 W)

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max

715010093





- 14 W LED lights producing 1,260 lumens each.
- Flood lens for a wide light beam spread, ideal for working applications like plowing or cornering. Suitable for dusty or foggy riding conditions.
- Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing.
- Features two attachment points. If one attachment point fails due to a collision, rotate to the next channel point and remount the light.
- Sold in pairs.
- ECE R10 Certified.

See table for installation location and requirements.

LED Headlights Assembly *

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715003667



- The headlights in this upgrade kit draw a maximum of 40 W (2 x 20 W) of power while providing brighter light output.
- Lower power consumption and longer lasting than standard halogen bulbs.

LED Signature Lights

Commander, Commander MAX

715006896



- The stylish LED set adds a finishing touch, accentuating its aggressive stance.

Can-Am LED Signature Lights *

Maverick Trail, Maverick Sport, Maverick Sport MAX

715003673



- Add style with a more aggressive look.
- Use bright and energy efficient LEDs.
- Do not give additional lighting for driving.

* *Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

Dome Light

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715009228



- Offers an optimal visibility in the cab and integrates perfectly with the vehicle.
- 160 lumens of soft white light ensures clear visibility of the surroundings.
- Built in on/off button on the light.
- Wiring included.
- Can be installed on cage, Sport Roof or All-Terrain Trunk Cover.

SMART 40" (102 cm) LED Light Bar Harness

(Not illustrated)

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715011297

- Required to install the SMART 40" (102 cm) LED Light Bar (715008747).

Light Power Cable

(Not illustrated)

Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX

715003670

- Power cable for installation of compatible Can-Am light kits on front bumpers or roof.

Mounting Kit for 39" (99 cm) LED Light Bar

(Not illustrated)

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715005822

- Required for installation of the 39" (99 cm) double stacked LED Light Bar.
- Includes wiring and support bracket.

Lights Wiring Harness

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715009886



- Power cable for installation of the SMART 10" (25 cm) LED Light Bar (715008745).

Roof Power Cable

(Not illustrated)

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715003094

- Brings power from the battery.
- Required for installation of some electrical accessories.

Rear Lights Power Cable

(Not illustrated)

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715004910

- Power cable that allows you to install rear cargo lights on your vehicle.
- Use in conjunction with the 3.5" (9 cm) LED Flood Lights (2 x 14 W) (sold separately).
- This set-up will illuminate your rear cargo area and surroundings.
- Sport Roof and Overhead Switch Panel (715003669) required.

Baja Designs Light Power Cable

(Not illustrated)

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715008865

- Required for installation of Baja Designs LED lights onto roof or bumper.
- Baja Designs XL Sport LED Lights and Baja Designs Squadron Sport LED Lights.

Baja Designs Light Power Cable

(Not illustrated)

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715007049

- Required for installation of Baja Designs LED lights onto roof or bumper.
- 10" (25 cm) Baja Designs OnX6 LED Bars and Baja Designs XL80 LED Lights.

AUDIO

Can-Am Audio Roof

Commander, Maverick Trail, Maverick Sport

715006309



- Full roof with premium JL Audio system for Commander.
- Fully sealed and waterproof components and construction.
- Simple to install: one connector connects the roof to the vehicle's electrical system.
- Weatherproof components: Four 7.7" coaxial speakers, 280 watt amplifier and Mediamaster® source unit.
- AM/FM tuner.
- Expertly tuned for exceptional sound on the move in your Commander.
- Speakers include adjustable RGB LED cone illumination, controlled via an app on your smartphone.
- Mediamaster® source unit equipped with 3" full-color LCD display, with day/night lighting modes.
- Designed to not drain the battery.
- Compatible with 39 in. (99 cm) Double Stacked LED Light Bar (270 W) (715004007).

Not compatible with:
- Adventure Roof Rack or Overhead Switch Panel.
- Rear Wind Screen (715003664) or Soft Rear Panel (715005887).

Can-Am Audio Roof MAX

Commander MAX, Maverick Sport MAX

715006842



- Full roof with premium JL Audio system for Commander MAX.
- Fully sealed and waterproof components and construction.
- Simple to install: one connector connects the roof to the vehicle's electrical system.
- Weatherproof components: Six 7.7" coaxial speakers, 280 watt amplifier and Mediamaster® source unit
- AM/FM tuner.
- Expertly tuned for exceptional sound on the move in your Commander MAX.
- Speakers include adjustable RGB LED cone illumination, controlled via an app on your smartphone.
- Mediamaster® source unit equipped with 3" full-color LCD display, with day/night lighting modes.
- Designed to not drain the battery.
- Compatible with 39 in. (99 cm) Double Stacked LED Light Bar (270 W) (715004007).

Not compatible with:
- Adventure Roof Rack.
- Rear Wind Screen (715003664) or Soft Rear Panel (715005887).

Can-Am Audio Roof Flip Kit

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715007228



- Combines with the Can-Am JL Audio Roof (715006309 or 715006842) for Flip option.

Not compatible with: the Roof Rack.

Complete Wet Sounds† Audio System

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715003672



- Orchestrated for outstanding sound quality and the playlists of champions.
- Built-in 200 W amplifier with D-Bass Tech for improved low end bass response.
- Built-in Bluetooth† connectivity with source control.
- Aux input allows for use with non-Bluetooth devices.
- Turns itself off after 10 minutes of inactivity to save battery power.
- Designed to be Can-Am-tough in the most demanding riding conditions.
- Includes 4.5" (11.4 cm) front and 6.5" (16.5 cm) rear-roll-cage mounted stereo speakers and console integrated backlit control panel.

Wetsound Stealth XT 6 Can-Am Edition Sound Bar

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715008282



- Built-in Bluetooth connectivity with source control.
- Built-in Broadcast mode.
- Backlit control panel with Integrated LED RGB cabin lights.
- Integrated LED Dome.
- IP67 rated RF wireless remote control.
- 3.5 aux input/output.
- Built-in 300 W Class D amplifier.
- 4 marine-rated 3" full range drivers.
- 2 marine-rated 1" tweeters.
- Operating voltage: 12 V.
- IP rated: IP67.
- Length: 21.31"
- Width: 4.04'
- Height: 3.85"
- Sound Bar Mounting Kit required for installation.

Sound Bar Mount Kit

(Not illustrated)

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715004745

- Required mount kit for the Wet Sounds Stealth 6 Ultra HD Can-Am Edition Sound Bar (715008282).

Can-Am Subwoofer

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715006359



- Powerful Wet Sounds 8" Subwoofer speakerbox that fits in the glove box.
- Easy plug-and-play connections to Wet Sounds audio system.
- Sturdy construction, tough enough to withstand harsh environments and sealed against moisture and dirt.
- 350 W amplifier and wiring included.

Electronic Device Holder

Commander, Commander MAX , Maverick Trail, Maverick Sport, Maverick Sport MAX

715005212



- A great in-ride entertainment system platform.
- Robust injected-polypropylene construction allows for right fit and easy installation.
- Adjustable unit safely holds most tablets and smartphones measuring between 5.1" (13 cm) and 10" (25.4 cm) (with protective case).
- Allows the installation of Garmin Montana 680T GPS.
- Perfectly complements the Wet Sounds audio systems or Rugged Radios Intercom System to play music with your device.
- Integrated storage (2.5 gal (9.5 L) capacity) with access to the dash 12 V outlet for device charging.
- Integrated mounting location for RAM mounts.

Not compatible with:
- Defrost, Heat and Ventilation System (715003678).

ELECTRICAL & ELECTRONIC ACCESSORIES

ELECTRICAL

Defrost, Heat and Ventilation System

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715003678



- Best integrated system on the market with 3 ventilation speeds and in-dash adjustable temperature.
- Adjustable/directional vents.
- 5 vents specially positioned for better windshield defrosting and passenger comfort.
- Automotive-style heater core and fan for best heating performance.

Required for installation: Smart-Lok™ equipped vehicles require Adapter Kit (715007241).
Not compatible with: the ProVent Windshield.

Heated Grab Bar Cover

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715004500




- Made tough to hold up to the stresses of rough riding, this heated cover will keep your passenger's hands warm and securely gripped during long, cold outings.
- Easy to install and remove.
- This kit includes the heated grab bar cover and in-dash switch.
- Draws a maximum of 25 W and 1.8 A at 13.5 W.

Required for installation:
- Heated Accessories Wiring Harness (710005757) is required.

Seat Heater

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715006112



- 25 W seat heater delivers chill-free riding comfort.
- High/low temperature settings allow you to control the desired degree of warmth.
- This kit includes one carbon fiber seat heater, foam sheet and in-dash switch.
- Installs directly in the original seat cushion.

Required for installation:
- Heated Accessories Wiring Harness (710005757) is required for front seat installation.
- Heated Accessories Wiring Harness (715006004) is required for rear seat installation.

Heated Visor Outlet

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715001246



- Strategically positioned on vehicle to maintain your agility.
- Optional visor outlet that delivers fog-free riding.
- Quick and easy installation.
- Sold individually.
- Heated Visor not included.

Heated Accessories Wiring Harness
(Not illustrated)

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

710005757

- Electric harness required to hook up and operate front heated seats, heated steering wheel and heated grab bar.

Heated Accessories Wiring Harness
(Not illustrated)

Commander MAX, Maverick Sport MAX

715006004

- Electric harness required to hook up and operate rear heated seats.

Heater Adapter Kit for Smart-Lok
(Not illustrated)

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715007241

- Adapter kit to fit heating system on Smart-Lok equipped vehicles.

ELECTRONIC

Cellphone Holder

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715008786



- Water resistant door allows for perfect phone positioning.
- Features capacitive and resistive touch screen technology.
- Spring system in back plate automatically adjusts for thickness.
- Fits all cellphones within 7.2" (185 mm) x 3.3" (85 mm) x 0.6" (15 mm) dimensions.
- Works with almost all charger wires.
- Does not include cellphone or charging wires.

Required for installation:
- Requires the RAM GPS Mount (715003325) bolted directly on the dashboard for the Cellphone Holder to be supported. RAM GPS Mount (715003325) can also be installed on the Electronic Device Holder (715005212).

RAM† GPS Mount

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715003325



- Allows for GPS integration onto vehicle.
- Standard AMPS hole pattern for Garmin Cradle.

Overhead Switch Panel

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715003669



- Fully integrated Overhead Switch Panel gives additional switch spots for electrical accessories.
- Required for Can-Am lights installation on the roof and for other top-mounted electrical accessories.
- Optional for Baja Designs lights.

Required for installation:
- Requires Sport Roof or Bimini Roof with Sun Visor for installation.

30 Ah Battery Holder

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715004431



- Fixation plate designed to hold the 30 Ah Battery (515176151).
- 30 Ah battery sold separately.

Digitally Encoded Security System (D.E.S.S.™) Keys

Commander 2023 & prior, Maverick Trail 2023 & prior (with 700 engine), Maverick Trail and Sport (with 1000/1000R engine)

715002458



- Top-security anti-theft protection for your vehicle.
- Encrypted chip technology restricts access to your vehicle's electronic ignition system.
- One vehicle/one code.
- A vibration/shock-resistant ball-and-socket design that ensures a reliable connection.
- 3 programmable modes:
  - Work mode: limits vehicle speed to 40 kph (25 mph) but does not limit engine torque. Maverick Trail (with 700 engine) and Commander: configurable vehicle speed limit between 20 km/h (13 mph) and 100 km/h (60mph) that does not limit engine torque.
  - Normal mode: configurable, limits vehicle speed to 70 km/h (44 mph) and may have torque reduction.
  - Performance mode: no restrictions.

C-TEK charger

860200997



- CTEK, the manufacturer of the smartest battery chargers in the world, has produced a BRP specific charger for all BRP products.
- Charger is built to meet the demanding arctic conditions.
- Ask your dealer for more information.

Digitally Encoded Security System (D.E.S.S.) Keys

Maverick Trail 2024 & up (with 700 engine)

715009300



- Top-security anti-theft protection for Can-Am vehicles.
- The encrypted chip technology restricts access to the unit's electronic ignition system.
- One code per vehicle.
- Features a vibration/shock-resistant ball-and-socket design that ensures a reliable connection.
- Comes with three programmable keys, including:
  - Work mode: configurable vehicle speed limit between 20 km/h (13 mph) and 100 km/h (60mph) that does not limit engine torque.
  - Normal key: configurable limits vehicle speed to 70 km/h (44 mph) and may have torque reduction
  - Performance key: no restrictions.

Digitally Encoded Security System (D.E.S.S.) Green Key

Commander, Commander MAX (2024 & up)

710005232



- Top-security anti-theft protection for your vehicle.
- Encrypted chip technology restricts access to your vehicle's electronic ignition system.
- One vehicle/one code.
- A vibration/shock-resistant ball-and-socket design that ensures a reliable connection.
- 3 programmable modes:
  - Work mode: configurable vehicle speed limit between 20 km/h (13 mph) and 70 km/h (43 mph) that does not limit engine torque.
  - Normal mode: configurable, limits vehicle speed to 70 km/h (44 mph) and may have torque reduction.
  - Performance mode: no restrictions.

WINCHES & HITCHES

CAN-AM HD WINCHES

Can-Am HD 4500 Winch

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715011705



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Weather sealed corded remote and dash mounted switch.
- Pulling strength capability of 4,500 lb (2,041 kg).
- 43' of 15⁄64" (13 m of 6.3 mm) wire steel cable.
- Heavy-duty 4-way roller fairlead.
- CE & UKCA Compliant.

Required for installation:
- Winch Electrical Harness (715003777) is required for installation.
- Commander X mr front bumper requires Winch Electrical Harness (715008218).

Can-Am HD 4500-S Winch

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715011706



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Weather sealed corded remote and dash mounted switch.
- Pulling strength capability of 4,500 lb (2,041 kg).
- 50' of ¼" (15.2 m of 6.35 mm) synthetic rope.
- Corrosion-proof aluminum Hawse fairlead.
- CE & UKCA Compliant.

Required for installation:
- Winch Electrical Harness (715003777) is required for installation.
- Commander X mr front bumper requires Winch Electrical Harness (715008218).

WINCH ACCESSORIES

Winch Cable Stopper

Can-Am HD Winch

715009921



- Made of EPDM, a highly durable synthetic rubber.
- The Winch Cable Stopper isn't just for looks. It helps extend the life of the winch, rope, hook, and fairlead.
- In addition, the split design makes it easy to install.

NEW Can-Am HD Winch Auto-Stop

Can-Am HD Synthetic Winch	**715010042**



- The Auto Stop Mechanism pauses rope intake to avoid over-spooling and keep your synthetic rope protected for long-term use.
- Requires synthetic winch rope (NOT compatible with steel cable).

NEW Can-Am HD Hawse Fairlead

Can-Am HD Winch (Synthetic Cable only)	**715010966**



- A must-have when upgrading your winch to a synthetic cable.
- Corrosion-proof die-cast aluminum Hawse fairlead.
- Finished with a black powder-coated surface.
- Must be used with synthetic cables only.

Can-Am HD Hawse Fairlead

Can-Am HD Winch	**715006426**



- A must when upgrading your winch with a synthetic cable, this corrosion-proof aluminum Hawse fairlead will prevent the cable from snapping in a corner of a roller fairlead and from wearing prematurely due to the rough surface of the worn roller guide.
- Must be used with synthetic cables only.

Roller Fairlead

Can-Am HD Winch	**710007082**



- Suggested when changing the wire rope.
- Heavy-duty replacement fairlead for winches.

Synthetic Winch Cable

Can-Am HD Winch	**715006430**
WARN Winch	**715007783**



- 50' of ¼" (15.2 m of 6.35 mm) synthetic cable for Can-Am HD winches.
- Can-Am HD Hawse Fairlead (715006426) is required when upgrading to a synthetic cable to avoid premature cable damage and wear.
- WARN Hawse Fairlead (715007785) is required when upgrading to a synthetic cable to avoid damage and premature wear of the cable.

Wire Rope Replacement

Can-Am HD Winch	**705014978**
WARN Winch	**715006699**



- 43' of 15⁄64" (14.3 m of 6.3 mm) wire rope for Can-Am HD Winch.
- 55' of ¼" (16.8 m of 6.35 mm) wire rope for WARN winch kit.
- 4,500 lb (2,041 kg) pulling strength.

Synthetic Cable Extension

715001120



- Lightweight ¼" (6.35 mm) diameter, easy to handle and won't rattle in cargo box.
- Easily attaches to winch cable to provide additional 50' (15.2 m) of distance.
- 4,500 lb (2,041 kg) single line capacity.

NEW Can-Am HD Winch Hook

Can-Am HD Winch	**715011610** · Platinum Silver



- Heavy-duty forged, and heat-treated steel hook for maximum strength.
- Unique and premium design with a Can-Am-stamped logo.
- Durable cast-aluminum latch with a functional 1" opening.
- Integrated pulling strap for quick and easy handling.
- Finished with a platinum-silver powder coating for long-lasting protection.

Wireless Winch Remote

Can-Am HD Winch

715008286



- On/Off and Winch In/Winch Out buttons with LED indicator light.
- Large Winch In/Winch Out buttons for easy activation with gloves.
- Ergonomic remote handle shape with a trigger-like holding protrusion.
- Quick and easy to install, thanks to a wiring harness with an integrated antenna and all necessary mounting hardware.
- Allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options.
- All components are IP67 sealing rated.
- The remote also floats in case it's dropped during a deep water recovery.
- Dash and handlebar mounting options.
- Compatible with all Can-Am HD winches.

Wired Remote Control

Can-Am HD Winch

715006504 (2020 & up)



- This kit allows winch owners to add the hand-held remote to vehicles with a stock winch.
- OEM stock winch and Wired Remote Control are sold separately.
- CE compliant.

Trailer Hitch Ball Mount

Commander, Commander MAX

715010023 (US)
715010617 (EU)



- Designed to fit trailer hitches with a 2" x 2" (5 cm x 5 cm) receiver tube opening.
- It offers 3,500 lb (1,590 kg) of towing capacity.
- Solid forged steel construction.
- Equipped with a hole to accept a ¾" (1.9 cm) ball shank.
- 1" (2.5 cm) raised or 2" (5 cm) lowered for precise trailer leveling.
- Hitch ball not included.

Front Receiver Hitch

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715003642



- Heavy-duty 1,500 lb (680 kg) towing capacity 2" (5 cm) receiver hitch.
- Perfect for precision towing in small spaces.

RECOVERY

NEW Can-Am Retractable Rope System

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715010190



- Tow a disabled vehicle easily.
- 11 ft. self-retracting tow rope for quick and convenient operation.
- 3,200 lbs (1,450 kg) towing capacity.*
- Ready to use with an integrated soft shackle for simple hookup.
- Rope is easy to replace with no threading required.
- Lightweight design makes it easier to carry, thanks to its built-in handle.
- Weight: 14.7 lbs (6.67 kg)
- Compact design fits all Can-Am off-road hitch receivers and most units with a 2" receiver.

**Never exceed vehicle max towing capacity.*

NEW Can-Am Winch Accessory Kit

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715010814



- Complete recovery kit featuring a Can-Am Soft Shackle (715010577), Recovery Ring (715010836), and Tree Saver Strap.
- Durable Tree Saver Strap—8' x 3" wide with folded eyes and an abrasion guard.
- Includes a carrying bag to keep all components organized.
- For synthetic rope only.

NEW Can-Am Kinetic Recovery Kit

Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715010837



- Includes a Kinetic Rope (715010835) and two Soft Shackles (715010577).
- Comes with a practical roll-top carrying bag that offers plenty of space to add additional recovery accessories.
- Features drain hole to allow water to escape.

NEW Can-Am Soft Shackle

Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715010577



- ⅜ in. (9.5 mm) x 12 in. (30.4 cm) loop UHMWPE soft shackle.
- 21,000 lbs (9,525 kg) breaking strength.
- 4,200 lb. (1,905 kg) working load limit.
- Lightweight, ultra-strong 12-strand UHMWPE braid offers steel-like strength with added flexibility.
- Provides a quick, strong connection thanks to the “dog bone” rigid piece, which easily locks the loop.
- Protective covering to reduce early damage.

NEW 2" Soft Shackle Hitch Receiver

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715010784



- Provides a reliable recovery solution that plugs directly into any 2" receiver.
- 8,000 lbs (3,636 kg) working load limit.
- Forged aluminum construction with a durable viper-red powder-coated finish.
- Easy installation: slide the shackle mount into the receiver and secure it with a hitch pin (not included).
- Compatible with the Can-Am Soft Shackle (715010577) for a complete recovery setup.

NEW Can-Am Kinetic Recovery Rope (⅝" x 25')

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715010835



- 15,000 lbs (6,803 kg) breaking strength.
- 3,000 lbs (1,360 kg) working load limit.
- Product size: ⅝" x 25' (16 mm x 7.6 m).
- Our kinetic energy rope stretches up to 30%.
- Each rope is built from heavy-duty synthetic fiber engineered to withstand repeated use in the harshest off-road conditions. Reinforced protective sleeves add extra durability and help guard against wear in high-friction areas.
- Kinetic ropes provide superior pulling power by stretching up to 30% to store and release kinetic energy.
- This controlled stretch reduces shock on both vehicles, making recoveries smoother and safer than traditional tow straps.
- From mud to sand to snow, these ropes deliver the forward momentum needed to break free.

NEW Recovery Ring

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715010836



- Change the direction of your pull.
- Machined from premium aluminum alloy.
- Features a black hard-anodized, ultra-smooth, low-friction finish that delivers long-lasting durability in a sleek design.
- This recovery ring is perfectly sized to fit the Can-Am Soft Shackle (715010577) and works flawlessly with synthetic winch ropes below ½".
- Working load limit: 6,600 lbs.
- Minimum breaking strength: 33,000 lbs.
- For use with synthetic winch rope only and a soft shackle.

PERFORMANCE

Performance Half Shaft

Maverick Trail	**705402423**
Maverick Sport, Maverick Sport MAX	**705402281**



- High-performance design ideal for off-road use, with superior protection in any riding usage.
- Includes CVs, shaft and boots with the best suited geometry for your Can-Am vehicle.
- Required to install the Smart-Lok Differential Kit.

Mud Smart Mode Module
(Not illustrated)

Models with Smart-Lok Differential — **715005282**

- This module allows you to add the Mud Smart Mode to vehicles with the Smart-Lok Differential Kit sold as an accessory or to change to the Mud Smart Mode on vehicles equipped with a standard Smart-Lok.
- The Mud Mode has been specially designed to deliver superior traction in the deepest mud holes.
- When high engine torque and/or slippage is detected, Smart-Lok will fully lock the front end.
- The system will stay locked until throttle release.
- Only one Smart Mode Module can be installed at a time.

Rock Smart Mode Module
(Not illustrated)

Models with Smart-Lok Differential — **715005283**

- This module allows you to add the Rock Smart Mode to vehicles with the Smart-Lok Differential Kit sold as an accessory or to change to the Rock Smart Mode on vehicles equipped with a standard Smart-Lok.
- The Rock Mode has been specially designed to help cross challenging rocks.
- When high engine torque is detected at low vehicle speed, Smart-Lok will progressively lock the front end and will stay engaged until throttle release to prevent wheel slippage and provide optimal traction.
- The progressive engagement allows for easier steering when maneuvering the vehicle.
- Only one Smart Mode Module can be installed at a time.

Trail Activ Smart Mode Module
(Not illustrated)

Models with Smart-Lok Differential — **715005284**

- This module allows you to add the Trail Activ Smart Mode to vehicles with the Smart-Lok Differential Kit sold as an accessory or to change to the Trail Activ Smart Mode on vehicles equipped with a standard Smart-Lok.
- The Trail Activ Mode has been designed for aggressive riding, delivering the ultimate cornering precision.
- When high engine torque and/or an increase in vehicle speed is detected, Smart-Lok will progressively engage the front end and keep it engaged until throttle release or vehicle speed reduction.
- The progressive engagement allows for smoother and lower steering effort.
- Only one Smart Mode Module can be installed at a time.

EXHAUST AND AIR INTAKE

Yoshimura† Slip-On Exhaust *

Maverick Sport, Maverick Sport MAX (models with 1000R engine) — **715004452**



- Developed in collaboration with Yoshimura.
- Made from 304-grade stainless steel.
- Sporty sound from a lighter-than-stock muffler.
- USDF/USDA approved spark arrester.
- EPA compliant.

Performance Air Filter by Twin AIR†

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX (models with 1000R engine)	**715002895**
Maverick Trail, Maverick Sport (except models with 1000R engine)	**715003630**



- The best choice for the harshest conditions.
- Multiple staged oiled filtering foam for superior dust retaining capacity with high airflow.
- Washable and reusable.

Engine and CVT Pre-Filter Kit
(Not illustrated)

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX — **715004290**

- Adds extra protection to your engine and CVT in harsh riding conditions.
- Filter blocks particles larger than 0.005" (0.1 mm).
- Water repellent screen.
- Mandatory to maintain the vehicle's warranty when tracks are installed.
- Recommended for winter riding conditions.

Not compatible:
- Snorkel Kit.
- Adventure Roof Rack.

* *Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

Snorkel Pre-Filter

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715005598



- Pre-filter specifically for snorkels.
- Adds extra protection to your engine in harsh riding conditions.
- Helps keep air filter cleaner.
- Filter blocks particles larger than 0.005" (0.13 mm).
- Mandatory to maintain vehicle warranty when tracks are installed.

Snorkel Kit *

Commander, Commander MAX (except 700 engines), Maverick Trail (except 700 engines), Maverick Sport, Maverick Sport MAX

715003705



- Raises point of engine and CVT air intakes so vehicle can be semi-submersed in water/mud without taking in water to the engine.
- Not compatible with S&B Particle Separator, LinQ Pivoting Rack, Lonestar Racing Rear Intrusion Bar and all rear panels and windows.
- Standard on Maverick Sport and Commander X mr models.

Heavy-Duty Spring Kit

Maverick Trail

715004961



- This set of heavy-duty springs will stiffen your suspension.
- Perfect for reducing vehicle overall sag when shocks are under heavy demand: heavy loading and hauling or for snow clearing.
- Complete kit of 4 springs.

* *Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

APACHE TRACK SYSTEMS

APACHE XC LT — LIMITED WARRANTY**

Apache XC LT Track System *

Maverick Trail, Maverick Sport, Maverick Sport MAX, Commander, Commander MAX

715007719



- Long Track version.
- Brand-new track design to optimize driving off and in deep snow conditions.
- Reduction in steering effort thanks to the tandem 4 wheels.
- Vibrations are reduced due to the alignment of the wheels with the rolling band of the track and the shaft damper mounted tandem.
- Better steering precision because of this wheel and track alignment due to good ground contact.
- 1.25" (3.175 cm) lugs in the front and in the back for better traction and lateral stability.
- Track width: front 12.5" and rear 15".
- Adds 3" (7.62 cm) of ground clearance versus 27" tires.
- Additional shaft dampers, tandem dampers, track design and wheel layout significantly reduce NVH (noise vibration harshness).
- Central guide for optimized track alignment and reduced occurrences of detracking.
- Optimized track layout with increased angle of attack for better obstacle crossing and snow performance.
- Stamped and welded steel frame for improved strength and durability.
- Easy maintenance with replaceable hub and wheel bearings.
- Main hub is oil bath with 3 bearings inside for consistent lubrication.
- Mounting kit sold separately.

Required for installation:
- DPS module and engine and CVT pre-filter required.

Apache XC LT Mounting Kit *
(Not illustrated)

See table for fit, compatibility and requirements.

715008611
715008612
715008613

- Required for installation of the Apache XC LT Track System.
- Track DPS Module and Pre-filter not included.

WINTER TRACKS — LIMITED WARRANTY**

Apache Backcountry Track System *

See table for specific models

715005247



- Designed to deliver the best flotation level and deep-snow performance on the market.
- Contact patch is 23% bigger than the Apache 360 LT.
- Provides an impressive average ground clearance increase of 7" (18 cm), keeps the vehicle out of deep snow.
- Aggressive track design with 2" (5 cm) lug height for maximum traction on snow.
- For winter use only.
- Track installation will affect vehicle width and length.

Required for installation:
- Apache Backcountry Mounting Kit, Track DPS Module and Engine and CVT Pre-Filter are required.

Apache Backcountry LT Track System *

See table for specific models

715005891



- Tracks designed to deliver the best snow performance on the market with unmatched flotation level and traction on snow surface.
- Large contact patch, 37% bigger than the Apache 360 LT.
- Impressive added ground clearance of 7" (18 cm) helps keep the vehicle over the snow.
- Lightweight snowmobile-inspired rail design.
- Aggressive track design with 2" (5 cm) lug height for maximum traction on snow.
- Fine-tune your track system using extra Idler Wheels, Sliders with Vespel Inserts and Rail Ice Scratcher.
- For winter use only.
- Track installation will affect vehicle width and length.

Required for installation:
- Apache Backcountry LT Mounting Kit, Track DPS Module, Engine and CVT Pre-Filter are required.

Apache Backcountry Mounting Kit *
(Not illustrated)

See table for specific models — **715004834**
Maverick Trail — **715004285**

- Required for installation of the Apache Backcountry Track System.
- DPS Module and Pre-filter not included.

Not compatible with: HMWPE Front and Rear A-Arm Protectors and Skid Plates.

Apache Backcountry LT Mounting Kit *
(Not illustrated)

See table for specific models

715005493

- Required for installation of the Apache Backcountry Track LT System.
- DPS Module and Pre-filter are required and sold separately.

Not compatible with:
- HMWPE Front and Rear A-Arm Protectors and Skid Plates.

* *Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

**The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

ACCESSORIES

Track DPS Module *
(Not illustrated)

Maverick Trail 2024 & up, Commander, Commander MAX 2024 & up	**715006266**
Commander, Commander MAX, Maverick Trail, Maverick Sport	**715007338**

- Innovative DPS module that ensures speedometer accuracy and optimized steering assist which make for perfect track control and riding ease.
- Required to install the Apache and Backcountry Track Systems.

Rail Ice Scratchers

Apache Backcountry and Apache Backcountry LT Track Systems — **860201728**



- Provide additional lubrication in hard and icy conditions.
- Rail mounted, small, light.
- Design expands on coil concept to allow reversing without damage.
- Easily stored when not in use.
- Extend slider life.

Idler Wheel Kit


Apache Backcountry Track System, rear tracks only — **860201230** • 141 mm



- Reduces drag and rolling resistance.
- Includes 2 wheels, brackets and hardware.
- Add up to 2 kits per rear track.
- Can extend slider life in hardened snow conditions.

Apache Backcountry LT Wheel Kit

Apache Backcountry and Apache Backcountry LT Track Systems — **715006293**



- Additional wheel kit for Backcountry LT rear tracks.
- Reduces drag and rolling resistance in hard snow conditions or when transporting heavier loads.
- Extends slider life in hard snow conditions.
- Includes two wheels, cross shaft and mounting hardware per kit to service one track corner.
- Up to two kits per rear track can be installed.

Sliders with Vespel† Inserts

Apache Backcountry and Apache Backcountry LT Track Systems — **503194815**



- Use DuPont Vespel inserts for less friction.
- Longer life.
- Can be cut to desired length.
- 8 needed per vehicle.
- Sold individually.

* *Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.*

APACHE TRACK SYSTEMS FITTING GUIDE

APACHE BACKCOUNTRY AND BACKCOUNTRY LT

Model Year / Model		Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2018 & Up	Maverick Trail, Maverick Trail DPS 1000	715005247	715004285	715007338	715004290	715005598
2018 to 2023	Maverick Trail: Base, DPS 700					
2021* & 2023	Commander: DPS, XT 700 Commander: MAX DPS, XT 700		715004834			
2019 & Up	Maverick Sport, Maverick Sport MAX (except X mr, X rc, X xc models)					
2021* & Up	Commander, Commander MAX (except Commander DPS & Commander XT 700)	715005891	715005493			
2021* & Up	Maverick Sport X mr, X rc, X xc					
2024 & Up	Maverick Trail: Base, DPS 700	715005247	715004285	715006266		
2024 & Up	Commander: DPS, XT 700 Commander MAX: DPS, XT 700		715004834			

*For 2021 models produced after January 18, 2021.

APACHE XC LT

Model Year / Model		Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2018 to 2023	Maverick Trail	715007719	715008611	715007338	715004290	715005598
2021* to 2023	Commander: DPS, XT 700 Commander MAX: DPS, XT 700		715008613			
2019 & Up	Maverick Sport, Maverick Sport MAX (except X mr, X rc, X xc models)					
2021 & Up	Commander, Commander MAX (except Commander DPS & Commander XT 700)		715008612			
2021* & Up	Maverick Sport X mr, X rc, X xc					
2024 & Up	Maverick Trail		715008611	715006266		
2024 & Up	Commander: DPS, XT 700 Commander MAX: DPS, XT 700		715008613			

*For 2021 models produced after January 18, 2021.

PROMOUNT PLOWS

PROMOUNT PLOW KITS

REFERENCE CHART

	66" Black Steel	72" Black Steel	66" Flex2	72" Flex2
Plow Kit	**715007775**	**715007777**	**715007774**	**715007776**
Blade	**715009881**	**715009877**	**715009883**	**715009868**
Push Frame	**715004980**	**715004980**	**715004980**	**715004980**
Mounting Plate	**715007742**	**715007742**	**715007742**	**715007742**

CAN-AM ProMount STEEL PLOW KITS

Can-Am ProMount Steel Plow Kit

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715007755 • 66" (168 cm)
715007777 • 72" (183 cm)



- These kits include:
  - Can-Am ProMount Steel Blade.
  - Push Frame with Quick-Attach System.
  - Can-Am ProMount Mounting Plate.

Required for installation:
- Requires winch.

CAN-AM ProMount STEEL BLADES

Can-Am ProMount Steel Blade

Fits ProMount Push Frame

715009881 • 66" (168 cm)
715009877 • 72" (183 cm)



- Plow blade made from 12-gauge steel.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- 66" (168 cm): clears 60" (152 cm) when plow is fully angled.
- 72" (183 cm): clears 66" (168 cm) when plow is fully angled.
- Blade height of 17" (43 cm).
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

CAN-AM ProMount ANGLE PLOWS

Can-Am ProMount 72" (183 cm) Steel Oneway State Blade

Fits ProMount Push Frame

715009879



- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 26" (67 cm) high and tapers down to 16" (41 cm).
- One-way “winged” state plow designed to throw snow higher.
- Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

CAN-AM ProMount FLEX2 PLOW KIT

Can-Am ProMount Flex2 Plow Kit

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715007774 • 66" (168 cm)
715007776 • 72" (183 cm)



- These kits include:
  - Can-Am ProMount Flex2 Blade.
  - Push Frame with Quick-Attach System.
  - Can-Am ProMount Mounting Plate.

Required for installation:
- Winch.

CAN-AM ProMount FLEX2 BLADES

Can-Am ProMount Flex2 Blade

Fits ProMount Push Frame

715009883 · 66" (168 cm)
715009868 · 72" (183 cm)



- Plow blade made of UHMWPE, a flexible and impact absorbing material that prevents damaging your plow when accidental impact occurs.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- 66" (168 cm): clears 60" (152 cm) when plow is fully angled.
- 72" (183 cm): clears 66" (168 cm) when plow is fully angled.
- Blade height of 17" (43 cm).
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

CAN-AM ProMount PLOW ACCESSORIES

Can-Am ProMount Edge Markers

Fits ProMount Plow Blades

715004206



- Help locate the edges of your plow.
- Height: 24" (60 cm).
- Sold in pairs.
- Recommended for Maverick Trail and Maverick Sport.
- Compatible with Can-Am ProMount Steel and Flex2 blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Can-Am ProMount Plastic Wear Blade

Fits ProMount Plow Blades

715004482 · 66" (168 cm)
715004483 · 72" (183 cm)



- Ideal to prevent leaving marks on your driveway.
- Compatible with Can-Am ProMount 72" (183 cm) Blades.

Can-Am ProMount Drift Cutters

Fits ProMount Plow Blades

715006258



- Help keep snow in the plow.
- Dimensions: 17" x 13" (43.2 cm x 33 cm).
- Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Back Drag Blade
(Not illustrated)

Fits ProMount Plows (60" and more)

715007794

- ¼-in. thick steel swivel scraper.
- Lifts up when the vehicle is moving forward so as to not affect the scraping.
- Increased capacity to pull snow.
- More aggressive scraping in reverse mode.
- Lifts the scraper off the ground so that it scrapes evenly.
- Adjustable in length for compatibility with 60", 66" and 72" blades.
- Compatible with ProMount blades (Flex and Steel).

Curved Wear Blade
(Not illustrated)

Fits ProMount Plow Blades

715007792 · 66" (168 cm)
715007793 · 72" (183 cm)

- Wear blade designed with a folded back bottom lip.
- The increased surface allows for less digging while plowing uneven surfaces.
- Ideal for snow covered gravel, grass, paver stone and other soft surfaces.

CAN-AM ProMount CUSTOM SOLUTIONS

Can-Am ProMount Push Frame with Quick-Attach System

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715004980




- Heavy-duty steel tubes designed to withstand the roughest use.
- Mid-mount carriage provides ultimate push strength and traction.
- Allows 16" (41 cm) of plow lift on ATVs and 14" (36 cm) on Maverick Trail.
- Features a self aligning quick-attach system, an easy foot release pedal and an ergonomic handle for plow angle adjustment.

Required for installation:
- Winch.

Can-Am ProMount Push Frame Extension

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	**715006257**



- 12" (30 cm) push frame extension required when plow is installed with Apache Track systems.

Plow Roller Fairlead

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	**715001223** • Cylindrical Roller Fairlead



- Larger diameter lower roller reduces wear on wire rope for plow application.
- Can be used with all ProMount plows.

Can-Am ProMount Plow Angling System

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	**715009657**



- Converts your plow system into a unit that's easy to control from the driver's seat.
- Using one hand to control all plow motions will allow you to easily concentrate and manage your plowing tasks.
- Not compatible with Apache Backcountry LT Track System.
- Can-Am ProMount Push Frame (715010845) is required.
- Winch and plow sold separately.

Plow Quick Adjust Blade Shoes

ProMount Steel & Flex2 Blades 60" (all years), 66" & 72" (2025 & prior)	**715009751**



- Zinc-plated steel construction for corrosion resistance.
- Easy and quick tool-free adjustment.
- Pre-set adjustment for different heights.
- Larger shoe diameter for greater ground contact.
- Improved shoe design for better flotation.

ProMount Plow Limit Switch

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	**715006259**



- For controlling the cable tension when over-raising your plow system.
- Prevents winch, plow push frame and vehicle damage.
- Sensor relocated for optimal lift height.

.

Can-Am ProMount Mounting Plate

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	**715007742**



- Required to install the Can-Am ProMount Push Frame with Quick-Attach System.
- Mounting plate precision-designed to stay on year round without compromising ground clearance.
- Plow roller fairlead included.

COVERS

Trailering Cover

Commander	**715006817**
Commander MAX	**715007108**
Maverick Trail, Maverick Sport	**715003706**



- Weather-resistant trailering cover protects your vehicle during storage and transportation.
- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- Inner soft liner protects windshield.
- All high-abrasion areas are reinforced with a double canvas layer.
- Opening for fuel cap.
- Quick and easy installation.
- Designed to perfectly fit your vehicle with or without Can-Am accessories except with Adventure Roof Rack and track kits.

PARTS AND MAINTENANCE



PARTS AND MAINTENANCE

Keep an Eye on These Parts	208
How to use the EPC	213
Air Filters	214
Oil Filters	214
Spark Plugs	215
Batteries	215
Axles	216
Ball Joint	218
D.E.S.S. Keys	218
Brake Pads	219
Belts	220
pDrive Maintenance Kits	221
QRS Rollers	221
XPS Tires	223
Tire & Wheel Specifications Chart	224
Wheel Hardware	225
Tire & Wheel Assemblies	226
Lubricant & Oil Change Kit	227
Oil Change Kit	228
XPS Coolants	228
Maintenance Products	229

CAN-AM TRAXTER G1



To make sure your Traxter G1 performs as you expect, **keep an eye on these components.****

OIL FILTER		420256188
ENGINE OIL*		
4T 10W-50 Synthetic Oil	1 quart / 946 ml	9779234
	1 US gallon / 3.785 L	9779235
4T 0W-40 Synthetic Oil	1 quart / 946 ml	9779139
	1 US gallon / 3.785 L	9779140
5W-40 Synthetic Oil	1 quart / 946 ml	9779492
	1 US gallon / 3.785 L	9779493
OIL CHANGE KIT*		
5W-40 Synthetic Oil	500 cc or more V-twin engine	9779488
5W-40 Synthetic Oil	ACE 650 cc single cylinder	9779480
0W-40 Synthetic Oil	500 cc or more V-twin engine	9779259
0W-40 Synthetic Oil	ACE 650 cc single cylinder	9779481
10W-50 Synthetic Oil	500 cc or more V-twin engine	9779252
5W-40 Synthetic Oil	450 cc or less	9779487
0W-40 Synthetic Oil	450 cc or less	9779257
TRANSMISSION OIL*		
Front Differential 75W-90 Gear Oil, Synthetic	32 oz / 0.946 L	9779158
Gearbox 75W-140 Gear Oil, Synthetic	32 oz / 0.946 L	9779160
EMISSION CONTROL		
Fuel Tank Vent Breather Filter	Non-EVAP models	709001120
Canister Vent Pre-filter	CARB and EVAP models	709000524
Canister Fuel Filter	CARB and EVAP models	513034047
AIR FILTER		715900394
CVT AIR FILTER		
HD9, HD10		706600419
DRIVE BELT		
HD10	Premium (Stock)	422280652
HD9	Premium (Stock)	422280656
HD7	Premium (Stock)	422280225
Performance (Upgrade)	See reference chart p. 220.	

CLUTCH MAINTENANCE KITS		
pDrive Ramp Rollers	Maintenance Kit	861805586
pDrive Torque Rollers	Maintenance Kit	861805587
QRS XD Roller Kit	Pack of 3	861805583
BRAKE PAD KITS		
Front Brake Pads (4 pads + hardware)	Traxter (All models)	703501260
Rear Brake Pads (4 pads + hardware)	Traxter HD7-HD9-HD10	703501200
	Traxter MAX-PRO-6X6	703501199
CV BOOT KITS		
Front Wheel Side	Except XMR, 2023 & newer Limited & Lone Star	705401345
Front Wheel Side	XMR, 2023 & newer Limited & Lone Star	705401354
Front Diff Side		705401355
Rear Wheel Side and Diff Side		705501864
WHEEL BEARINGS		293350150
FRONT A-ARM BUSHING KIT		703500875
BALL JOINTS		
Lower		703501262
Upper		703501263
SPARK PLUG		
HD10		715900244
HD9		715901051
HD7		715900785
BATTERY		
18 aH Yuasa YTX20L fact. activated		410301203
30 aH Yuasa YIX30L fact. activated		515176151

*For Europe, please check the correspondent PNs on page 227.
**Refer to periodic maintenance chart for proper intervals.

CAN-AM TRAXTER G2



To make sure your Traxter G2 performs as you expect, **keep an eye on these components.****

OIL FILTER		420956123
ENGINE OIL*		
4T 10W-50 Synthetic Oil	1 quart / 946 ml	9779234
	1 US gallon / 3.785 L	9779235
4T 0W-40 Synthetic Oil	1 quart / 946 ml	9779139
	1 US gallon / 3.785 L	9779140
5W-40 Synthetic Oil	1 quart / 946 ml	9779492
	1 US gallon / 3.785 L	9779493
OIL CHANGE KIT*		
5W-40 Synthetic Oil	Rotax 900/999 ACE	9779502
10W-50 Synthetic Oil	Rotax 900/999 ACE	9779503
0W-40 Synthetic Oil	Rotax 900/999 ACE	9779504
TRANSMISSION OIL*		
Front Differential 75W-90 Gear Oil, Synthetic	32 oz / 0.946 L	9779158
Gearbox 75W-140 Gear Oil, Synthetic	32 oz / 0.946 L	9779160
EMISSION CONTROL		
Fuel Tank Vent Breather Filter	Non-EVAP models	709001120
Canister Vent Pre-filter	CARB and EVAP models	709000524
Canister Fuel Filter	CARB and EVAP models	513034047
AIR FILTER		715900422
CVT AIR FILTER		706600423

DRIVE BELT		
HD10 & HD11	Premium (Stock)	422280652
CLUTCH MAINTENANCE KITS		
pDrive Ramp Rollers	Maintenance Kit	861805586
pDrive Torque Rollers	Maintenance Kit	861805587
QRS XD Roller Kit	Pack of 3	861805583
BRAKE PAD KITS		
Front Brake Pads (4 pads + hardware)	Traxter (all models)	703501260
Rear Brake Pads (4 pads + hardware)	Traxter MAX (all)	703501260
	Traxter non-MAX (all)	703501261
CV BOOT KITS		
Front Wheel Side		715901034
Front Differential Side		715901035
Rear Wheel Side		715901064
Rear Differential Side		715901063
WHEEL BEARINGS		293350151
BALL JOINTS		
Lower		703501262
Upper		703501263
SPARK PLUG		
HD10 & HD11		715900785
BATTERY		
30 aH Yuasa YIX30L fact. activated		515176151

*For Europe, please check the correspondent PNs on page 227.
**Refer to periodic maintenance chart for proper intervals.

CAN-AM MAVERICK R



To make sure your Maverick R performs as you expect, **keep an eye on these components.**[**]

OIL FILTER		420956747
ENGINE OIL*		
4T 10W-50 Synthetic Oil	1 quart / 946 ml	9779234
	1 US gallon / 3.785 L	9779235
4T 0W-40 Synthetic Oil	1 quart / 946 ml	9779139
	1 US gallon / 3.785 L	9779140
4T 5W-40 Full Synthetic Oil	1 quart / 946 ml	9779492
	1 US gallon / 3.785 L	9779493
OIL CHANGE KIT*		
5W-40 Oil Change Kit	Rotax 999T	9779500
10W-50 Oil Change Kit	Rotax 999T	9779501
TRANSMISSION OIL*		
Oil Change Kit	Can-Am DCT Transmission	9779725
Differential Oil 75W-90 Gear Oil, Synthetic	32 oz / 0.946 L	9779158
DCT Gearbox Oil XPS Synthetic	DCT Fluid 32 oz / 0.946 L	9779710
EMISSION CONTROL		
Fuel Tank Vent Breather Filter	Non EVAP models	709001120
Canister Vent Pre-filter	CARB and EVAP models	709000524
Canister Fuel Filter	CARB and EVAP models	513034047
AIR FILTER		
Performance Air Filter by Twin Air[†]		715002895
Premium Air Filter		715900422
BRAKE PAD KITS		
Front Brake Pads	4 pads + hardware	703501258
Rear Brake Pads	4 pads + hardware	703501259

CV BOOT KITS		
Rear wheel side, NT1 transmission	Base, X and X rs, 2024-2026	715500543
Rear diff side, NT1 transmission	Base, X and X rs, 2024-2026	715500542
Rear (wheel side), NT2 transmission	MAX and X rc, 2025-2027 X and X rs, 2027	715900929
Rear (diff. side), NT2 transmission	MAX and X rc, 2025-2027 X and X rs, 2027	715500551
Front (wheel & diff. side)		715900450
WHEEL HUBS (with integrated bearings)		
Front		705403495
Rear		705503594
BALL JOINTS		
Lower		703501263
Upper		703501262
SPARK PLUG		715900935
BATTERY		
18 aH Yuasa YTX20L fact. activated	X & X rs	410301203
30 aH Yuasa YIX30L fact. activated	X rc	515176151

*For Europe, please check the correspondent PNs on page 227.
**Refer to periodic maintenance chart for proper intervals.

CAN-AM MAVERICK



To make sure your Maverick performs as you expect, **keep an eye on these components.****

OIL FILTER		420956123
ENGINE OIL*		
4T 10W-50 Synthetic Oil	1 quart / 946 ml	9779234
	1 US gallon / 3.785 L	9779235
4T 0W-40 Synthetic Oil	1 quart / 946 ml	9779139
	1 US gallon / 3.785 L	9779140
4T 5W-40 Full Synthetic Oil	1 quart / 946 ml	9779492
	1 US gallon / 3.785 L	9779493
OIL CHANGE KIT*		
5W-40 Synthetic Oil	Rotax 900/999 ACE	9779502
10W-50 Synthetic Oil	Rotax 900/999 ACE	9779503
0W-40 Synthetic Oil	Rotax 900/999 ACE	9779504
TRANSMISSION OIL*		
Front Differential 75W-90 Gear Oil, Synthetic	32 oz / 0.946 L	9779158
Gearbox 75W-140 Gear Oil, Synthetic	32 oz / 0.946 L	9779160
EMISSION CONTROL		
Fuel Tank Vent Breather Filter	Non EVAP models	709001120
Canister Vent Pre-filter	CARB and EVAP models	709000524
Canister Fuel Filter	CARB and EVAP models	513034047
AIR FILTER		
Performance Air Filter by Twin Air†		715002895
Premium Air Filter		715900422
CVT AIR FILTER		706600416

DRIVE BELT		422280652
CLUTCH MAINTENANCE KITS		
pDrive Ramp Rollers	Maintenance Kit	861805586
pDrive Torque Rollers	Maintenance Kit	861805587
QRS XD Roller Kit	Pack of 3	861805583
BRAKE PAD KITS		
Front Brake Pads	4 pads + hardware	703501198
Rear Brake Pads	4 pads + hardware	703501199
CV BOOT KITS		
Rear Wheel & Differential Side		715900450
Front Wheel & Differential Side		705401354
WHEEL BEARINGS		293350151
BALL JOINTS		
Lower		703501262
Upper		703501263
SPARK PLUG		
Maverick	Except 900HO	415130363
Maverick	900HO	415130795
BATTERY		
18 aH Yuasa YTX20L fact. activated		410301203

*For Europe, please check the correspondent PNs on page 227.
**Refer to periodic maintenance chart for proper intervals.

CAN-AM MAVERICK SPORT, MAVERICK TRAIL AND COMMANDER




To make sure your Maverick R performs as you expect, **keep an eye on these components.****

OIL FILTER		420256188
ENGINE OIL*		
4T 10W-50 Synthetic Oil	1 quart / 946 ml	9779234
	1 US gallon / 3.785 L	9779235
4T 0W-40 Synthetic Oil	1 quart / 946 ml	9779139
	1 US gallon / 3.785 L	9779140
4T 5W-40 Full Synthetic Oil	1 quart / 946 ml	9779492
	1 US gallon / 3.785 L	9779493
OIL CHANGE KIT*		
500 cc or more V-twin engine		
0W-40 Synthetic Oil		9779259
5W-40 Full Synthetic		9779488
10W-50 Synthetic Oil		9779252
ACE 650 cc Single Cylinder		
0W-40 Full Synthetic		9779481
5W-40 Full Synthetic		9779480
TRANSMISSION OIL*		
Front Differential 75W-90 Gear Oil, Synthetic	32 oz / 0.946 L	9779158
Gearbox 75W-140 Gear Oil, Synthetic	32 oz / 0.946 L	9779160
EMISSION CONTROL		
Fuel Tank Vent Breather Filter	Non EVAP models	709001120
Canister Vent Pre-filter	CARB and EVAP models	709000524
Canister Fuel Filter	CARB and EVAP models	513034047
AIR FILTER		
Performance Air Filter by Twin Air†		715002895
Maverick Trail & Sport	700 cc &1000 cc	715900394
Maverick Trail & Sport	1000R	715900422
Commander	700 cc & 1000 cc	715900394
Commander	1000R	715900422
CVT AIR FILTER	Except X mr	706600417

DRIVE BELT		
Maverick Trail	700	422280225
Maverick Trail / Sport	1000	422280656
Commander	700	422280225
Commander	2021+ 1000 cc	422280656
Performance (upgrade)	See Reference Chart p. 220.	
CLUTCH MAINTENANCE KITS		
Commander 700, Maverick Trail 700		
pDrive Ramp Rollers	Maintenance Kit	861805586
pDrive Torque Rollers	Maintenance Kit	861805587
Commander 1000R, Maverick Sport 1000R		
QRS XD Roller Kit	Pack of 3	861805583
BRAKE PAD KITS		
Front Brake Pads	4 pads + hardware	703501198
Rear Brake Pads	4 pads + hardware	703501199
CV BOOT KITS		
Front wheel side	Maverick Sport, Commander G2 X-TP, X mr, X rc and X xc	705401354
Front wheel side	Maverick Sport, Trail, Commander G2 All except X-TP, X mr, X rc and X xc	705401345
Front wheel side	Commander G1, 2011-2020	705401346
Front diff side	All	705401355
Rear wheel & diff side	All	705501864
WHEEL BEARINGS		293350150
A-ARM BUSHING KIT		703500875
BALL JOINTS		
Lower		703501262
Upper		703501263
SPARK PLUG		715900637
Maverick Trail	700	715900785
Maverick Trail & Sport	1000	715901051
Maverick Trail & Sport	1000R	715900244
Commander	700	715900785
Commander	1000R	715900244
BATTERY		
18 aH Yuasa YTX20L fact. activated		410301203

*For Europe, please check the correspondent PNs on page 227.
**Refer to periodic maintenance chart for proper intervals.

THE ELECTRONIC PARTS CATALOG (EPC)



IT'S THE GO-TO RESOURCE FOR QUICKLY LOCATING, IDENTIFYING AND ORDERING EXACT-FIT CAN-AM GENUINE PARTS. TO HELP YOU SAVE EVEN MORE TIME, ALL FAST-MOVING MAINTENANCE AND WEAR PARTS ARE NOW GROUPED ON THE FIRST PAGE OF EACH MODEL.

3 SIMPLE STEPS TO FIND THE RIGHT PART

1. Select the exact vehicle model.
2. Choose the vehicle system needing a part.
3. Pick the part and add it to the cart.

SCAN THE QR CODE FOR INSTANT ACCESS TO THE EPC ON ECOM.

AIR FILTERS

Premium Air Filter

- Premium quality filter, built to exact specs to prevent contaminants from reaching your engine and protect internal components against premature wear.
- Features high-density pleated media for maximum dirt-holding capacity, a molded seal for tight fit and durable construction to prevent collapse in extreme conditions.



Models	
Traxter G1, all packages incl. MAX, 2016–2027 Maverick Sport & Trail except 1000R engine, 2018–2027 Commander 700, incl. MAX, 2022–2027	**715900394**
Maverick, all packages incl. MAX, 2017–2027 Maverick R (incl. MAX), 2024–2027 Maverick Sport & Trail (incl. MAX), 1000R engine only, 2019–2027 Commander (incl. MAX), 1000R engine only, 2021–2027 Traxter G2, all packages, 2026-2027	**715900422**
Maverick G1 except 1000T engine, 2013–2018 Commander G1 2011–2020	**707800327**
Maverick G1, 1000T engine only, 2015–2017	**715900356**

NEW Safety air filter

Traxter G2	**715012078**



- Guards against dust if the primary filter fails
  Perfect slide in fit inside the primary filter and factory Can-Am air box
- The filter's small surface area is designed to quickly restrict airflow if dust bypasses the primary air filter, alerting the driver of issues with the primary filter before damage occurs
  -It also prevents contaminants from entering the intake system during primary filter changes, protecting the system while open
  -Second line of defense for the finest dust particles (<10µm) and if the primary filter is compromised, damaged or improperly installed

OIL FILTERS

Engine Oil Filter

- The OEM oil filter maintains correct oil flow and pressure, which is critical for engine longevity.
- High-quality construction OEM filter that is designed for your Rotax engine.
- Helps protect critical engine components from contaminants.



Models	
Traxter G1, Commander, Maverick Trail, Maverick Sport	**420256188**
Maverick, Traxter G2	**420956123**
Maverick R - Constructed with durable stainless steel mesh designed to withstand extreme pressures and temperatures. - Resists deformation and tearing, ensuring consistent filtration performance throughout service life.	**420956747**

Transmission Oil Filter
(Not illustrated)



Model	
Maverick R - High-quality construction OEM filter that is designed for your Rotax Dual clutch transmission to maintain proper oil flow and pressure.	**420956127**

SPARK PLUGS

Spark Plugs



Models	
Commander 700 2022 and up	**715900785**
Commander 800R 2018–2020	**715901051**
Commander 1000R 2018 and up	**715900244**
Traxter HD5 2017–2021	**715900352**
Traxter HD7 2022 and up	**715900785**
Traxter HD8 2016–2021	**715901051**
Traxter HD9 2022 and up	**715901051**
Traxter HD10 (G1) 2020 and up	**715900244**
Traxter (G2) HD10 2027	**715900785**
Traxter HD11 2026 and up	**715900785**
Maverick Trail 700 2022 and up	**715900785**
Maverick Trail 800R/1000 2021 and up	**715901051**
Maverick Sport 1000 2019–2022	**715901051**
Maverick Sport 1000R 2019 and up	**715900244**
Maverick 900HO 2018	**415130795**
Maverick 2017 and up (except 900HO)	**415130363**
Maverick R 2024 and up	**715900935**

BATTERIES

Yuasa Batteries



Models	Type	Amp-hours	
Commander	Yuasa YTX20L fact. activated	18	**410301203**
	Yuasa YTX20L-BS	18	**715901086**
Traxter (Base/DPS models)	Yuasa YTX20L fact. activated	18	**410301203**
	Yuasa YTX20L-BS	18	**715901086**
Traxter (except Base/DPS models)	Yuasa YIX30L fact. activated	30	**515176151**
	Yuasa YIX30-BS	30	**715901082**
Maverick	Yuasa YTX20L fact. activated	18	**410301203**
	Yuasa YTX20L-BS	18	**715901086**
Maverick Sport/Trail	Yuasa YTX20L fact. activated	18	**410301203**
	Yuasa YTX20L-BS	18	**715901086**
Maverick	Yuasa YTX20L fact. activated	18	**410301203**
	Yuasa YTX20L-BS	18	**715901086**
Maverick R (X & X rs)	Yuasa YTX20L fact. activated	18	**410301203**
	Yuasa YTX20L-BS	18	**715901086**
Maverick R (X rc)	Yuasa YIX30L fact. activated	30	**515176151**
	Yuasa YIX30-BS	30	**715901082**

HOLD THE POWER. TAKE THE HIT.

Axles act as pressure points in the power system, absorbing stress to help protect more complex and costly components. No weak links. Just smart engineering.

1 THE FIXED JOINT


Forged from high-grade, heat-treated steel with polished internal surfaces, the Fixed Joint delivers exceptional strength, durability and long-lasting fatigue resistance.

2 THE CAGE, STAR & BEARING BALLS

Engineered to OEM-level tolerances with polished finishes and smooth radii, the Cage, Star & Bearing Balls minimize stress and friction to deliver superior strength and fatigue life and reduced NVH.

3 THE BAR SHAFT

Made from heat-treated alloy steel and precision-engineered to exact torsional strength specs, the bar shaft delivers the ideal balance of strength and stress absorption to protect critical drivetrain components.



4 THE CV BOOTS

Made from puncture, wear and temperature resistant TPE, a polymer offering far greater durability than a rubber counterpart, and sealed with high quality, low-profile Oetiker clamps. Premium extreme temperature grease reduces friction and protects joints subjected to high mechanical and thermal loads.

AXLES

	Model / Package / Engine*	Years	Front				Rear			
			Right Axle	Left Axle	Boot (diff. side)	Boot (wheel side)	Right Axle	Left Axle	Boot (diff. side)	Boot (wheel side)
Maverick										
Width 72" (incl. MAX models)	X rs & X rs DPS (Visco-Lok)	2017	705402100	705402099	705401354	705401354	705502362		715900450	715900450
	X rs Turbo R (Visco-Lok)	2018	705402100	705402099	705401354	705401354	705502362		715900450	715900450
	X rs Turbo R (Smart-Lok) X mr Turbo R (Smart-Lok) X rc Turbo R (Smart-Lok)	2018–2019	705402048		705401354	705401354	705502362		715900450	715900450
	RS Turbo R (Visco-Lok)	2020–2021	705402100	705402099	705401354	705401354	705502362		715900450	715900450
	X rs Turbo & Turbo RR X rc Turbo & Turbo RR X mr Turbo RR	2020–2027	705402048		705401354	705401354	705502362		715900450	715900450
	RS Turbo RR	2022–2027	705402048		705401354	705401354	705502362		715900450	715900450
	RS Turbo	2024–2027	705402048		705401354	705401354	705502362		715900450	715900450
Width 64" (incl. MAX models)	Base, X ds, X ds DPS (Visco-Lok)	2017	705402098	705402097	705401354	705401354	705502154		715900450	715900450
	X ds Turbo R (Visco-Lok)	2018	705402098	705402097	705401354	705401354	705502154		715900450	715900450
	Base (Visco-Lok) Turbo (Visco-Lok) Turbo R (Visco-Lok)	2018–2020	705402098	705402097	705401354	705401354	705502154		715900450	715900450
	DS Turbo (Visco-Lok) DS Turbo R (Visco-Lok)	2021	705402098	705402097	705401354	705401354	705502154		715900450	715900450
	X rc Turbo (Smart-Lok) X mr Turbo (Smart-Lok)	2018–2021	705401634		705401354	705401354	705502154		715900450	715900450
	X ds Turbo R (Smart-Lok)	2019	705401634		705401354	705401354	705502154		715900450	715900450
	X ds Turbo (Smart-Lok) X ds Turbo RR (Smart-Lok)	2020–2021	705401634		705401354	705401354	705502154		715900450	715900450
	X mr Turbo RR X rc Turbo RR	2022–2026	705401634		705401354	705401354	705502154		715900450	715900450
	DS Turbo & Turbo RR X ds Turbo RR	2022–2027	705401634		705401354	705401354	705502154		715900450	715900450
	X Turbo	2026–2027	705401634		705401354	705401354	705502154		715900450	715900450
Maverick R										
	All models	2024	705402490		715900450	715900450	705503778		715500542	715500543
	Base X X rs	2025–2026	705402490		715900450	715900450	705503778		715500542	715500543
	Base MAX X MAX X rs MAX X rc & X rc MAX	2025–2027	705402490		715900450	715900450	705503943		715500551	715900929
	X X rs	2027	705402490		715900450	715900450	705503943		715500551	715900929

*Includes MAX models unless otherwise specified.

AXLES

	Model / Package / Engine*	Years	Front				Rear			
			Right Axle	Left Axle	Boot (diff. side)	Boot (wheel side)	Right Axle	Left Axle	Boot (diff. side)	Boot (wheel side)
Traxter G1										
Base / DPS (incl. MAX models)	Base HD5 DPS HD5	2017–2021	705401936	705401937	705401355	705401345	705502479	705502478	705501864	705501864
	Base HD7 DPS HD7	2022–2027	705402750	705402749	705401355	705401345	705503100		705501864	705501864
	Base HD8 DPS HD8	2016–2021	705401936	705401937	705401355	705401345	705502451		705501864	705501864
	Base HD9 DPS HD9	2022–2027	705401936	705401937	705401355	705401345	705502451		705501864	705501864
	Base HD10 DPS HD10	2016–2019	705401936	705401937	705401355	705401345	705502451		705501864	705501864
	DPS HD10	2020–2026	705402407	705402408	705401355	705401345	705502831		705501864	705501864
	CAB HD8	2019	705402170	705402171	705401355	705401345	705503051		705501864	705501864
	CAB HD10	2018–2019	705402170	705402171	705401355	705401345	705503051		705501864	705501864
	DPS CAB HD8	2021	705402449	705402450	705401355	705401345	705503051		705501864	705501864
	DPS CAB HD9	2022	705402449	705402450	705401355	705401345	705503051		705501864	705501864
	DPS CAB HD9	2023–2027	705403204	705403205	705401355	705401354	705503051		705501864	705501864
	DPS CAB HD10	2026–2027	705403204	705403205	705401355	705401354	705503051		705501864	705501864
XT / XT-P (incl. MAX models)	XT HD8	2016–2021	705401936	705401937	705401355	705401345	705502451		705501864	705501864
	XT CAB HD8 XT CAB HD10	2016–2017	705401936	705401937	705401355	705401345	705502451		705501864	705501864
	XT CAB HD8	2018	705402170	705402171	705401355	705401345	705503051		705501864	705501864
	XT-P HD10	2018	705401936	705401937	705401355	705401345	705502451		705501864	705501864
		2019	705402353		705401355	705401345	705502451		705501864	705501864
		2020	705402407	705402408	705401355	705401345	705502831		705501864	705501864
	XT CAB HD10 XT CAB HD8	2020	705402449	705402450	705401355	705401345	705503051		705501864	705501864
	XT HD7	2022–2027	705402750	705402749	705401355	705401345	705503100		705501864	705501864
	XT HD9	2022–2027	705401936	705401937	705401355	705401345	705502451		705501864	705501864
	XT HD10	2020–2026	705402407	705402408	705401355	705401345	705502831		705501864	705501864
Limited / Lone Star (incl. MAX models)	Lone Star HD10	2018–2019	705402170	705402171	705401355	705401345	705503051		705501864	705501864
	Limited CAB HD10 Lone Star HD10	2020	705402449	705402450	705401355	705401345	705503051		705501864	705501864
	Mossy Oak Edition HD10	2020	705402575		705401355	705401354	705503051		705501864	705501864
	Limited CAB HD10 Lone Star HD10 Lone Star CAB HD10	2021–2022	705402449	705402450	705401355	705401345	705503051		705501864	705501864
	Limited CAB HD10 Lone Star HD10 Lone Star CAB HD10	2023	705403204	705403205	705401355	705401354	705503051		705501864	705501864
	Lone Star HD10 Lone Star CAB HD10 Limited HD10	2024–2025	705402420		705401355	705401354	705503051		705501864	705501864
X mr (incl. MAX models)	X mr HD10	2018	705402228		705401355	705401354	705503051		705501864	705501864
	X mr HD10	2019–2025	705402420		705401355	705401354	705503051		705501864	705501864
Traxter PRO G1										
Pro	Pro HD8 Pro HD10	2018–2019	705401936	705401937	705401355	705401345	705502451		705501864	705501864
	Pro DPS HD10	2020–2026	705402407	705402408	705401355	705401345	705502831		705501864	705501864
	Pro XT HD10	2020–2027	705402407	705402408	705401355	705401345	705502831		705501864	705501864
	Pro LoneStar HD10 Pro Limited CAB HD10	2021–2022	705402449	705402450	705401355	705401345	705503051		705501864	705501864
	Pro Limited CAB HD10	2023	705403204	705403205	705401355	705401354	705503051		705501864	705501864
	Pro Limited CAB HD10	2024–2027	705402420		705401355	705401354	705503051		705501864	705501864
Traxter 6x6 G1										
6x6							2nd (middle) axle	3rd (rear) axle		
	6x6 DPS HD10	2020–2022	705402407	705402408	705401355	705401345	705502831	705502850	705501864	705501864
	6x6 XT HD10	2021–2022	705402407	705402408	705401355	705401345	705502831	705502850	705501864	705501864
	6x6 Limited CAB HD10	2022	705402449	705402450	705401355	705401345	705503051	705503271	705501864	705501864
	6x6 DPS HD10	2023–2026	705402407	705402408	705401355	705401345	705502831	705502831	705501864	705501864
	6x6 XT HD10	2023–2027	705402407	705402408	705401355	705401345	705502831	705502831	705501864	705501864
	6x6 Limited HD10	2023	705403204	705403205	705401355	705401354	705503051		705501864	705501864
	6x6 Limited HD10	2024–2027	705402420		705401355	705401354	705503051		705501864	705501864
Traxter G2										
Width 65" (incl. MAX models)	LoneStar & LoneStar CAB Limited CAB	2026	705403358		715901035	715901034	705503483		715901063	715901064
	X mr	2026–2027	705403358		715901035	715901034	705503483		715901063	715901064
	XT HD11 XT CAB HD10 XT CAB HD11	2026–2027	705403360	705403361	715901035	715901034	705503483		715901063	715901064
	LoneStar & LoneStar CAB Limited CAB	2027	705403360	705403361	715901035	715901034	705503483		715901063	715901064
Width 63" (incl. MAX models)	XT HD10	2027	705403364	705403365	715901035	715901034	705503485		715901063	715901064

*Includes MAX models unless otherwise specified.

AXLES

	Model / Package / Engine*	Years	Front				Rear			
			Right Axle	Left Axle	Boot (diff. side)	Boot (wheel side)	Right Axle	Left Axle	Boot (diff. side)	Boot (wheel side)
Commander G1										
Incl. MAX models	All models	2011–2015	705401872	705401871	705401346	705401345	705502359		705501864	705501864
	All models	2016–2020	705401872	705401871	705401346	705401345	705502411		705501864	705501864
Commander G2										
Incl. MAX models	DPS 1000R	2021–2026	705402030	705402031	705401355	705401345	705502552		705501864	705501864
	XT 700 & HD7 DPS 700 & HD7	2022–2027	705402873	705402874	705401355	705401345	705502552		705501864	705501864
	XT 1000R	2021–2027	705402717	705402718	705401355	705401345	705502757		705501864	705501864
	XT-P 1000R	2021–2027	705402282		705401355	705401354	705502757		705501864	705501864
	X mr 1000R	2022–2027	705402282		705401355	705401354	705502757		705501864	705501864
Maverick Trail										
Width 50"	Trail DPS 1000R	2018–2019	705402007	705402008	705401355	705401345	705502541		705501864	705501864
	Trail Base & DPS 800	2018–2021	705402007	705402008	705401355	705401345	705502541		705501864	705501864
	Trail Base, DPS & X 1000	2018–2027	705402007	705402008	705401355	705401345	705502541		705501864	705501864
	Trail Base, DPS & X HD7/700	2022–2027	705402879	705402880	705401355	705401345	705502541		705501864	705501864
Maverick Sport										
Incl. MAX models	Base 1000 DPS 1000	2019–2022	705402030	705402031	705401355	705401345	705502552		705501864	705501864
	DPS & X 1000R	2019–2027	705402030	705402031	705401355	705401345	705502552		705501864	705501864
	X mr 1000R X rc 1000R	2019–2026	705402282		705401355	705401354	705502757		705501864	705501864
	X xc 1000R	2020–2023	705402282		705401355	705401354	705502757		705501864	705501864

BALL JOINT

Suspension Arm Ball Joint with Hardware

- Robust design for off-road usage and sealed for prolonged durability.
- Built to absorb punishing hits and to deliver maximum articulation without binding.



Models

Lower	Upper	
All models & packages except Maverick R, 2015–2027	Maverick R, 2024-2027	**703501262**
Maverick R, all packages, 2024–2027	Traxter, G1 & G2, all packages 2017–2027 Maverick, all packages, 2018–2027 Maverick Sport & Trail, all packages 2018–2027 Commander G2, all packages 2021–2027	**703501263**
—	Commander G1, 2011–2020 Maverick G1, 2014–2018	**703501264**

D.E.S.S. KEYS

RF D.E.S.S.™ Keys

Traxter 2024 and up, Maverick 2019 and up, Maverick R 2024 and up, Maverick Sport/ Trail 2021 and up

710004964 · Grey
710005232 · Green




- Each key communicates wirelessly with the vehicle using a unique encrypted code. The engine is designed to start only when the key and vehicle code match.
- All RF D.E.S.S.™ keys are fully programmable and support multiple speed and torque profiles (based on vehicle options). This allows precise control tailored to the rider or the riding environment.
- Different programming levels help first-time users learn progressively while building confidence and control.
- Available color options make it easy to distinguish between programmed keys at a glance.
- Keeping a spare key helps prevent unnecessary costs or delays if the original is lost, and adds convenience when multiple people use the vehicle.

*Includes MAX models unless otherwise specified.

These are the same high-performance pads installed at the factory, now available in complete kits for quick, full replacements. Engineered with Can-Am, in collaboration with Brembo, to deliver consistent stopping power, even in the toughest off-road conditions.


BUILT FOR BRUTAL STOPS

These pads are optimized for off-road abuse, built to handle heat, grit and repeat impact. Every kit includes the right components for a full pad swap, with stopping power that never backs down.



BRAKE PADS

Brake Pad Kits — Include left and right pads, spring and pin



Models	Front	Rear
Maverick R	**703501258**	**703501259**
Traxter G1 HD7, HD9, HD10	**703501260**	**703501200**
Traxter G1 MAX HD7, HD9, HD10		**703501199**
Traxter G1 PRO		
Traxter G1 6X6		
Traxter G2 HD10, HD11		**703501261**
Traxter G2 MAX HD10, HD11		**703501260**
Maverick	**703501198**	**703501199**
Maverick Sport		
Maverick Trail		
Commander		

BELTS

Drive Belts	Models	CVT Drive Belt	Belt Upgrade	CVT Cover Gasket
	Commander 700 2022 and up	**422280225**	—	—
	Commander 2020 and prior	**422280366**	—	**420430126**
	Commander 2021 and up (1000 cc)	**422280656**	**422280652**	**420450400**
	Traxter HD5 2017–2021	**422280283**	—	—
	Traxter HD7 2022 and up	**422280225**	—	—
	Traxter HD8 2016–2021	**422280656**	**422280652**	—
	Traxter HD9 2022 and up	**422280656**	**422280652**	**420450400**
	Traxter HD10 2018–2019	**422280656**	**422280652**	—
	Traxter (G1) HD10 2020 and up	**422280652**	—	**420450400**
	Traxter (G2) HD10 2027	**422280652**	—	**420450404**
	Traxter HD11 2026 and up	**422280652**	—	**420450404**
	Maverick Trail 700 2022 and up	**422280225**	—	—
	Maverick Sport/Trail 1000 2018 and up	**422280656**	**422280652**	**420450400**
	Maverick 2018 and up (except 900HO)	**422280652**	—	**420450405**
	Maverick 900HO 2018	**422280656**	**422280652**	—

DESIGNED TO PERFORM. PROVEN TO WIN.

From dyno to desert, BRP drive belts are tested in brutal real-world and race conditions.



1
THE TOP COG
Engineered for durability and precision. Made from a specialized compound distinct from the lower cog to optimize power transfer and reduce distortion under extreme loads.

2
ADHESION LAYERS
Reliable, seamless integration. Advanced adhesion layers ensure strong bonding of **both cogs to the tensile cord**, delivering consistent performance and extended belt life.

3
THE TENSILE CORD
Unmatched strength and flexibility. High-performance aramid cords provide superior tensile strength and precise load distribution, tailored to your machine's power requirements.

4
THE LOWER COG
Optimized for power and control. A proprietary blend of premium rubbers delivers perfect flexibility for smooth clutch engagement and maximum torque transfer.

5
IMPREGNATED FABRIC
Built to last. Reinforced fabric layer enhances abrasion resistance, protecting both the belt and clutch components for longer service life.

PDRIVE MAINTENANCE KITS


pDrive Maintenance Kits	Models	Torque Rollers Maintenance Kit	Ramp Rollers Maintenance Kit
 861805587  861805586	Commander 700 2022 and up	**861805587**	**861805586**
	Traxter HD7 2022 and up		
	Traxter (G2) HD10 2027		
	Traxter HD11 2026 and up		
	Maverick Trail 700 2022 and up		
	Maverick Turbo 2023 and up		
	Maverick Turbo RR 2022 and up		

QRS ROLLERS

QRS XD Roller Kit (pack of 3)	Models	
	Commander 1000R 2021 and up	**861805583**
	Traxter HD9 2022 and up	
	Traxter (G1) HD10 2020 and up	
	Traxter (G2) HD10 & HD11	
	Traxter HD11 2026 and up	
	Maverick Sport 1000R 2019 and up	
	Maverick Turbo/Turbo R 2018 and up	
	Maverick Turbo RR 2020 and up	
	Maverick 900HO 2018	
	Maverick 2017–2018	

QRS XD Roller Kit (pack of 2)	Models	
	Traxter HD8 2016–2021	**861805577**
	Traxter HD10 2016–2019	
	Maverick 1000 Turbo XDS 2015–2017	
	Maverick Sport 1000 2019–2022	
	Maverick Trail 800/800R 2018–2021	
	Maverick Trail 1000 2018 and up	

DEFORMATION RESISTANCE UNDER STATIC COMPRESSION TEST



BRP XD roller

The **BRP XD roller** withstands 4 times the load in compression compared to most popular aftermarket thermoplastic-type rollers with a displacement/ deformation of 0.5 mm.


QRS XD rollers are built to take a beating. With more impact resistance and less deformation than standard designs, they hold up under pressure, protect belt performance and keep the pulley system running clean and smooth, ride after ride.



BUILT TOUGH TO KEEP POWER MOVING

Stronger than fiber rollers and more stable than thermoplastic designs, QRS XD rollers resist high-impact shocks and deformation that can seize pulleys or shred belts. A major upgrade for reliability, durability and consistent performance under stress.

CYCLING TEST



BRP XD Roller

Thermoplastic Type Sample 3

Thermoplastic Type Sample 2

Thermoplastic Type Sample 1

Fiber Type Sample 2

Fiber Type Sample 1

The **BRP XD rollers** performed 40% more cycles* than the average for thermoplastic-type rollers and 99% more cycles* than the average for fiber-type rollers. Both thermoplastic and fiber roller tests ended in failure.

*Based on 20,000 cycles of our XD rollers, without any signs of failure.

XPS TIRES

SHOP BY USAGE

GRAVEL & HARD PACK | ROCK | MUD

XPS Hammer King



- 8-ply rated construction.
- Flatter tire profile for large contact patch.
- Tread pattern is tighter to help float over desert type terrain and keep ride smoother at high speeds.
- Aggressive sidewall for increased traction when in rocky terrain.
- Tread depth: 15 mm (0.6").

705403945 • UT 30X10R14
NEW **705403950** • UT 32X10R14
705403784 • UT 30X10R15
705403785 • UT 32X10R15
705404282 • UT 32X10R15*
705403683 • UT 35X10R16
*Light & narrower contact patch

XPS Hammer Force



- Light truck-inspired tire.
- 8-ply rated construction.
- Rock-crawling tread pattern with unique contact patch.
- Aggressive sidewall for maximum traction when faced with technical terrains.
- Tread depth: 15 mm (0.6").

705402918 • 30X10R15

XPS Trail King 2



- All-terrain radial tire.
- 8-ply rated construction.
- Tire excels in various terrains, from loose to hard packed.
- Non-directional tread pattern with optimized construction providing precision handling and ensuring maximum grip and low rolling resistance.
- Tread depth: 20 mm (0.8").

705403482 • 29X9R14
705403952 • 29X9R14 (E-marked)
705403663 • 29X11R14
705503961 • 29X11R14 (E-marked)

XPS Trail King



- All-terrain radial tire.
- 8-ply rated construction.
- Aggressive tread pattern for tougher terrains.
- An almost continuous center tread offers a smoother trail ride.
- Tread depth: 26 mm (1.02").

705403081 • 27X9R14
705503355 • 27X11R14
705402825 • 28X9R14
705503181 • 28X11R14

XPS Trail Force



- All-terrain radial tire.
- 8-ply rated construction.
- Versatile and suitable for many types of terrain.
- Aggressive tread pattern for better traction on dirt, mud and rocky terrains.
- Tread depth: 20 mm (0.78").

705402754 • 27X9R14
705503103 • 27X11R14

XPS Trac Force



- All-terrain light truck style radial tire.
- 8-ply rated construction.
- Central tread for good grip and comfort on compact terrain.
- Tread depth: 18 mm (0.71").

705403080 • 30X9R14
705403369 • 30X9R15
705503354 • 30X10R14
705403586 • UT 30X10R14*

705403370 • 30X10R15
705403416 • UT 32X10R16*
705403587 • UT 32X10R15*
*6 ply rating

XPS Swamp King



- Radial tires for mud and trail.
- 8-ply rated construction.
- Ultimate performance in mud without sacrificing good trail handling.
- Tread depth: 38 mm (1.5").

705503855 • UT 30X10R15
NEW **705020005** • UT 32X10R15

XPS Swamp Force



- Hybrid radial tire for mud and trail.
- 8-ply rated construction.
- Unique tread pattern allowing good grip in mud and mud ejection.
- Center tread provides for comfortable trail riding.
- Tread depth: 36–38 mm (1.41"–1.5").

705403201 • 30X9R14
NEW **705020006** • 30X10R14
705503387 • 30X11R14

TIRE & WHEEL SPECIFICATIONS CHART

Model / Package	Engine	Position	Wheel PN	Wheel Size	Offset (mm)	Wheel Type	Tire Size	Tire Name	Tire PN	Beadlock PN	Assembled Wheel PN
Bolt Pattern: 4 x 136 mm, Studs: M10											
Commander											
DPS	700, 1000R	Front	705403591	14X6.5	10 mm	Std Black	27X9X14	Trail Force	705402754		
		Rear	705403593	14X8.5	22.6 mm		27X11X14		705503103		
XT	700	Front	705401849	14X6.5	10 mm	Std Black	28X9X14	Trail King	705402825		
		Rear	705502398	14X8.5	22.6 mm		28X11X14		705503181		
XT	1000R	Front	705402675	14X7	41.2 mm	Std Black	28X9X14	Trail King	705402825		
		Rear	705503047	14X8.5	51.2 mm		28X11X14		705503181		
X mr	1000R	Front	705402675	14X7	41.2 mm	Std Black	30X9R14	Swamp Force	705403201		
		Rear	705503047	14X8.5	51.2 mm		30X11R14		705503387		
XT-P	1000R	Front/Rear	705402776	15X7	46.4 mm	Beadlock Black	30X10X15	Trac Force	705403370	705403262	
Maverick Sport											
DPS/X	1000R	Front/Rear	705403383	14X7	41.2 mm	Std Black	30X10X14	Trac Force	705503354		
Maverick Trail											
Base, DPS/X	700, 1000	Front	705401417	12X6	41.2 mm	Std Black	26X8R12	ACT	705402313		
		Rear	705401417	12X6	41.2 mm		26X9R12		705402314		
Traxter G1											
Base	HD7, HD9	Front	705403594	14X7	41.2 mm	Std Black	27X9X14	Trail Force	705402754		
		Rear	705403595	14X8.5	51.2 mm		27X11X14		705503103		
Base MAX	HD7, HD9	Front	705403591	14X6.5	10 mm	Std Black	27X9X14	Trail Force	705402754		
		Rear	705403593	14X8.5	22.6 mm		27X11X14		705503103		
DPS, XT	HD7, HD9	Front	705403383	14X7	41.2 mm	Std Black	27X9X14	Trail Force	705402754		
		Rear	705503498	14X8.5	51.2 mm		27X11X14		705503103		
DPS MAX, XT MAX	HD7, HD9	Front	705401849	14X6.5	10 mm	Std Black	27X9X14	Trail Force	705402754		
		Rear	705502398	14X8.5	22.6 mm		27X11X14		705503103		
Traxter PRO, 6X6											
DPS, XT	HD10	Front	705403383	14X7	41.2 mm	Std Black	27X9X14	Trail King	705403081		
		Rear	705503498	14X8.5	51.2 mm		27X11X14		705503355		
Limited	HD10	Front	705403383	14X7	41.2 mm	Std Black	30X9X14	Trac Force	705403080		
		Rear	705403383	14X7	41.2 mm		30X10X14		705503354		
Bolt Pattern: 4 x 136 mm, Studs: M12											
Traxter G2											
Limited Cab Lone Star Lone Star CAB	HD11	Front	705403544	15X7	41.2 mm	Std Black	30X9X15	Trac Force	705403369		
		Rear	705403544	15X7	41.2 mm		30X10X15		705403370		
X mr	HD11	Front	705403383	14X7	41.2 mm	Std Black	30X9X14	Swamp Force	705403201		705403966 (R) 705403967 (L)
		Rear	705503498	14X8.5	51.2 mm		30X11X14		705503387		705503979 (R) 705503980 (L)
X mr	HD11	Front	705403856	14X7	41.2 mm	Std Liquid Titan	30X9X14	Swamp Force	705403201		
		Rear	705503905	14X8.5	51.2 mm		30X11X14		705503387		
XT XT CAB XU	HD10	Front	705403383	14X7	41.2 mm	Std Black	27X9X14	Trail King 2	705403717		
		Rear	705503498	14X8.5	51.2 mm		27X11X14		705503787		
XT XT CAB XU	HD11	Front	705403383	14X7	41.2 mm	Std Black	29X9X14	Trail King 2	705403482		
		Rear	705503498	14X8.5	51.2 mm		29X11X14		705403663		
Maverick											
DS, RS, X	All	Front/Rear	705403613	14X7	55.2 mm	Std Black	UT30X10X14	Trac Force	705403586		705403625
X ds	All	Front/Rear	705403614	14X7	55.2 mm	Beadlock Black	UT30X10X14		705403586	705403623	
X mr	All	Front/Rear	705403853	15X7	41.2 mm	Std Black	UT30X10X15	Swamp King	705503855		705403847 (L) 705403848 (R)
X mr	All	Front/Rear	705403854	15X7	41.2 mm	Std Liquid Titan	UT30X10X15	Swamp King	705503855		
X rc 72	All	Front/Rear	705403849	15X7	46.4 mm	Beadlock Black	32X10X15	Hammer King	705404282	705403852	705404296
X rs	All	Front/Rear	705403616	15X7	55.2 mm	Beadlock Black	UT32X10X15	Trac Force	705403587	705403621	705403628
Bolt Pattern: 6 x 139.7 mm, Studs: M12											
Maverick R											
X	All	Front/Rear	705403692	16X7	78.9 mm	Std Black	UT32X10X16	Tenacity	705403695		
X rc	All	Front/Rear	705403551	16X7	78.9 mm	Beadlock Black	UT35X10X16	Hammer King	705403683	705403667	705402828
X rs	All	Front/Rear	705403551	16X7	78.9 mm	Beadlock Black	UT32X10X16	Tenacity	705403695	705403667	

WHEEL HARDWARE

Lug Nuts	Description	Length	PN
	M10X1.25/Zinc	0.55" (15 mm)	**250100042**
	M10X1.25/Black	1.06" (28 mm)	**250100184**

Lug Nuts	Description	Length	PN
	M12X1.50/Black	1.38" (35 mm)	**250100196**
	M12X1.50/Black	1.02" (26 mm)	**250100234**

Wheel Caps	PN
	**705400928**
	**705402528**
	**705403020**
	**705403538**
	**705403558**
Not illustrated	**705403835**
	**705404098**

Beadlock Rings	Color	PN
	Orange Crush	**705402477**
	Deep Black	**705403623**
	Loft Green	**705403852**

Beadlock Screws

Description	PN
M8X30/Black	**207683054**
M8X25/Black	**250000893**

Valve Assemblies

(include valve, core and cap)

Description	PN
TR-413 Valve	**705402595**
TR-418 Valve	**705401806**

Weights

Description	PN
Weight Strip 8 X 0.5 oz	**219704628**

TIRE & WHEEL ASSEMBLIES

SSV TIRE & WHEEL ASSEMBLIES

Package		PN	Tire & Wheel Assembly	Position
Maverick				
DS / RS 64		**705403625**	XPS Tracforce UT 30x10R14 14x7 Deep Black Wheel, no beadlock	Front and Rear
X rs TURBO RR 72		**705403628**	XPS Trac Force UT32X10R15 15X7 Deep Black Beadlock Wheel	Front and Rear
X rc TURBO RR 72		**705404296**	XPS Hammer King 32X10R15 15X7 Loft Green Beadlock Wheel	Front and Rear
		705404537	XPS Hammer King 32X10R15 15X7 Deep Black Beadlock Wheel	Front and Rear
Traxter HD11				
X mr		**705403966**	XPS Swamp Force 30X9R14 14X7 Deep Black Wheel, no beadlock	Front/Right
		705403967	XPS Swamp Force 30X9R14 14X7 Deep Black Wheel, no beadlock	Front/Left
		**705503979**	XPS Swamp Force 30X11R14 14X8.5 Deep Black Wheel, no beadlock	Rear/Right
		705503980	XPS Swamp Force 30X11R14 14X8.5 Deep Black Wheel, no beadlock	Rear/Left
Maverick R				
X rc		**705402828**	XPS Hammer King UT35X10R16 16X7 Loft Green Beadlock Wheel	Front and Rear
		**705404538**	XPS Hammer King UT35X10R16 16X7 Deep Black Beadlock Wheel	Front and Rear

LUBRICANT & OIL CHANGE KIT

LUBRICANT

XPS 4T 10W-50 Synthetic Oil



- Engineered for heavy-duty and high-performance 4-stroke engines, including turbocharged, supercharged and racing engines.
- Formulated using carefully selected and strenuously tested base stocks and custom additives.
- Offers thick film strength to protect bearings and a proven high-temp detergency to minimize deposits, prevent shear, provide thermal stability and combat fuel dilution to ensure maximum performance from your engine.

9779234 (US), **9779240** (EU) • 1 qt / 946 ml
9779235 (US & EU) • 1 US gal / 3.785 L
9779236 (US & EU) • 5 gal / 18.92 L
9779237 (US & EU) • 55 gal / 205 L

XPS 4T 0W-40 Synthetic Oil



- Powersport formula with premium anti-wear and anti-corrosion additives.
- The best choice for high-performance snowmobile, ATV and SXS 4-stroke engines used in cold weather.
- Provides superior engine and transmission protection against heat, rust and corrosion.
- Delivers optimal performance in high and low temperatures.

9779139 (US), **9779286** (EU) • 1 qt / 946 ml
9779149 (US), **9779287** (EU) • 1 US gal / 3.785 L
9779141 (US & EU) • 5 gal / 18.92 L
9779142 (US & EU) • 55 gal / 205 L
9779143 (US) • 265 gal / 1,003 L
9779144 (US) • 330 gal / 1,249 L

XPS 4T 5W-40 Synthetic Oil



- Off-road formula with premium anti-wear and anti-corrosion additives.
- Designed for high-performance off-road, on-road and PWC 4-stroke engines, including turbo or supercharged powersports engines.
- Provides superior engine and transmission protection against rust and corrosion, even in extreme conditions.

9779492 (US), **9779900** (EU) • 1 qt / 946 ml
9779493 (US),**9779901** (EU) • 1 US gal / 3.785 L
9779494 (US & EU) • 5 gal / 18.92 L
9779495 (US & EU) • 55 gal / 205 L
9779496 (US) • 265 gal / 1,003 L
9779497 (US) • 330 gal / 1,249 L

OIL CHANGE KIT

Engine Oil Change Kit



- Ultra-convenient "all-in-one" Engine Oil Change Kit saves time and money.

Engine	Product	
Mono Cyl		
450 cc or less	Can-Am Oil Change Kit 5W40	**9779487** (US) **9779954** (EU)
ACE 650 cc Single Cylinder	Can-Am Oil Change Kit 5W40	**9779480** (US) **9779952** (EU)
ACE 650 cc Single Cylinder	Can-Am Oil Change Kit 0W40	**9779481** (US) **9779417** (EU)
V-Twin		
500 cc + V-Twin	Can-Am Oil Change Kit 5W40	**9779488** (US) **9779953** (EU)
500 cc + V-Twin	Can-Am Oil Change Kit 0W40	**9779259** (US) **9779406** (EU)
500 cc + V-Twin	Can-Am Oil Change Kit 10W50	**9779252** (US) **9779401** (EU)
3 Cyl		
Rotax 999T	Can-Am Oil Change Kit 5W40	**9779500** (US) **9779959** (EU)
Rotax 999T	Can-Am Oil Change Kit 10W50	**9779501** (US) **9779960** (EU)
Rotax 900/999 ACE	Can-Am Oil Change Kit 5W40	**9779502** (US) **9779961** (EU)
Rotax 900/999 ACE	Can-Am Oil Change Kit 10W50	**9779503** (US) **9779963** (EU)
Rotax 900/999 ACE	Can-Am Oil Change Kit 0W40	**9779504** (US) **9779962** (EU)

Transmission Oil Change Kit



Transmission	Product	
All Maverick R DCT transmissions • Convenient all in one kit for DCT fluid change. • Includes XPS synthetic DCT fluid and final drive fluid along with OEM filter and sealing hardware.	Dual Clutch Transmission Oil Change Kit	**9779725** (US) **9779910** (EU)

XPS COOLANTS

NEW Cool-X LT Pre-Mixed Lifetime Coolant



- Silicate-Free Powersports Formulation.
- Engineered for high-RPM, high power, high heat BRP powersports engines.
- Controls extreme temperatures from cold start to redline.
- Pre-mixed with high purity water and ready to use.

9779730 (US), **9779920** (EU) • 1 qt / 946ml

9779732 (US) • 1 gal / 3.78L

9779731 (US), **9779921** (EU) • 5.28 gal / 20 L

MAINTENANCE PRODUCTS

Synthetic Gear Oil

75W-90	**9779158** (US), **9779212** (EU) • 1 qt / 946 ml
75W-140	**9779160** (US), **9779215** (EU) • 1 qt / 946 ml



- Uses custom additives to provide the best performance in Visco-Lok™ and Smart-Lok™ differentials.
- Allows higher loads, superior shear stability and reduced oxidation.
- Exceptional wear protection and superior performance at all operating temperatures.

XPS Synthetic DCT Fluid

9779710 (US), **9779473** (EU) • 1 qt / 946 ml



- Meets or exceeds API GL-4 industry specifications.
- Formulated for dual clutch system.
- Enhanced cooling capabilities for optimal clutch functionality.
- Anti foaming agents for smooth hydraulic function.

DOT 4 Brake Fluid

9779151 (US), **9779207** (EU) • 12 fl oz / 355 ml



- Meets or exceeds all DOT3 and DOT4 brake fluid requirements.
- High-temperature formula resists fade and also conditions seals and O-rings in braking system.

Racing Brake Fluid RS600

9779152 (US & EU) • 12 fl oz / 355 ml



- Exceeds DOT4 brake fluid requirements for extreme conditions and competition use.
- Extreme, 579-degree boiling point temperature is ideal for high-demand competition conditions to combat brake fade.
- Will not harm seals or braking system components.
- Should be added only to a clean/unfilled system to avoid dilution and diminished performance.
- Low-moisture formula slows water vapor absorption through multiple heat cycles.
- Recommended for use in Ski-Doo and Can-Am racing applications.

Fuel Stabilizer

9779171 (US), **9779183** (EU) • 8 fl oz / 236 ml



- Ethanol-compatible and will stabilize fuel in your tank to keep it from breaking down and causing hard starting, throttle hesitation and poor run quality.
- Since ethanol attracts moisture, this product contains powerful anti-corrosion additives to protect fuel system components.
- Prevents problems associated with E10 fuels.

Anti-Corrosive Lubricant

9779701 (US & EU) **619590733** (Scandinavia) • 14 oz / 400 g



- Multipurpose lubricant that can also be used to prevent rust, corrosion and moisture intrusion.
- It contains extreme pressure additives that work as an all-around lubricant for just about anywhere lubrication is needed.

Extreme Duty Suspension Grease

9779708 (US & EU) • 14 oz / 400 g



- Designed to work specifically with the components found in Can-Am vehicle suspensions.
- It is highly stable and offers optimal lubrication at both extreme cold and high temperatures while protecting suspension components from dirt and moisture, as well as corrosion under extreme washout conditions.

XPS Spline Grease

9779704 (US & EU) • 3 fl oz / 118 ml



- Formulated with molybdenum disulfide and synthetic graphite for maximum durability and long-lasting protection.
- High performance formula that protects against wear, seizure, rust, corrosion and extreme temperatures.
- Ensures smooth assembly and disassembly, with consistent low-friction performance.


CAN-AM APPAREL

CAN-AM APPAREL

How to Measure	232
Sizing Chart	233
Communication Systems	234
Rayvik Helmets	235
Rayvik Goggles and Helmet Accessories	236
Pyra Helmets	237
Exome Helmets	238
Goggles	240
Mud Gear	240
Rainwear	241
Rally Collection	242
Gloves	243
Bags	244
Can-Am x Fasthouse	245
24.7 x Can-Am Collection	250
Everyday Wear	251
Signature Collection	256
Play and Licensing	260
Replacement Parts	262



HOW TO MEASURE



- **For best results, have someone else take measurements.**
- **Measure body in underwear.**
- **Tape must be snug but not tight.**
- **If measurements fall between two sizes, order the larger size.**

(1) **HEAD**	Around your head, from the center of the forehead, above the ears and over the natural bump at the back of the head.
(2) **ARM LENGTH**	Let the hands hang down on the side in a slightly bent position. Measure from the center of the back of your neck, along the length of your arm, to the wrist.
(3) **CHEST/BUST**	Measure under your arms, around the fullest part of your chest.
(4) **WAIST**	Measure around your natural waistline, keeping one finger between the tape and body.
(5) **HIPS**	Across the widest part of the seat.
(6) **INSEAM**	Without shoes, from your crotch to the floor.

DID YOU KNOW?

We redefined our fit for all of our new collections. You now have three categories for our riding gear and sportswear items. You can find the fit of each style in their description so you know what you are getting.

FIT GUIDE

Sportswear

SLIM	REGULAR	RELAXED

Riding Gear

FITTED	REGULAR	RELAXED

What code represents your style?

1 Find your size and color.

2 The corresponding code is THE CODE you use to complete the part number on your order.

Example:
440975 (style number for the Men's Sythe Mesh Jacket CE/UKCA)
06 (sizing code M)
90 (color code Black)

Full SKU:	Style	Size	Color
	440975	06	90

SIZING CODE

Adult		Adult		Adult		Adult		Adult		Adult			
Size	Code	Size	Code	Size	Code	Size	Code	Size	Code	Size	Code	Size	Code
One Size	00	XLT	13	X	26	5	24	13	33	36	40	3–4	79
XS	02	2XL	14	1X	86	6	25	14	34	38	41	5–6	52
S	04	2XLT	15	2X	87	7	27	16	35	40	42	6–8	48
M	06	3XL	16	3X	95	8	28	18	78	42	43	7–8	54
MT	07	3XLT	17	1	20	9	29	28	36			10–12	49
L	09	4XL	18	2	21	10	30	30	37	S / M	72	14–16	50
LT	10	4XLT	19	3	22	11	31	32	38	M / L	91		
XL	12	5XL	88	4	23	12	32	34	39	L / XL	73		

COLOR CODE

Name	Code	Name	Code	Name	Code	Name	Code
Clear	00	Orange	12	Red	30	Denim Blue	79
White	01	Warm Grey	15	Wine	32	Blue	80
Beige	02	Dark Navy	16	Burgundy	35	Navy	89
Sand	03	Lava Red	17	Pink	36	Black	90
Brown	04	Mixed Color	18	Camo	37	Bronze	92
Khaki	05	Smoke 60%	21	Purple	40	Matte Black	93
Charcoal Grey	07	Mirror Silver	22	Deep Purple	42	Black with Graphics	94
Silver	08	Hi-Vis Yellow	26	Smoke	57	Amber	95
Grey	09	Heather Grey	27	Green	70	Ivory	97
Yellow	10	Whiskey	28	Turquoise (Aqua)	76	Chrome	99
Gold	11	Heather Charcoal	29	Army Green	77		

APPAREL AND SPORTSWEAR

MEN'S 170 – 182 CM

	XS	S	M	L	XL	2XL	3XL
Sizing Code	**02**	**04**	**06**	**09**	**12**	**14**	**16**
Chest	81–86	88-92	96–101	107–112	117–122	127–132	137–142
Waist	66–71	74–79	81–86	91–97	101–107	112–117	122–127
Hips (seat)	81–86	88-92	96–101	107–112	117–122	127–132	137–142
Arm length	76	79	81	84	86	89	89
Inseam	79	80	81	81	81	81	81

WOMEN'S 160–176 CM

	XS	S	M	L	XL	2XL	3XL
Sizing Code	**02**	**04**	**06**	**09**	**12**	**14**	**16**
Chest	83–88	88-92	94–99	101–107	112–117	122–127	132–142
Waist	69–74	74–79	79–84	86–91	96–101	107–112	117–127
Hips (seat)	91–97	96–101	101–107	109-114	112–124	122–135	140–150
Arm length	74	76	76	79	79	81	81
Inseam	76	76	76	76	76	76	76

Glove sizing information is available on page 116.

HELMETS

MEN'S & WOMEN'S

	2XS	XS	S	M	L	XL	2XL	3XL
Sizing Code	**01**	**02**	**04**	**06**	**09**	**12**	**14**	**16**
Head (inches)	20⅞–21¼	21⅝–22	22⅜–22¾	23⅛–23⅝	24–24⅜	24¾–25⅛	24¾–25⅛	25½–25⅞
Head (cm)	53–54	55–56	57–58	59–60	61–62	63–64	63–64	65–66

VIBE ON ANY HELMET

The Vibe Communication System delivers unparalleled connectivity and versatility when you ride. Fully compatible with most BRP helmets, this comm system might as well be an extension of the vehicle's ecosystem. This standout lets you chat, listen and ride all day long in comfort no matter how cold it is!



DID YOU KNOW ABOUT VIBE AND THE BRP GO! APP?
Ready, set, go! Set up and manage the Vibe Communication System in no time directly in the free BRP GO! mobile app. You can check the battery level, modify the audio settings and much more!

- ONE CLICK TO CONNECT WITH OTHER MESH RIDERS
- UNPARALLELED TALK TIME UP TO 12 HOURS (8 HOURS AT -18° C)
- SOUND BY HARMAN KARDON®
- OPEN MESH INTERCOM
- UNIVERSAL FIT AND EASY TOOLLESS ASSEMBLY
- FULL COMPATIBILITY WITH MOST HELMETS

- OPEN MESH INTERCOM: LIMITLESS
- MULTI-LANGUAGE VOICE COMMAND
- GROUP MESH INTERCOM: UP TO 24 RIDERS
- INTERCOM UP TO 2 KM / 1.2 MILES IN OPEN TERRAIN

COMMUNICATION SYSTEMS

MISC

Vibe Universal Comm System by BRP | **929105** · One size | Matte Black (93)



- VIBE UNIVERSAL Comm System with superior audio quality for every BRP helmets.
- Sound by Harman Kardon®.
- Mesh-only system: Robust reliability compatible with all Sena® Mesh devices.
- Battery capacity: up to 12 hours of talk time (8 hours at 18° C).
- One-click-to-connect simplicity with other mesh riders.
- Mesh Intercom™ features superior audio quality.
- Up to 2 km/1.2 miles in open terrain. Range can be extended with multiple riders.
- Multi-channel protocol in open mesh allows users to switch between nine comm channels.
- Convenience of voice-activated digital assistant access ("OK Google"/"Hey Siri").
- Rapid charging.
- Glove-friendly interface.
- Compatible with all BRP helmets.
- When paired with the BRP GO! app, you can manage many settings such as sound, mesh channel options, software updates, battery level, handlebar control and more.
- Wired and boom microphones included.

For safety reasons, the battery cannot be charged while riding. Considering the increased risks inherent in charging a battery, BRP has chosen NOT to make this action possible to guarantee maximum user safety.

RAYVIK X5 HELMET

Elevate Your Ride

Designed for those who demand both performance and style, the Rayvik helmet is a game-changer in safety, comfort and innovation. Equipped with Mips® technology, offering you enhanced impact protection when you need it most.

- THE Lightest helmet in our product range.
- Equipped with Mips® safety system.
- Multi-density CONTEGO™ copolymer foam for enhanced impact performance.
- Cheek Pads equipped with emergency pull strap.
- Multiple airflow channels to keep you comfortable in all conditions.
- Prescription eyeglasses friendly.
- Micrometric quick-attach chin strap closure.
- Camera mount ready.
- 4-years limited warranty.
- Vibe universal communication system ready.
- Fiberglass composite shell.



LIGHTWEIGHT

ADDED SAFETY FEATURES

DOT/ECE

Mips® Should you have an accident and hit your head, the Mips® system in your helmet is designed to help reduce the rotational motion of certain impacts that may otherwise be transferred to your head.



Can-Am Rayvik X5 Mips® Helmet

DOT ECE22.06

929201 · XS, S, M, L, XL, 2XL, 3XL, 4XL

Grey (09)

Weight from 1,250 g



Rayvik X5 Carbon Mips® Helmet

DOT ECE22.06

929164 · XS, S, M, L, XL, 2XL, 3XL, 4XL

Black (90)

Weight from 1,150 g



Rayvik X5 Mips® Helmet

DOT ECE22.06

929165 · XS, S, M, L, XL, 2XL, 3XL, 4XL

Black (90), Orange (12), Purple (40)

Weight from 1,250 g

RAYVIK GOGGLES AND HELMET ACCESSORIES

UNISEX

Can-Am Rayvik Off-Road Goggles

940012 · One size | Red (30), Yellow (10), Sand (03)



Can-Am Rayvik goggles come with a full mirror-coated lens with superior anti-fog performance.

- 2-part frame composed of rigid and flexible parts provides a better fit for optimal sealing.
- Eyewear-compatible frame cutouts.
- Quick lens change system with locking mechanism.
- 3D formed, 3-layer face foam offers best fit and comfort.
- No-slip silicone strap keeps goggles in place.
- Removable nose guard.
- Compatible with the Rayvik Winter Magnetic Face Guard System (sold separately).

Lens

- Features injection-molded PC cylindrical lens with excellent field of view.
- Anti-scratch, high-performance anti-fog function which provides distortion-free vision and enhanced impact resistance.
- Cat. 2 Amber with full mirror coating is ideal in sunny to scattered cloud conditions.

RAYVIK HELMET ACCESSORIES

UNISEX

Flint Winter Magnetic Face Mask System

940008 · One size | Black (90)



- Compatible with Rayvik X5 Helmet and **Flint** goggles, includes the breath box and Flint goggles magnetic nose piece.

Rayvik Winter Magnetic Face Mask System

940009 · One size | Black (90)



- Compatible with Rayvik X5 Helmet and **Rayvik** goggles, includes the breath box and Rayvik goggles magnetic nose piece.

Tec Layer Anti-Fog MX Balaclava

288324 · S/M, L/XL | Black (90)



Anti-fog management balaclava.

- Designed to be used with the Rayvik helmet or any other MX helmets.
- 47.5% polyester, 40% recycled polyester, 10% spandex, 2.5% neoprene.
- Mouth guard in neoprene with metal nose holder for fitting.
- Stretch, quick-dry fabric with brushed inner surface at head and neck.
- Water-resistant, wind-resistant and breathable fabric at neck.
- Flatlocked seams prevent skin chafing.
- Perfect to use with open-face helmets.
- Tec Layer logo.

Helmet Camera Mount

929176 · One size | Black (90)



- Helmet chin mount compatible with most cameras.
- Fits Rayvik X5 Helmet.

PYRA X1 HELMET

The next generation of the Pyra helmet is here. Engineered with Energy Reduction Technology (ERT™) and fully DOT & ECE certified, the new Pyra helmet delivers advanced protection. Featuring an adjustable peak, a micrometric quick-attach buckle, and camera-mount compatibility, this new-generation helmet combines performance, comfort, and versatility in a bold new shell design.



- ECE 22.06 and DOT certifications.
- Lightweight thermoplastic shell.
- Equipped with ERT™.
- Multi-density CONTEGO™ copolymer foam formulation provides enhanced impact test performance over standard EPS foams.
- Cheek Pads equipped with emergency pull strap.
- Removable and washable interior liners.
- Prescription eyeglasses friendly.
- Vibe universal communication system ready (sold separately).
- Camera mount ready (929176 sold separately).
- Micrometric quick-attach chin strap closure.
- Multiple airflow channels to keep you comfortable in all conditions.
- 4-year limited warranty.
- Compatible with the Winter Magnetic Face Guard System (sold separately).

LIGHTWEIGHT

HIGH AIRFLOW

UNIVERSAL COMMUNICATION SYSTEM COMPATIBLE

BRP CAMERA MOUNT COMPATIBLE



Pyra X1 Helmet

DOT ECE22.06

929211 • XS, S, M, L, XL, 2XL, 3XL

Black (90), Pink (36), Sand (03)

Weight from 1,280 g ± 50 g



Can-Am Pyra X1 Helmet

DOT ECE22.06

929212 • XS, S, M, L, XL, 2XL, 3XL

Green (70), Orange (12), Grey (09)

Weight from 1,280 g ± 50 g



Can-Am Pyra X1 Solid Helmet

DOT ECE22.06

929153 • XS, S, M, L, XL, 2XL, 3XL

Black (90)

Weight from 1,280 g ± 50 g

EXOME F5 HELMET

Designed with intent, the Exome F5 helmet features a true forced-air configuration, engineered from the ground up to deliver comfortable, balanced airflow—not simply adapted from a standard helmet. Combined with a fiberglass composite shell, ECE 22.06 & DOT certification, and more, the F5 delivers uncompromising comfort and protection for demanding riders



LIGHTWEIGHT
VERSATILE
FORCED AIR VERSION
COMMUNICATION SYSTEM COMPATIBLE
PINLOCK 70 READY

UNISEX

NEW Exome F5 Forced Air Helmet

DOT ECE 22.06

929204 · XS, S, M, L, XL, 2XL, 3XL | Black (90)



Full face forced air helmet (DOT/ECE) with advanced fiberglass composite shell.

- 4-year limited warranty.
- Full face helmet.
- Anti-scratch lens.
- Pinlock® ready (sold separately).
- Large neck curtain.
- 2 shell sizes.
- Quick-release chin strap.
- Eyewear compatible.
- Communication system ready.
- DOT/ECE 2206 certified.
- Weight from 1,375 g ± 50g.

NEW Can-Am Exome F5 Helmet

DOT ECE 22.06

929210 · XS, S, M, L, XL, 2XL, 3XL | Black (90)



Full face helmet (DOT/ECE) with advanced fiberglass composite shell.

- 4-year limited warranty.
- Replace the face shield by the included Peak.
- Anti-scratch lens.
- Pinlock® ready (sold separately).
- 2 shell sizes.
- Quick-release chin strap.
- Eyewear compatible.
- Communication system ready.
- DOT/ECE 2206 certified.
- Weight from 1,285 g ± 50g.

NEW Can-Am Exome M1 Circuit Helmet

DOT ECE 22.06

929198 · XS, S, M, L, XL, 2XL, 3XL | Black (90), Grey (09), Sand (03)



Modular helmet (DOT/ECE) with thermoplastic shell.

- 4-year limited warranty.
- Advanced plastic composite shell.
- Modular helmet.
- Anti-scratch lens.
- Pinlock® ready (sold separately).
- Smoke sun visor.
- Ventilation comes from 1 chin and 2 top intakes. The air is channeled to the rear extractor to maximize airflow.
- 2 shell sizes for better fit and comfort.
- Quick-release chin strap.
- Eyewear compatible.
- Communication system ready.
- DOT/ECE 2206 certified.

NEW Can-Am Exome M5 Carbon Helmet

DOT ECE 22.06

929199 · XS, S, M, L, XL, 2XL | Black (90)



Modular helmet (DOT/ECE) with advanced carbon composite shell.

- 4-year limited warranty.
- Modular helmet.
- Anti-scratch lens.
- Pinlock® 70 anti-fog included.
- Smoke sun visor.
- Ventilation comes from 1 chin and 2 top intakes. The air is channeled to the rear extractor to maximize airflow.
- 2 shell sizes for better fit and comfort.
- Quick-release chin strap.
- Eyewear compatible.
- Communication system ready.
- DOT/ECE 2206 certified.

FULL-FACE ACCESSIBILITY

Open-Face Helmets

Designed for freedom and visibility. Offering a wide field of vision, allowing you to better enjoy the scenery and stay aware of your surroundings. You'll be sure to be comfortable with these stylish and ultra-light helmets.

LIGHTWEIGHT
Advanced light-plastic composite shell. Enjoyable for short or longer rides.

OPEN-FACE HELMET
Perfect for full-face accessibility.

COMFORT
Ultra-comfortable and washable linings.

LIGHTWEIGHT

DOT / ECE



Black with Graphics
929150_94 (DOT only)

Matte Black
929140_93 (DOT)
929185_93 (ECE)

UNISEX

Can-Am Retro Open-Face Helmet

DOT

929150 · S, M, L, XL, 2XL

Black with Graphics (94), Matte Black (93)



- Advanced thermoplastic shell.
- Multi-density EPS.
- 2 shell sizes and 3 EPS sizes for better fit and comfort.
- Removable peak.
- Ultra-comfortable, removable and hand-washable linings.
- Quick-release chin strap.
- Eyewear compatible.
- Communication system ready.
- Fit: Medium Oval.
- DOT-certified.
- Not available in Europe.

Weight:
- XS–L: 1,140 g ± 50 g.
- XL–XXL: 1,200 g ± 50 g.

Can-Am Exome Open-Face Helmet

DOT ECE 22.06

929140 (DOT - US)
929185 (ECE - Europe)
· XS, S, M, L, XL, 2XL, 3XL

Grey (09), Matte Black (93)

Matte Black (93)



Open-Face Helmet (DOT/ECE) with plastic composite shell.
- 4-year limited warranty.
- Advanced plastic composite shell.
- Interchangeable retractable sun visor.
- Fixed aerodynamic peak.
- Ultra-comfortable and washable linings.
- Adjustable air vents and exhausts.
- Eyewear compatible.
- Anti-scratch Smoke visor.
- DOT-certified (929140).
- ECE 2206 certified (929185).

GOGGLES

UNISEX

NEW Can-Am Pyra Off-Road Goggles

448819 • One size | Black (90), Grey (09), Red (30)



The Can-Am Pyra goggles features injection PC lens which is anti-scratch, anti-fog and distortion-free optics.

- Thermo-formed 3-layer face foam offers optimal fit.
- No-slip silicone strap keeps goggles in place.
- Injection-molded PC cylindrical lens provides distortion-free vision and enhanced impact resistance.
- Single lens with anti-scratch and anti-fog performance.
- Removable nose guard for extra deflection against debris.
- OTG Capacity, fits over most of the prescription glasses on the market with lenses height below 2 in. (51 mm) and with branches width on 5¾ in. (146 mm).

Can-Am Flint Photochromic Goggles

448779 • One size | Charcoal Grey (07)



The Can-Am Flint Photochromatic goggles features an injected PC lens which is anti-scratch, anti-fog and distortion-free optics.

- Thermo-formed 3-layer face foam offers optimal fit.
- No-slip silicone strap keeps goggles in place.
- Injection-molded PC cylindrical lens provides distortion-free vision and enhanced impact resistance.
- Lens VLT from 80% to 28% with anti-scratch and anti-fog performance and with mirrored coating.
- Removable nose guard for extra deflection against debris.

MUD GEAR

UNISEX

Can-Am Waterproof Mud Jacket

456046 • S, M, L, XL, 2XL | Black (90), Camo (37)



Mud jacket made of waterproof PVC.

- 98.5% polyvinyl chloride (PVC), 1.5% mesh polyester.
- Electronically welded seams.
- Back panel ventilation (with mesh).
- Elastic cuffs, hem and hood.
- Can-Am logo.

Can-Am Waterproof Mud Pants

456067 • S, M, L, XL, 2XL | Black (90), Camo (37)



Oversized pants made of 100% waterproof PVC.

- 100% polyvinyl chloride (PVC).
- Electronically welded seams.
- Elastic waistband and ankle cuff.
- Can-Am logo.

RAINWEAR

UNISEX

NEW Can-Am Oh Sh*t Kit 2.0

456080 · S, M, L, XL, 2XL, 3XL | Black (90)



Can-Am Unisex Emergency Rain Kit, lightweight, compact and easy to pack. The kit includes a jacket and pants.

Unisex sizing designed to fit comfortably over riding gear (women are recommended to size down).

- 100% nylon, PU coating.
- Fit: Relaxed.
- Fully seam-sealed, waterproof and windproof.
- Breathable 10K/5K and PU coated with C0 durable water repellent.
- Adjustment at back neck collar.
- Elastic waistband for added comfort.
- Adjustable elasticized cuffs with Velcro tab.
- Pants connector loop to secure the jacket.
- Elastic, gusset and Velcro tab at the pant hem for optimal fit and adjustment.
- Storage bag for jacket and pants (attached to the jacket).
- Reflective details and logos for enhanced visibility.

Can-Am Seil Lite WP Jacket

456072 · S, M, L, XL, 2XL, 3XL | Hi-Vis Yellow (26), Black (90)



Simple yet carefully designed and beautifully made lightweight, weather protection, unisex jacket. 100% waterproof. Intelligent sizing—to fit over your normal riding gear, sized accordingly.

- Main material: 100% laminated polyester.
- Fit: Relaxed.
- Waterproof/breathable: 10K/3K, 2.5-layer membrane.
- Hi-vis material at sleeves on the Hi-is colorway.
- Fully seam-sealed.
- Double storm placket front closure with one-way zipper.
- Stowable adjustable hood (inside collar).
- Reflective details and logo.
- Elasticized cuff with silicone grip inside.
- Back panel ventilation.
- Adjustable hem.
- Lightweight.
- Unisex sizing to fit over clothes.
- One size down for women.

Can-Am Seil Lite WP Overpants

442457 · S, M, L, XL, 2XL, 3XL | Black (90)



Simple yet carefully designed and beautifully made lightweight, weather protection, unisex overpants. 100% waterproof. Intelligent sizing—to fit over your normal riding gear, sized accordingly.

- Main material: 100% laminated polyester.
- Fit: Relaxed.
- Waterproof: 10K/3K, 2.5-layer membrane.
- Elastic waistband with silicone grip all around.
- Silicone grip at bottom hem.
- Fully seam-sealed.
- Reflective logo.
- Hem opening with zipper.
- Stretch boot straps.
- Lightweight.
- Unisex sizing to fit over clothes.
- One size down for women.

RALLY COLLECTION

Introducing the Rally Collection, a bold new chapter in performance and style.
It carries the DNA of our iconic Phantom series and reimagines its signature graphics with a sharper, more dynamic, and unmistakably modern edge. Featuring premium jerseys and gloves, the Rally Collection is designed to pair seamlessly with our latest Pyra helmets and goggles, delivering a cohesive head-to-toe look for riders who demand both performance and attitude.

MEN'S

Can-Am Polo Shirt

286841 · S, M, L, XL, 2XL, 3XL | Black (90), Red (30)



Our Can-Am Polo with short-sleeves is stretchy, durable, and anti-wrinkle.

- 100% polyester.
- Moisture-wicking.
- Quick-dry.
- Sublimation print.
- Button placket.

Can-Am Rally Gloves

286836 · S, M, L, XL, 2XL, 3XL | Black (90), Red (30), Army Green (77)



Our Can-Am Rally gloves are highly breathable for hot riding conditions. Mesh on the upper and light perforated microsuede on the inside of the palm for a perfect grip and air flow.

- 92% polyester, 8% spandex.
- Ventilated air mesh upper construction.
- Reinforced thumb panel for extra durability.
- Single-layer microsuede palm with minimal padding.
- Stretch finger gussets.
- Embossed and expandable neoprene slip-on cuff.
- Touchscreen function.

UNISEX

NEW Can-Am Rally Jersey

288333 · XS, S, M, L, XL, 2XL, 3XL | Army Green (77), Pink (36), Red (30), Black with Graphics (94)



Rally jersey designed for performance and comfort, featuring lightweight technical materials and a bold new Rally print for an athletic Can-Am look.

- 100% polyester.
- Fit: Relaxed.
- Quick-dry, moisture-wicking fabric for maximum comfort.
- Antibacterial treatment to help reduce odors.
- Mesh underarm panels for increased ventilation.
- New Rally print.
- Sublimated logos.

NEW Can-Am Rally Flat Cap

288540 · One size | Black (90)



Can-Am Rally cap offering everyday comfort and a stylish look.

- 100% cotton twill.
- 5-panel construction.
- All-over Rally print.
- Soft plastisol print at front.
- Embroideries on side panels.
- Flat brim.
- Adjustable snapback closure.
- Branded inner tape.

Can-Am Rally Shadow D3O® Gloves

286871 · S, M, L, XL, 2XL, 3XL | Black (90), Black with Graphics (94)



Engineered for rugged trails and high-performance riding, the Rally Shadow gloves with D3O® deliver superior impact protection and all-day comfort.

- 92% polyester, 8% spandex.
- 4-way stretch top hand material that is highly abrasion resistant.
- D3O® knuckle protection.
- Sublimation print on top hand.
- Neoprene cuff with adjustable tab.
- D3O® 2 mm Aeromax foam palm to reduce vibration for a smoother ride.
- Silicone print at finger to improve grip and control.
- Perforated palm for airflow and comfort.
- TPR pull tab with Can-Am branding for easy on/off.
- Conductive microsuede palm.

GLOVES

MEN'S

NEW Can-Am Journey Mesh Gloves

CE UKCA

446377 • S, M, L, XL, 2XL, 3XL | Black (90)



Highly breathable and lightweight gloves designed for warm summer riding days.

The perfect complement to the Journey Mesh Jacket.

UKCA certified (UK Conformity Assessed marking).

- Content: 40% polyester, 40% nylon, 10% polyurethane, 5% rubber, 5% cotton
- CE/UKCA certified EN 13594:2015, Level 1.
- Micro-perforation at palm for increased airflow.
- TPU slider for extra protection and comfort while riding.
- Reinforced material at palm.
- Silicone print for better grip.
- Conductive micro suede at the palm, so you don't have to remove your gloves.
- Custom TPR strap for adjustability.
- Custom Pull tab.

Odyssey WP Gloves

CE UKCA

288072 • S, M, L, XL, 2XL, 3XL | Black (90)







Introducing our Men's Can-Am Odyssey WP Gloves, engineered for both elegance and performance. Constructed with premium fabric to offer unparalleled comfort and protection.

- Premium Shoeller Fabric.
- Sympatex waterproof membrane.
- PrimaLoft Gold Insulation; 100 g top hand, 60 g palm side.
- TPR Molded Knuckle Protection; CE Level 1+ Knuckle.
- Touch screen thumb and index finger.
- Scotchlite™ Reflective Hidden Panels.

WOMEN'S

NEW Can-Am Journey Mesh Gloves

CE UKCA

446386 • XS, S, M, L, XL, 2XL | Black (90)







Highly breathable and lightweight gloves designed for warm summer riding days.

The perfect complement to the Journey Mesh Jacket.

CE certified (EU safety, health, and environmental protection requirements).

UKCA certified (UK Conformity Assessed marking).

- Content: 40% polyester, 40% nylon, 10% polyurethane, 5% rubber, 5% cotton.
- CE/UKCA certified EN 13594:2015, Level 1.
- Micro-perforation at palm for increased airflow.
- TPU slider for extra protection and comfort while riding.
- Reinforced material at palm.
- Silicone print for better grip.
- Conductive micro suede at the palm, so you don't have to remove your gloves.
- Custom TPR strap for adjustability.
- Custom Pull tab.

NEW Odyssey WP Gloves

288045 • XS, S, M, L, XL | Black (90)



Introducing our Women's Can-Am Odyssey WP Gloves, engineered for both elegance and performance. Constructed with premium fabric to offer unparalleled comfort and protection.

- CE certified (EU safety, health and environmental protection requirements).
- Premium Shoeller Fabric.
- Sympatex waterproof membrane.
- PrimaLoft gold insulation; 100 g top hand, 60 g palm side.
- TPR Molded Knuckle Protection; CE level 1 + Knuckle.
- Touch screen thumb and index finger.
- Scotchlite™ Reflective Hidden Panels.

UNISEX

Can-Am Phantom D3O® WP Gloves

286872 • S, M, L, XL, 2XL, 3XL | Black (90)



Built for the toughest terrain and the most unpredictable weather, the Phantom D3O® WP gloves combine advanced D3O® impact protection with the waterproof, windproof, and breathable performance of Sympatex® technology.

- 4-way stretch top hand material that is highly abrasion resistant.
- DWR PFAS free.
- D3O® knuckle protection.
- TPR 3D Can-Am logo on top hand.
- Neoprene cuff with adjustable strap.
- Sympatex® waterproof and windproof membrane.
- Exclusive Can-Am digital camo print.
- D3O® 2 mm Aeromax foam palm to reduce vibration for a smoother ride.
- Conductive silicone hexa print at palm to improve grip, control and shield wipe.
- TPR pull tab with Can-Am branding for easy on/off.

GLOVES (measure palm width)

UNISEX

	XS	S	M	L	XL	2XL	3XL
Sizing Code	**02**	**04**	**06**	**09**	**12**	**14**	**16**
Palm (inches)	3	3¼	3½	4	4½	5	5½
Palm (cm)	7.5	8	9.5	10	11.5	13	14

BAGS

UNISEX

BRP 20 L Laptop Backpack

950003 • One size | Black (90)



- 20 L capacity.
- High resistance 900D polyester material.
- Full rigid 3D shell construction standing backpack.
- Laptop pocket holds up to a 15" laptop, separated from the main compartment.
- Adjustable chest straps.
- Main compartment organization pocket wth key clip.
- Foam padding on straps and back for comfort.
- Carry-on luggage handle slider.
- Water bottle side pouch.
- Hidden small pocket on one side bottle compartment.
- Exchangeable branded logo patch (Ski-Doo, Lynx, Sea-Doo, Can-Am).
- Dimensions:
  L 11.4" x W 8.2" x H 18.9"
  L 29 cm x W 21 cm x H 48 cm.

BRP 90 L Duffle Bag

950001 • One size | Black (90)



- 90 L capacity.
- 600D polyester main construction with a 420D TPU coated bottom.
- Ready to handle all your gear with one main large compartment and 2 separated side compartments for boots and helmets.
- Rigid 3D shaped molded side compartments ideal to protect your helmet.
- Durable strap attachment system by Duraflex™.
- Robust pull handles on each side.
- Changing mat in a separated zippered compartment.
- YKK™ heavy-duty zippers.
- Exchangeable branded logo patch (Ski-Doo, Lynx, Sea-Doo, Can-Am).
- Dimensions:
  L 33" x W 12.2" x H 17.3"
  L 84 cm x W 31 cm x H 44 cm.

CAN-AM x FASTHOUSE

MEN'S

Unisex Can-Am x FH Dust Gloves

446389 · XS, S, M, L, XL, 2XL | Army Green (77), Black (90)



The Dust Gloves utilize quality materials with a traditional moto fit.

- 77% polyamide, 15% polyurethane, 7% elastane, 1% polychloroprene.
- Durable form-fitting 2-way stretch material.
- Perforated Clarino® palm and thumb guards.
- Touchscreen fingertips on index and thumb.
- Gusseted knuckles for increased dexterity.
- Molded neoprene low-pro cuff.
- Mesh finger gussets and silicone grippers.
- TPR and printed embellishments throughout.

Can-Am x FH Dust Pants

288018 · 28, 30, 32, 34, 36, 38, 40, 42 | Black (90)



The Dust Pants are designed for those who venture off the beaten path. They feature a classic fit with cargo-style pockets, full-grain leather inner knee panels, and 600D poly main panel construction.

- 69% polyester, 27% nylon, 4% spandex.
- Fit: Fitted.
- Zippered cargo pockets.
- Zippered mesh ventilation pockets on both thighs.
- Zippered fly for easy pit stops.
- 600-denier poly and 4-way stretch main body fabric.
- High-strength nylon thread, double- and triple-stitched seams.
- Silky soft tricot, ¾-length knee brace, optimized lining.
- Patterned and fit for every style of rider.

Please refer to the sizing chart below:

Size	Code	Size	Code	Size	Code	Size	Code
28	36	32	38	36	40	40	42
30	37	34	39	38	41	42	43

NEW Can-Am x FH Motorall® Flex 2.0

286842 · 28, 30, 32, 34, 36, 38, 40, 42 | Black (90)



Designed with a classic straight-leg fit, the Motorall Flex 2.0 delivers unrestricted movement thanks to its durable 4-way stretch construction. Functional details like strategically placed ventilation/storage pockets and easy-access closures make it as practical as it is comfortable. Wide elastic shoulder straps ensure a fast, secure step-in fit, so you can gear up and go without slowing down.

- 84% polyester, 14% nylon, 2% Spandex.
- Classic fit with a straight-leg cut.
- Front chest and thigh cargo pockets with hook-and-loop closure.
- Zippered fly for quick, easy pit stops.
- Adjustable wide elastic comfort straps with a jacquard artwork for effortless step-in entry with adjuster.
- 4-way stretch main body fabric for full mobility.
- High-strength nylon thread with double and triple-stitched seams for durability.

Please refer to the sizing chart below:

Size	Code	Size	Code	Size	Code	Size	Code
28	36	32	38	36	40	40	42
30	37	34	39	38	41	42	43

Can-Am x FH Motorall®

441716 · 28, 30, 32, 34, 36, 38, 40, 42 | Black (90)



The Motorall® is our tried and true Grindhouse moto pant in an overalls cut.

- 69% polyester, 27% nylon, 4% spandex.
- Fit: Fitted.
- Zippered cargo pockets on front chest and both thighs.
- Zippered mesh ventilation pockets on both thighs.
- Zippered fly for easy pit stops.
- Adjustable elastic comfort straps for step-in entry.
- 600-denier poly and 4-way stretch main body fabric.
- Upper chest MOLLE straps for radios, tools and accessories.
- High-strength nylon thread double- and triple-stitched seams.
- Silky soft tricot, ¾-length knee brace, optimized lining.
- Patterned and fit for every style of rider.

Please refer to the sizing chart below:

Size	Code	Size	Code	Size	Code	Size	Code
28	36	32	38	36	40	40	42
30	37	34	39	38	41	42	43

NEW Can-Am x FH Club Jersey

288376 · S, M, L, XL, 2XL, 3XL | Black (90), White (01)



Can-Am x Fasthouse collaboration jersey, designed for performance, durability.

- 100% polyester.
- High-quality silk-screened graphics.
- Moisture-wicking materials to help keep you dry.
- Mesh vent paneling on sides and under sleeves for enhanced airflow.
- Drop tail back panel to keep the jersey tucked in and secure.
- Athletic fit, moderately slim through the body and sleeves.
- Overlocked stitching for superior durability and longevity.

Can-Am x FH Dust Jersey

288234 · S, M, L, XL, 2XL, 3XL | Army Green (77), Black (90)



High-performance jersey utilizing breathable materials with a traditional cut.

- 100% polyester.
- Fit: Regular.
- High-quality silk-screened graphics.
- Moisture-wicking materials help keep you dry.
- Mesh vent paneling on sides and under sleeves for airflow.
- Drop tail on back panel to keep jersey tucked in and secure.
- Athletic fit, moderately slim throughout body and sleeves.
- Overlocked stitching for superior durability and longevity.

Can-Am x FH Scorch Pullover Hoodie

288387 · S, M, L, XL, 2XL, 3XL | Black (90)



Midweight hooded pullover for men from the Can-Am x Fasthouse collaboration.

- 70% cotton, 30% recycled polyester.
- Soft midweight material (280 gsm).
- Two front welt pockets.
- Metal eyelets and hood drawstring.
- Pullover fit with lined hood.
- Screen-printed graphics.
- Ribbed sleeve cuffs and waistband hem.

Can-Am x FH Mav Pullover Hoodie

288227 · S, M, L, XL, 2XL, 3XL | Gold (11)



Midweight hooded pullover for men.

- 70% cotton, 30% recycled polyester.
- Soft midweight material (280 gsm).
- Fit: Regular.
- Two front welt pockets.
- Metal eyelets and hood drawstring.
- Screen-printed graphics.
- Ribbed sleeve cuffs and waistband hem.

NEW Can-Am x FH Desert T-shirt LS

288341 · S, M, L, XL, 2XL, 3XL | Charcoal Grey (09), Silver (08)



Desert T-shirt long sleeves designed as part of the Can-Am x Fasthouse collaboration, offering a clean, structured look for everyday wear.

- 60% cotton, 40% polyester (160 gsm).
- Fit: Regular.
- Soft plastisol print at chest.
- Large soft plastisol graphic at back.
- Soft plastisol print on arm.
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am x Fasthouse label wearers bottom right.

NEW Can-Am x FH Heritage T-shirt

288342 · S, M, L, XL, 2XL, 3XL | Army Green (77), Sand (03)



Heritage T-shirt designed as part of the Can-Am x Fasthouse collaboration, offering a clean, structured look for everyday wear.

- 60% cotton, 40% polyester (160 gsm).
- Fit: Regular.
- Soft plastisol print at chest.
- Large soft plastisol graphic at back.
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am x Fasthouse label wearers right sleeves.

NEW Can-Am x FH Off-Road Club T-shirt

288344 · S, M, L, XL, 2XL, 3XL | Black (90), White (01)



Off-Road Club T-shirt designed as part of the Can-Am x Fasthouse collaboration, offering a clean, structured look for everyday wear.

- 60% cotton, 40% polyester (160 gsm).
- Fit: Regular.
- Soft plastisol print at chest.
- Large soft plastisol graphic at back.
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am x Fasthouse label wearers right sleeves.

Can-Am x FH High Country T-shirt

288235 · S, M, L, XL, 2XL, 3XL | Bronze (92)



Can-Am x Fasthouse collaboration T-shirt with large soft plastisol print at back and small print at front chest.

- 60% cotton, 40% polyester.
- Fit: Slim.
- Rib-knit crew neck.
- Woven label Can-Am x Fasthouse on wearer's right sleeve.

Can-Am x FH Sandstrike T-shirt

288371 · S, M, L, XL, 2XL, 3XL | Black (90), Brown (04)



Can-Am x Fasthouse collaboration T-shirt.

- 100% cotton.
- 145 gsm.
- Fit: Slim.
- Ribbed collar.

Can-Am x FH Scorch T-shirt

288372 · S, M, L, XL, 2XL, 3XL | Black (90), Silver (08)



Can-Am x Fasthouse collaboration T-shirt.

- 100% cotton.
- 145 gsm.
- Fit: Slim.
- Ribbed collar.

Can-Am x FH Off-Road Crew T-shirt

288224 · S, M, L, XL, 2XL, 3XL | Army Green (77), Black (90)



Can-Am x Fasthouse collaboration T-shirt with large Off-Road graphic at back.

- 60% cotton, 40% polyester.
- Fit: Slim.
- Ribbed collar.
- Quote at left chest and back.

Can-Am x FH Coilover Tee

288065 · S, M, L, XL, 2XL, 3XL | Black (90)



Ultrasoft 100% combed ring-spun cotton tee.

- 100% combed ring-spun cotton.
- Fit: Slim.
- Soft and lightweight material.
- Crew collar.
- Plastisol ink screen-printed graphics.

WOMEN'S

NEW Can-Am x FH Desert Pullover Hoodie

288339 · S, M, L, XL, 2XL | Black (90)



Pullover hoodie designed as part of the Can-Am x Fasthouse collaboration, offering everyday comfort and a bold, casual style with premium graphic details.

- 100% cotton fleece.
- Fit: Regular.
- Soft plastisol graphic at front.
- Kangaroo pocket.
- Ribbed cuffs and hem.
- Can-Am x Fasthouse label at sleeve hem.
- Heat-transfer main label inside for added comfort.

Can-Am x FH Off-Road Crew Pullover Hoodie

288229 · S, M, L, XL, 2XL | Ivory (97)



Midweight hooded pullover for women.

- 80% cotton, 20% polyester.
- Fit: Regular.
- Soft midweight material (280 gsm).
- Two front welt pockets.
- Metal eyelets and hood drawstring.
- Screen-printed graphics.
- Ribbed sleeve cuffs and waistband hem.

Can-Am x FH Dust to Dawn T-shirt

288375 · XS, S, M, L, XL, 2XL | Black (90), Ivory (97)



Can-Am x Fasthouse collaboration Women's T-shirt.

- 100% cotton.
- 190 gsm.
- Fit: Slim.
- Ribbed collar.

UNISEX

Can-Am x FH Adventure Beanie

288231 · One size | Army Green (77), Black (90)



Can-Am x Fasthouse collaboration heavy-knit cuff beanie.

- 100% acrylic.
- Ultrasoft anti-itch material.
- Can-Am x Fasthouse woven patch at front.
- Small folded Can-Am x Fasthouse label at back.

Can-Am x FH Straw Hat

448814 · One size | Khaki (05)



Wide-brim straw hat with adjustable chin strap.

- 100% straw.
- Patch at front.
- One size fits most.

Can-Am x FH Tube

288232 · One size | Black (90)



Multipurpose, stretchy and comfortable tubular headwear.

- 92% polyester, 8% spandex.
- 12 different configurations: bandana, headband, balaclava and more.

UNISEX

NEW Can-Am x FH Dust Cap

288335 · One size | Black (90), Ivory (97)



Can-Am x Fasthouse collaboration cap, offering everyday comfort and a bold stylish look.

- 100% cotton twill.
- Mesh: 100% polyester.
- 5-panel construction.
- Soft plastisol print at front.
- Curved brim.
- Adjustable snapback closure.
- Mesh panels at back for ventilation.
- Branded inner tape with Fasthouse and Can-Am.
- Fasthouse embroidery on the side panel.

NEW Can-Am x FH Club Cap

288336 · One size | Black (90)



Can-Am x Fasthouse collaboration club cap offering a clean, structured look for everyday wear.

- 80% acrylic and 20% wool.
- 5-panel construction.
- Embroidered patch with screen-printed details at front.
- Flat brim.
- Adjustable snapback closure.
- Branded inner tape.
- FH and Can-Am embroideries on side panels.

Can-Am x FH Dust to Dawn Mesh Flat Cap

288370 · One size | Black (90), White (01)



A mid-profile trucker 5-panel snapback from the Can-Am x Fasthouse collaboration.

- 48% polyester, 42% acrylic, 10% wool.
- 5-panel construction.
- Flat brim and matching underbrim.
- Branded taping and Fasthouse® flag label.
- Side logo embroidery Can-Am x Fasthouse on side parts.
- Snapback closure at back.

Can-Am x FH Dust Flat Cap

288374 · One size | Black (90)



A deep profile structured 5-panel snapback from the Can-Am x Fasthouse collaboration using premium acrylic wool.

- 80% acrylic, 20% wool.
- 5-panel construction.
- Deep profile, structured. 3D embroidery with print at front.
- Side logo embroidery Can-Am x Fasthouse on side parts.
- Branded taping and flag label.

YOUTH

NEW Can-Am x FH Club Cap

288347 · One size | Black (90)



Club cap for kids designed as part of the Can-Am x Fasthouse collaboration, offering a clean, structured look for everyday wear.

- 80% acrylic and 20% wool.
- 5-panel construction.
- Embroidered patch with screen-printed details at front.
- Flat brim.
- Adjustable snapback closure.
- Branded inner tape.
- FH embroidery on the side panel.
- Can-Am embroidery on the side panel.

NEW Can-Am x FH Club Jersey

288346 · 3-4, 5-6, 7-8, 10-12, 14 | Black (90)

Club Jersey created as part of the Can-Am x Fasthouse collaboration, designed for performance, durability, and airflow, featuring premium graphics and an athletic fit for confident riding.

- 100% polyester.
- High-quality silk-screened graphics.
- Moisture-wicking materials to help keep you dry.
- Mesh vent paneling on sides and under sleeves for enhanced airflow.
- Drop tail back panel to keep the jersey tucked in and secure.
- Athletic fit, moderately slim through the body and sleeves.
- Overlocked stitching for superior durability and longevity.

24.7 X CAN-AM COLLECTION

UNISEX

NEW Can-Am X 24.7 Yellow/Off-White Flat Cap

288587 · One size | Ivory (97)



Can-Am X 24.7 Hunt collaboration.
- 100% cotton corduroy.
- 5-panel construction.
- Flat brim.
- Half structured front.
- Rope.
- Embroidered woven patch at front and branding on sides of the cap.
- Branded Can-Am taping inside.
- Snapback closure at back.

NEW Can-Am X 24.7 Yellow Corduroy Cap

288588 · One size | Yellow (10)



Can-Am x 24.7 Hunt collaboration cap with a flat visor and corduroy fabric for a vintage-inspired, comfortable fit.
- 100% cotton.
- 5-panel construction.
- Flat brim.
- Rope.
- Embroidered Can-Am colored patch at the front and branding on both sides of the cap.
- Branded Can-Am taping inside.
- Snapback closure at back.

Can-Am x 24.7 Curved Cap

288482 · One size | Black (90)



Can-Am x 24.7 Hunt collaboration.
- 100% cotton corduroy.
- 5-panel construction.
- Curved brim.
- Embroidered woven patch at front.
- Embroidered brands on both sides of the cap.
- Branded Can-Am taping inside.
- Snapback closure at back.

Can-Am x 24.7 Green Rope Cap

288484 · One size | Army Green (77)



Can-Am x 24.7 Hunt collaboration.
- 100% cotton.
- 5-panel construction.
- Flat brim.
- Rope.
- Embroidered Duck patch in Can-Am color at front.
- Embroidered brands on both sides of the cap.
- Branded Can-Am taping inside.
- Snapback closure at back.

YOUTH

NEW Can-Am x 24.7 Curved Cap

288590 · One size | Black (90)



Can-Am X 24.7 Hunt collaboration for youth.
- 100% cotton.
- 5-panel construction.
- Curved brim.
- Embroidered Duck patch at front.
- Embroidered brands on both sides of the cap.
- Branded Can-Am taping inside.
- Snapback closure at back.

EVERYDAY WEAR

MEN'S

NEW Can-Am Windproof Fleece

456078 · S, M, L, XL, 2XL, 3XL | Black (90)



The Can-Am Windproof Fleece is ideal for layering under the Journey Mesh Jacket to add warmth and block wind, or to be worn on its own off the vehicle.

- 100% polyester (295 gsm).
- Fit: Regular.
- Breathable windproof TPU membrane.
- Logo Can-Am at shoulder.
- Three zippered pockets.
- Premium YKK® zippers throughout.
- Reflective details and logos for enhanced visibility.

NEW Can-Am Turbo T-shirt LS

288329 · S, M, L, XL, 2XL, 3XL | Black (90)



Can-Am Men's Turbo LS T-Shirt designed with soft fabric for comfortable everyday wear.

- 60% cotton, 40% polyester (160 gsm).
- Fit: Regular.
- Soft plastisol arm print and back graphic.
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am label wearers bottom right.

NEW Can-Am Cosmos T-shirt

288330 · S, M, L, XL, 2XL, 3XL | Army Green (77), Heather Charcoal (29)



Can-Am Cosmos T-Shirt made with soft fabric for comfortable everyday wear.

- 60% cotton, 40% polyester (160 gsm).
- Fit: Regular.
- Soft plastisol chest print and back graphic
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am label wearers bottom right.

NEW Can-Am Sizzled T-shirt

288331 · S, M, L, XL, 2XL, 3XL | Heather Grey (27), Black (90)



Can-Am Sizzled T-Shirt made with soft fabric for comfortable everyday wear.

- Solid color: 60% cotton, 40% polyester (160 gsm).
- Heather: 93% cotton, 7% polyester (160 gsm).
- Fit: Regular.
- Soft plastisol print at chest.
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am label wearers bottom right.

NEW Can-Am Flameter T-shirt

288388 · S, M, L, XL, 2XL, 3XL | Black (90), Army Green (77)



Can-Am Men's Flameter T-Shirt made with soft fabric for comfortable everyday wear.

- 60% cotton, 40% polyester (160 gsm).
- Fit: Regular.
- Soft plastisol chest print and back graphic.
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am label wearers bottom left.

NEW Can-Am Best Way T-shirt

288391 · S, M, L, XL, 2XL, 3XL

Bronze (92), Heather Charcoal (29)



Can-Am Best Way T-Shirt made with soft fabric for comfortable everyday wear.

- 60% cotton, 40% polyester (160 gsm).
- Fit: Regular.
- Soft plastisol chest print and back graphic.
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am label wearers bottom left.

Can-Am Heritage T-shirt

288275 · S, M, L, XL, 2XL, 3XL

Black (90), Heather Grey (27)



Men's casual graphic T-shirt with heritage artwork at back.

- Solid: 60% cotton, 40% polyester.
- Heather: 97% cotton, 3% polyester.
- Fit: Regular.
- Ribbed collar.
- Small Can-Am logo at left chest and artwork at back.
- Small embroidered label at front.

Can-Am '73 T-shirt

288276 · S, M, L, XL, 2XL, 3XL

Black (90)



Men's casual graphic T-shirt with large '73 Can-Am logo at front.

- 60% cotton, 40% polyester.
- Fit: Regular.
- Ribbed collar.
- Small embroidered label at front.

Can-Am Off-Road Livin' T-shirt

288423 · S, M, L, XL, 2XL, 3XL

Black (90), Bronze (92)



Men's casual graphic T-shirt.

- 60% cotton, 40% polyester.
- Fit: Slim.
- Ribbed collar.
- Small Can-Am graphic at left chest and artwork at back.

Can-Am Division T-shirt

288432 · S, M, L, XL, 2XL, 3XL

Army Green (77), Black (90)



Men's casual graphic T-shirt.

- 60% cotton, 40% polyester.
- Fit: Slim.
- Ribbed collar.

Can-Am Unstoppable T-shirt

288433 · S, M, L, XL, 2XL, 3XL

Black (90), Bronze (92)



Men's casual graphic T-shirt.

- 60% cotton, 40% polyester.
- Fit: Slim.
- Ribbed collar.

MEN'S

Can-Am Vision T-shirt

288488 · S, M, L, XL, 2XL, 3XL | Black (90), Heather Charcoal (29)



- Men's casual graphic T-shirt.
- 60% cotton, 40% polyester.
- Fit: Slim.
- Ribbed collar.
- Small graphic at left chest and artwork at back.

Can-Am DNA T-shirt

288173 · S, M, L, XL, 2XL, 3XL | Army Green (77), Black (90), Sand (03)



Men's Can-Am graphic T-shirt, perfect for everyday wear.

- 60% cotton, 40% polyester.
- Fit: Regular.
- Ribbed collar.
- Can-Am graphic at front.

Can-Am Bonded Plaid Overshirt

288163 · S, M, L, XL, 2XL, 3XL | Burgundy (35)



Can-Am bonded plaid overshirt offering warmth, durability, and a premium outdoor aesthetic, designed with a flannel exterior and a soft fleece interior for everyday comfort.

- 100% cotton flannel with herringbone weave, bonded to micro polar fleece.
- Soft, warm, and structured fabric construction.
- Two chest pockets with flaps.
- Snaps at center front and chest pocket flaps, embossed with the Can-Am logo.
- Embroidered Can-Am logo on pocket flap.
- Self hanger loop at back yoke.
- Snap cuffs.

WOMEN'S

NEW Can-Am Windproof Fleece

456079 · XS, S, M, L, XL, 2XL | Black (90)



- The Can-Am Windproof Fleece is ideal for layering under the Journey Mesh Jacket to add warmth and block wind, or to be worn on its own off the vehicle.
- Constructed with grid polar fleece bonded to a windproof membrane. The grid structure helps release excess heat and moisture during movement, making it highly suitable for riding comfort.
- 100% polyester (295 gsm).
- Fit: Regular.
- Breathable windproof TPU membrane.
- Two zippered pockets.
- Premium YKK® zippers throughout.
- Reflective details and logos for enhanced visibility.

NEW Can-Am Turbo T-shirt

288332 · XS, S, M, L, XL, 2XL | Heather Charcoal (29)



Can-Am Women's Turbo T-Shirt made with soft fabric for comfortable everyday wear.

- 60% cotton, 40% polyester (160 gsm).
- Fit: Slim.
- Soft plastisol print at chest.
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am label wearers bottom right.

NEW Can-Am Flameter T-shirt

288389 · XS, S, M, L, XL, 2XL | Heather Charcoal (29), Pink (36)



Can-Am Women's Flameter T-shirt made with soft fabric for comfortable everyday wear.

- 60% cotton, 40% polyester (160 gsm).
- Fit: Slim.
- Soft plastisol chest print and back graphic.
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am label wearers bottom left.

WOMEN'S

NEW Can-Am Wind Sister T-shirt

288390 · XS, S, M, L, XL, 2XL | Heather Grey (27)



Can-Am Wind Sister T-Shirt made with soft fabric for comfortable everyday wear.

- 93% cotton, 7% polyester (160 gsm).
- Fit: Slim.
- Soft plastisol chest print and back graphic.
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am label wearers bottom left.

Can-Am '73 T-shirt

288286 · XS, S, M, L, XL, 2XL | Black (90)



Women's casual graphic T-shirt with large '73 Can-Am logo at front.

- 60% cotton, 40% polyester.
- Fit: Slim.
- Ribbed collar.
- Small embroidered label at front.

Can-Am Division T-shirt

288434 · XS, S, M, L, XL, 2XL | Black (90), Pink (36)



Women's casual graphic T-shirt.

- 60% cotton, 40% polyester.
- Slim fit.
- Ribbed collar.
- Can-Am logo at chest and artwork at back.

UNISEX

Can-Am Phantom Jersey

288270 · S, M, L, XL, 2XL, 3XL | Army Green (77), Charcoal Grey (07), Dark Navy (16), Grey (09)



Our classic Can-Am jersey with a new look!

- 100% polyester.
- Fit: Regular.
- Quick-dry, moisture-wicking fabric for maximum comfort.
- Antibacterial treatment for anti-odor.
- Mesh fabric for extra ventilation at underarms.
- Sublimated logos.

NEW Can-Am Flameter Flat Cap

288403 · One size | Army Green (77)



Can-Am Flameter cap designed with a flat visor for a classic, comfortable silhouette.

- 100% cotton twill.
- 5-panel construction.
- Embroideries on front panel.
- Adjustable snapback closure.
- Branded inner tape.

NEW Can-Am Waypoint Curved Cap

288404 · One size | Sand (03), Black (90)



Can-Am Waypoint cap designed with a curved visor for a classic, comfortable silhouette.

- 100% cotton twill.
- 6-panel construction.
- Soft plastisol print on the front.
- Embroidered twill patch applied on the front.
- Curved brim.
- Adjustable snapback closure.
- Can-Am-branded inner tape.

UNISEX

NEW Can-Am Turbo Curved Cap

288539 • One size | Black (90), Bronze (92)



Can-Am Turbo cap designed with a curved visor for a classic, comfortable silhouette.

- 100% cotton twill.
- Mesh 100% polyester.
- 6-panel construction.

- 3D embroidery at front.
- Adjustable snapback closure.
- Mesh panels at back for ventilation.
- Can-Am-branded inner tape.

NEW Can-Am Cosmos Flat Mesh Cap

288541 • One size | Black (90)



Can-Am Cosmos cap with a flat visor and mesh back panel for a retro-inspired, comfortable fit.

- 100% cotton.
- Mesh 100% polyester.

- Structured-5 panel cap.
- Snapback closure at back.
- Patch at center front.
- Small Can-Am label at back.

Can-Am Unstoppable Flat Cap

288495 • One size | Black (90), Silver (08)



Unisex Unstoppable cap with flat brim offering everyday comfort and a stylish look.

- 100% cotton.
- 5-panel construction.
- Flat brim.
- Snapback closure at back.
- Inside Can-Am branded tape.
- Soft plastisol print at front.

Can-Am Racing Adjustable Cap

288080 • One size | Black (90), Charcoal Grey (07)



Can-Am Racing cap offering everyday comfrot and a stylish look.

- 100% cotton twill.
- 6-panel construction.
- Curved brim.
- Can-Am logo on the front.
- Racing inspiration.
- Snapback closure at back with small Can-Am label.
- Can-Am–branded inner tape.

YOUTH

NEW Can-Am Cosmos T-shirt

288345 • 3–4, 5–6, 7–8, 10–12 | Army Green (77), Heather Grey (27)



Can-Am Cosmos T-Shirt for kids made with soft fabric for comfortable everyday wear.

- Solid color: 60% cotton, 40% polyester (160 gsm).
- Heather: 93% cotton, 7% polyester (160 gsm).

- Fit: Regular.
- Soft plastisol print at chest.
- Ribbed collar.
- Printed inner neck label for added comfort.

NEW Can-Am Est. '73 Cap

288348 • One size | Army Green (77)



Can-Am Est. '73 curved cap for kids offering everyday comfort and a clean, stylish look.

- 100% cotton twill.
- 6-panel construction.

- 3D embroidery at front.
- Curved brim.
- Adjustable snapback closure.
- Branded inner tape.

SIGNATURE COLLECTION

MEN'S

NEW Can-Am Emblem LS T-shirt

288538 • S, M, L, XL, 2XL, 3XL | Black (90)



Can-Am Emblem LS T-Shirt designed with soft fabric for comfortable everyday wear.

- 60% cotton, 40% polyester (160 gsm).
- Fit: Regular.
- Soft plastisol print at chest.
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am label wearers bottom right.

Can-Am Emblem T-shirt

288148 • S, M, L, XL, 2XL, 3XL | Black (90), Heather Grey (27), Sand (03), Army Green (77)





Men's Signature T-shirt with Can-Am logo and emblematic lines at front.

- 60% cotton, 40% polyester.
- Heather Grey (27): 97% cotton, 3% polyester.
- Fit: Regular.
- Ribbed collar.

Can-Am Emblem Crewneck

288241 • S, M, L, XL, 2XL, 3XL | Black (90), Heather Grey (27)





Can-Am Emblem crewneck offers warmth, comfort, and a premium feel, designed with a heavyweight fleece fabric and a soft hand-feel finish for everyday wear.

- 60% cotton, 40% polyester fleece (300 gsm).
- Fit: Relaxed.
- Carbonized bio finish for enhanced softness and comfort.
- Warm, comfortable, heavyweight, and easy-care fabric.
- Soft plastisol print at front.
- Ribbed collar, hem, and sleeve cuffs.
- Heat-transfer main label inside for added comfort.

NEW Can-Am Emblem Pullover Hoodie

288535 • S, M, L, XL, 2XL, 3XL | Black (90)



Can-Am Emblem Pullover Hoodie made with heavyweight fleece for warmth and premium comfort.

- 60% cotton, 40% polyester fleece (300 gsm).
- Fit: Relaxed.
- Mineral wash for an aged and authentic look.
- Carbonized bio finish for enhanced softness and comfort.
- Easy-care fabric.
- Soft plastisol print at front.
- Heat-transfer main label inside for added comfort.
- Rib at cuffs and hem.
- Kangaroo pocket.

Can-Am Emblem Zip-Up Hoodie

288338 • S, M, L, XL, 2XL, 3XL | Black (90), Sand (03)





Signature hooded zip-up sweatshirt.

- 60% cotton, 40% polyester.
- 300 gsm.
- Fit: Relaxed.
- Carbonized bio finish.
- Kangaroo pocket.
- Rib on cuffs and hem.
- Drawstring hood.

MEN'S

Can-Am Emblem Pullover Hoodie

288242 · S, M, L, XL, 2XL, 3XL | Army Green (77), Black (90), Sand (03)



Men's Signature pullover hoodie with Can-Am logo and emblematic lines at front.

- 60% cotton, 40% polyester.
- 300 gsm.
- Fit: Relaxed.
- Carbonized bio finish for a softer and premium look.
- Rib at cuffs and hem.
- Kangaroo pocket.

Can-Am Off-Road Livin' Pullover Hoodie

288425 · S, M, L, XL, 2XL, 3XL | Black (90), Bronze (92)



Casual Can-Am pullover hoodie.

- 60% cotton, 40% polyester.
- 300 gsm.
- Fit: Relaxed.
- Carbonized bio finish for a softer and premium look.
- Rib at cuffs and hem.
- Kangaroo pocket.
- Soft plastisol print graphic at back. Regular Can-Am logo at left chest.

WOMEN'S

Can-Am Emblem T-shirt

288187 · XS, S, M, L, XL, 2XL | Black (90), Pink (36)



Women's Signature T-Shirt with Can-Am logo and emblematic lines at front.

- 60% cotton, 40% polyester (160 gsm)
- Fit: Slim
- Soft plastisol print at chest.
- Ribbed collar.
- Printed inner neck label for added comfort.
- Can-Am label wearers bottom right.

Can-Am Emblem Crewneck

288243 · XS, S, M, L, XL, 2XL | Black (90)



Can-Am Emblem crewneck offers warmth, comfort, and a premium feel, designed with a heavyweight fleece fabric and a soft hand-feel finish for everyday wear.

- 60% cotton, 40% polyester fleece (300 gsm).
- Fit: Regular.
- Carbonized bio finish for enhanced softness and comfort.
- Warm, comfortable, heavyweight, and easy-care fabric.
- Soft plastisol print at front.
- Ribbed collar, hem, and sleeve cuffs.
- Heat-transfer main label inside for added comfort.

Can-Am Emblem Pullover Hoodie

288244 · XS, S, M, L, XL, 2XL | Army Green (77), Black (90)



Can-Am Emblem pullover hoodie offers warmth, comfort, and a premium feel, designed with a heavyweight fleece fabric and a soft hand-feel finish for everyday wear.

- 60% cotton, 40% polyester fleece (300 gsm).
- Fit: Regular.
- Carbonized bio finish for enhanced softness and comfort.
- Warm, comfortable, heavyweight, and easy-care fabric.
- Soft plastisol print at front.
- Heat-transfer main label inside for added comfort.
- Rib at cuffs and hem.
- Kangaroo pocket.

UNISEX

Can-Am 1973 Signature Cap

288112 · One size | Red (30)



Signature 1973 curved cap offering everyday comfort and a stylish look.
- 100% cotton twill.
- 6-panel construction.
- Embroidery Can-Am patch at front.
- Curved brim.
- Adjustable snapback closure.
- Can-Am–branded inner tape.

NEW Can-Am Flag Emblem Cap

286843 · One size | Black (90), Army Green (77), Grey (09), Sand (03)



Can-Am Flag Emblem Cap designed with a curved visor for a classic, comfortable silhouette.
- 100% cotton twill.
- 6-panel construction.
- Center-front Can-Am embroidered logo.
- Curved brim for a classic, structured look.
- Adjustable snapback closure.
- Flag label on the side panel.
- Can-Am-branded inner tape.

Can-Am Emblem Cap

288142 · One size | Sand (03)



Signature Cap with Can-Am logo and emblematic lines at front.
- 100% cotton.
- Embroidered Can-Am logo on the front.
- Can-Am-branded tape inside and flag label at back.
- Snapback closure at back.

Can-Am Off-Road Livin' Flat Cap

288323 · One size | Black (90), Bronze (92)



Unisex Off-Road Livin' cap with flat peak.
- Content: 100% cotton.
- Mesh: 100% polyester.
- 5-panel construction.
- Embroidered patch at front.
- Inside Can-Am-branded tape.
- Snapback closure at back.

Can-Am Division Pre-Curved Cap

288431 · One size | Army Green (77), Black (90)



Pre-Curved Can-Am Off-Road Division with 3D embroidery offering everyday comfort and a stylish look.
- 100% cotton.
- 6-panel construction.
- 3D embroidery and satin stitch flat embroidery at front.
- Inside Can-Am branded tape.
- Snapback closure at back.

Can-Am Reversible Camo Beanie

288160 · One size | Army Green (77)



Two-in-one reversible beanie with our new hexagon camo knit pattern.
- 95% acrylic, 4% nylon, 1% spandex.
- Hypoallergenic.
- Small folded Can-Am label at front.
- Embroidered Can-Am logo at front.

UNISEX

NEW Can-Am Flag Emblem Beanie

286847 · One size

Army Green (77), Black (90), Grey (09)



Can-Am Flag Emblem Beanie designed with a supersoft fabric for a warm and comfortable silhouette.

- 87% polyester, 10% wool, 3% spandex.
- Rib-knit construction for stretch and comfort.
- Folded cuff for a secure and classic look.
- Can-Am patch at front.
- Soft, cozy hand feel.

1973 Signature Bandana

288281 · One size

Black (90), Wine (32), Denim Blue (79)



Our bandana is a cheerful accessory, perfect for our bold riders! It will become your new staple piece when riding.

- 100% cotton.
- Dimensions: 24" x 24".
- Can be worn many different ways.
- Checkered print, Can-Am logo and 1973 printed.

NEW Can-Am Riding Tube

288405 · One size

Black (90), Black with Graphics (94)



Lightweight riding tube designed for comfort and versatile protection during outdoor activities.

- 100% polyester jersey.
- Lightweight fabric with UV50 protection.
- All-over print design.
- 12 different configurations: bandana, headband, balaclava and more.
- Protects from sun, wind, or cold.
- Flatlocked seams to avoid skin chafing.
- Woven label featuring Can-Am colors.

PLAY AND LICENSING

TOYS AND COLLECTIBLES

MISC

NEW 1:10 Can-Am Maverick X3 RC Toy

B10828 · One size | Denim Blue (79)



Product dimensions: 341 x 168 x 170 mm.
- 4-direction radio-controlled operation: forward, backward, left and right.
- Working suspension.
- Functional headlights and taillights.
- Authentic exterior design.
- Realistic tire tread design.

NEW 1:12 Maverick X3 X rs Turbo RR Winter Edition

B10794 · One size | Navy (89)



Product Dimensions:
378 x 161 x 153 mm.
- Metal diecast construction.
- Rolling tracks.
- Posable front tracks.
- Functional suspension.
- Opening doors.
- Interior cab details.
- Authentic exterior design.
- Realistic track design.

1:12 Maverick X3 X rs Turbo RR Premium Replica

B10787 · One size | Black (90)



Product dimensions:
286 x 155 x 145 mm.
- Diecast metal and plastic.
- Free-rolling wheels.
- Articulated steering.
- Functional suspensions.
- Openable doors.
- Interior cab details.
- Authentic exterior design.

1:12 X3 X rs Turbo RR Premium Replica with Accessories

B10788 · One size | Red (30)



Product dimensions:
281 x 155 x 161 mm.
- Diecast metal and plastic.
- Free-rolling wheels.
- Articulated steering.
- Functional suspensions.
- Openable doors.
- Interior cab details.
- Authentic exterior design.
- Accessories such as Adventure Roof Rack, LinQ pivoting Rack and tire.

1:12 Maverick X3 X rc Turbo RR Premium Replica

B10789 · One size | Red (30)



Product dimensions:
286 x 155 x 145 mm.
- Diecast metal and plastic.
- Free-rolling wheels.
- Articulated steering.
- Functional suspensions.
- Openable doors.
- Interior cab details.
- Authentic exterior design.

NEW 1:32 Diecast Can-Am Maverick R X rs with Smart-Shox

B10818 · One size | Navy (89)



Product Dimensions: 105.2 x 56.7 x 60.3 mm.
- Diecast metal and plastic.
- Free-rolling wheels.
- Clear windows and interior cab details.
- Authentic exterior design.
- Authentic tire tread design.
- Roof rack and spare tire.

NEW 1:32 Diecast Can-Am Maverick R MAX X rs with Smart-Shox

B10819 · One size | Navy (89)



Product Dimensions: 107 x 57.8 x 54.2 mm.
- Diecast metal and plastic.
- Free-rolling wheels .
- Interior cab details.
- Authentic exterior design.
- Authentic tire tread design.

NEW 1:32 Diecast Can-Am Maverick X3 DS Turbo

B10816 · One size | Denim Blue (79)



Product Dimensions: 107 x 57.8 x 54.2 mm.
- Diecast metal and plastic.
- Free-rolling wheels .
- Interior cab details.
- Authentic exterior design.
- Authentic tire tread design.

NEW 1:32 Diecast Can-Am Maverick X3 MAX X rc Turbo RR

B10817 · One size | Red (30)



Product Dimensions: 107 x 57.8 x 54.2 mm.
- Diecast metal and plastic.
- Free-rolling wheels.
- Interior cab details.
- Authentic exterior design.
- Authentic tire tread design

1:32 Diecast Maverick Sport 24 pcs Case-Pack

B10790 · One size | Mixed color (18)



This Case-Pack includes:
- 12 x 1:32 Maverick Sport X rc (Red).
- 12 x 1:32 Maverick Sport X xc (Silver).

1:32 Diecast Maverick Trail 24 pcs Case-Pack

B10791 · One size | Mixed color (18)



This Case-Pack includes:
- 12 x 1:32 Maverick Trail DPS (Black).
- 12 x 1:32 Maverick Trail DPS (Blue).

1:32 Diecast Commander 24 pcs Case-Pack

B10792 · One size | Mixed color (18)



This Case-Pack Includes:
- 12 x 1:32 Commander XT-P (Orange).
- 12 x 1:32 Commander XT (Black).

1:32 Diecast Defender 24 pcs Case-Pack

B10793 · One size | Mixed color (18)



This Case-Pack includes:
- 12 x 1:32 Defender X mr (Silver).
- 12 x 1:32 Defender XT HD9 (Navy).

Not available in Europe.

1:32 Diecast Maverick Bundle

B10777 · One size | Mixed color (18)



Bundle includes:
- 10 x 1:32 Maverick X3 X RS Turbo RR (Black).
- 5 x 1:32 Maverick X3 X RS Turbo RR (Blue).
- 5 x 1:32 Maverick X3 X RS Turbo RR (Red).
- 2 x 1:32 Maverick X3 X RS Turbo RR Sand (Red).
- 2 x 1:32 Maverick X3 X RS Turbo RR Winter (Red).

1:32 Diecast Outlander Bundle

B10778 · One size | Mixed color (18)



Bundle includes:
- 12 x 1:32 Outlander XT 1000R (Blue).
- 12 x 1:32 Outlander XT 1000R (Yellow).

1:32 Diecast Renegade Bundle

B10779 · One size | Mixed color (18)



Bundle includes:
- 6 x 1:32 Renegade X xc (Sand).
- 6 x 1:32 Renegade X xc (Red).
- 6 x 1:32 Renegade X mr 1000R (Sand).
- 6 x 1:32 Renegade X mr 1000R (Gold).

REPLACEMENT PARTS

MISC

Helmet Service Pad | **448695** • One size | Black (90)



- Part made to support a helmet while servicing it.

RAYVIK

MISC

Rayvik X5 Replacement Helmet Liner | **929166** • XS, S, M, L, XL, 2XL, 3XL, 4XL | Black (90)



- Replacement liner compatible with Rayvik X5 helmets.
- Sizes are not interchangeable.

Rayvik X5 Cheek Pads | **929167** • XS, S, L, 3XL, 4XL | Black (90)



- Replacement cheek pads for Rayvik X5 helmet.
- XS (50 mm).
- S (45 mm).
- L (40 mm) original size of M, L and XL helmet size.
- 3XL (35 mm).
- 4XL (30 mm).

Rayvik Goggles Replacement Nose Guard
(Not illustrated)
940021 • One size | Black (90)

- Fits Rayvik goggles.

Rayvik X5 Replacement Peak | **929168** • One size | Black (90), Sand (03)



- Replacement peak compatible with Rayvik X5 helmets.
- Includes peak breakaway post.

Rayvik X5 Replacement Peak Breakaway Post | **929169** • One size | Black (90)



- Replacement part compatible with Rayvik X5 helmets.

Rayvik X5 Side Vents
(Not illustrated)
929237 • One size | Black (90)

- Replacement mesh side vents for Rayvik X5.

MISC

Rayvik Goggles Mirrored Off-Road Lens

940022 · One size | Red (30), Yellow (10)



- Optional lens for the Rayvik goggles.
- Cat. 2 Amber base color.
- Full mirror coating.
- Anti-fog treated.
- Ideal for sunny and partly cloudy days.

Rayvik Goggles Clear Off-Road Lens

940017 · One size | Clear (00)



- Fits all Rayvik goggles.
- Injected PC lens.
- Anti-fog.

Rayvik Goggles Mirrored Winter Lens

940020 · One size | Red (30), Sand (03), Yellow (10)



- Optional lens for the Rayvik goggles.
- Cat. 2 Rose base color, full mirror coating, ideal for sunny and partly cloudy days.

Rayvik Goggles Winter Lens

940019 · One size | Clear (00), Pink (36), Yellow (10)



- Compatible with Rayvik goggles.

Rayvik Off-Road Goggles Tear-Offs

940015 · One size | Clear (00)

- Pack of 10.

VIBE

MISC

Vibe Velcro® & Adhesive Kit

929152 · One size | Black (90)



Replacement Velcro® and adhesive for Vibe Application.

- Speaker Velcro® (2x)
- Wired mic Velcro® (1x)
- Boom mic Velcro® (1x)
- Boom mic stabiliser Velcro® (1x)
- Boom mic wind sponge (1x)
- Vibe universal fastener Velcro® (1x) (4 pcs)
- Vibe universal dual sided adhesive (1x) (2 pcs)
- Vibe universal single sided adhesive (1x) (3 pcs)

Vibe Microphone


929132 · One size | Black (90)



- Fits Vibe Communication System by BRP.

Vibe Speakers

929133 · One size | Black (90)



- Fits Vibe Communication System by BRP.

NEW Pyra X1 RPM Peak Pivots
(Not illustrated)

929173 · One size | Black (90)

- Replacement peak pivot set for Pyra X1 helmets.

NEW Pyra X1 RPM Peak #929212



929182 · One size | Green (70), Grey (09), Orange (12)

- Fits Pyra X1 #929212

NEW Pyra X1 RPM Peak #929153



929183 · One size | Black (90)

- Fits Pyra X1 #929153

NEW Pyra X1 RPM Peak #929211



929184 · One size | Black (90), Pink (36), Sand (03)

- Fits Pyra X1 #929211

Pyra Headliner



929060 · XS, S, M, L, XL, 2XL, 3XL | Charcoal Grey (07), Black (90)

- Fits Pyra helmet family.

Pyra Cheek Pads



929061 · XS, S, M, L, XL, 2XL, 3XL | Charcoal Grey (07), Black (90)

- Fits Pyra helmet family.

Pyra Wind Deflector



929062 · S (fits XS/S/M/L), L (fits XL/2XL/3XL) | Black (90)

- Fits Pyra helmet family.

Pyra Peak Pivots



929073 · One size | Black (90)

- Fits Pyra helmet family.
- Includes 2 pcs.

Pyra Fixed Peak Pivots

929096 · One size

Black (90)



- Fits Pyra helmet family.
- Includes 2 pcs.

Pyra Front Vent Grid

929097 · S (fits XS/S/M/L), L (fits XL/2XL/3XL)

Black (90)



- Fits Pyra helmet family.

Can-Am Pyra Phantom Peak

929163 · S (fits XS/S/M/L), L (fits XL/2XL/3XL)

Black (90), Grey (09)




- Fits Pyra helmet style 929159.

Pyra Fade Peak

929091 · S (fits XS/S/M/L), L (fits XL/2XL/3XL)

Beige (02), Grey (09), Turquoise (Aqua) (76), White (01)



- Fits Pyra helmet family.

Can-Am Pyra Peak

929063 · S (fits XS/S/M/L), L (fits XL/2XL/3XL)

Blue (80), Charcoal Grey (07), Red (30)



- Fits Pyra helmet family.

Can-Am Pyra Dune Peak

929064 · S (fits XS/S/M/L), L (fits XL/2XL/3XL)

Charcoal Grey (07), Grey (09), Red (30), Sand (03)



- Fits Pyra helmet family.

EXOME

MISC

NEW Exome M1 Pinlock® Insert
(Not illustrated)

929174 · One size | Clear (00)

- Anti-Fog Pinlock® 70 Insert, Fits Exome M1 helmets

NEW Exome M5 Helmet Liner



929177 · XS, S, M, L, XL, 2XL, 3XL | Black (90)

- Fits Exome M5 Helmet.

NEW Exome M5 Cheek Pads



929178 · XS, S, M, L, XL, 2XL, 3XL | Black (90)

- Fits Exome M5 Helmet.

NEW Exome M5 Pinlock® Insert
(Not illustrated)

929179 · One size | Clear (00)

- Anti-Fog Pinlock® 70 Insert, Fits Exome M5 helmets.

NEW Exome F5 Forced Air Snorkel



929216 · One size | Black (90)

- Fits Exome F5 helmets, includes the tube and the main part for on-helmet installation, can be used to transform Exome F5 Helmet into a forced air version.

NEW Exome M5 Shield



929219 · One size | Clear (00), Smoke (57)

- Replacment shield for Exome M5 Helmet.

NEW Exome M1 Shield



929221 · One size | Clear (00), Smoke (57)

- Pinlock®-ready visor.
- Fits Exome M1 Helmet and 929190 Can-Am Exome Modular Helmet (DOT/ECE).

NEW Exome M1 Peak



929222 · One size | Black (90), Matte Black (90)

- Fits Exome M1 helmets.

NEW Exome M5 Peak

929223 · One size | Black (90)



- Fits Exome M5 helmets.

NEW Exome F5 Helmet liner

929224 · XS, S, M, L, XL, 2XL, 3XL | Black (90)



- Fits Exome F5 helmets.

NEW Exome F5 Cheek Pads

929226 · XS, S, M, L, XL, 2XL, 3XL | Black (90)



- Fits Exome F5 helmets.

NEW Exome F5 Shield

929227 · One size | Clear (00), Smoke (57)



- Replacement Pinlock®-ready face shield for the Exome F5 Helmet.

NEW Exome F5 Pinlock® Insert

(Not illustrated)

929228 · One size | Clear (00)

- Anti-Fog Pinlock® 70 Insert, fits Exome F5 helmets family.

NEW Exome F5 Forced Air Neck Curtain

929229 · One size | Black (90)



- Fits Exome F5 Helmet, large neck curtain for the forced air version.

NEW Exome F5 Top Air Vent

929232 · One size | Black (90)



- Fits Exome F5 helmets, originally on non-forced air version. May be used to transform Exome F5 Forced Air Helmet into a non-forced air helmet.

Exome Headliner

DOT ECE 22.06

929188 · XS, S, M, L, XL, 2XL, 3XL | Black (90)



- Fits Can-Am Exome Modular Helmet (DOT/ECE) (929190) and Can-Am Exome Open-Face Helmet (DOT/ECE) (929185).

Exome Single Lens Shield

929044 · One size | Clear (00)



- Fits Can-Am Exome Helmet (929040).
- Replacement Pinlock®-ready face shield for Exome helmets.

Exome Summer Chin Curtain

929046 · One size | Black (90)



- Fits Can-Am Exome Helmet (929040).

Exome Peak Fasteners Kit

929047 · One size | Black (90)

- Fits Exome helmet family.



Exome Summer Headliner

929049 · XS, S, M, L, XL, 2XL, 3XL | Charcoal Grey (07)

- Fits summer Exome helmet family.



Exome Peak

929057 · One size | Black (90), Matte Black (93)

- Fits Exome helmet family.



Exome Summer Vents Kit

929065 · One size | Black (90)

- Fits Exome helmet family.



Exome Shield Mechanism

929067 · One size | Black (90)

- Fits Exome helmet family.



Exome Shield Sealing Gasket

929070 · One size | Black (90)

- Fits Exome helmet family.



Exome Summer Sun Shield

DOT ECE 22.06

929072 · One size | Smoke (57), Clear (00)

- Fits Exome helmet family.



Exome Summer Chin Lock Covers

929075 · One size | Black (90)

- Fits Exome helmet family.



Exome Summer Cheek Pads

929092 · XS, S, M, L, XL, 2XL, 3XL | Charcoal Grey (07)

- Fits summer Exome helmet family.



MISC

Exome Open-Face Peak

929145 · One size | Black (90)



- Fits Exome open-face helmet family.

Exome Open-Face Headliner

DOT

929147 · XS, S, M, L, XL, 2XL, 3XL | Charcoal Grey (07)



- Fits Exome open-face helmet family.
- DOT certified version only.

Exome Open-Face Cheek Pads

929148 · XS, S, M, L, XL, 2XL, 3XL | Black (90), Charcoal Grey (07)



- Fits summer Exome open-face helmet family.

RETRO OPEN-FACE

MISC

Retro Open-Face RPM Peak

929192 · One size | Black (90)



- Fits Retro open-face helmets.

Retro Open-Face Cheek Pads

929193 · S, M, L, XL, 2XL | Black (90)



- Fits Retro open-face helmets.

FLINT

MISC

Flint Goggles Tear-Offs

448759 · One size | Clear (00)

- Ready-to-use clear tear-off tabs.
- Pack of 10.

Flint Goggles Nose Guard

448760 · One size | Black (90)



- Fits all Flint goggles:
  - Flint Dune
  - Flint Fade
  - Flint Phantom

Flint Goggles Clear Single UV Lens

448764 · One size | Clear (00)



- Fits all Flint goggles:
  - Flint Dune
  - Flint Fade
  - Flint Phantom

Flint Goggles Chrome Single UV Lens

448765 · One size

Blue (80), Chrome (99), Red (30), Turquoise (Aqua) (76), Yellow (10)



- Fits all Flint goggles:
  - Flint Dune
  - Flint Fade
  - Flint Phantom

Flint Photochromatic RPM Single UV Lens

448784 · One size

Smoke (57)



- Fits Flint goggle family.

TRENCH

MISC

Trench Goggles Nose Guard

448708 · One size

Black (90)



- Fits Trench goggles.

Trench Goggles Single UV Lens

448697 · One size

Clear (00)



- Trench anti-scratch, anti-fog RPM lens.
- Clear.

Trench OTG Goggles Single UV Lens

448793 · One size

Clear (00), Smoke 60% (21)



- Fits Trench OTG goggle family.
- Can-Am laser etching on lens.

Trench Goggles Tear-Offs

448727 · One size

Clear (00)

- Compatible with the Can-Am Trench goggles.
- Pack of 10.

Trench OTG Goggles Tear-Offs

448795 · One size

Clear (00)

- Fits Trench OTG goggle family.
- Pack of 10.


BRP
REIMAGINES
THE WAY
YOU ACCESS
YOUR WORLD
Can-Am is one of many success stories from BRP, the global company behind some of the most daringly innovative products and experiences that move you.
BECAUSE IT'S NOT ABOUT THE DESTINATION, IT'S ABOUT THE JOURNEY—YOURS.
PYRA
BRP
ski-doo
LYNX
SEA-DOO
can-am
ROTAX



CANAMOFFROAD.COM